

# shredders

## directory 2020

niszczarki.com.pl



Modern designs  
with advanced  
technological  
systems

**KOBRA**<sup>®</sup>

Innovative  
and  
environment-friendly  
solutions





# directory: shredders 2020

highest security level

# HIGH SECURITY

**KOBRA**<sup>®</sup>  
Advancing Technology



**LIFE TIME WARRANTY**  
CUTTING KNIVES  
**3** YEARS ★★★  
FOR MACHINE

Specification		High Security - Highest security level																					
Series >		KOBRA HS										KOBRA HS-6											
Model >		240.1 HS	245 TS HS	260.1 HS	260 TS HS	300.1 HS	300.2 HS	310 TS HS	310 TS HS HD	400 HS	410 TS HS	240.1 HS-6	245 TS HS-6	260.1 HS-6	260 TS HS-6	300.1 HS-6	300.2 HS-6	310 TS HS-6	310 TS HS-6 HD	400 HS - 6	400 HS - 6 COMBI	410 TS HS-6	
Entry width (mm)		240	245	260	260	310	310	310	310	400	410	240	245	260	260	310	310	310	310	400	130/240	410	
Cutting width (mm)		0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	1,5 x 2 0,8 x 5	0,8 x 9,5	
Efficiency - amount of sheets /70g		6/8	6/8	6/8	6/8	8/10	9/11	11/13	20/22	17/19	20/22	4/5	4/5	4/5	4/5	4/5	5/6	5/6	12	10	8/10	10/12	
Security level DIN 66399	Shredding of paper P(1-7)	P-6	P-6	P-6	P-6	P-6	P-6	P-6	P-6	P-6	P-6	P-7	P-7	P-7	P-7	P-7	P-7	P-7	P-7	P-7	P-7	P-7	
	Crushing of CDs O(1-7)	-	-	-	option	-	-	option	O-5	-	O-6	-	-	-	option	-	-	option	-	-	O-6	O-6	
	Shredding of plastic cards T(1-7)	-	-	-	-	-	-	-	T-6	-	T-6	-	-	-	-	-	-	-	-	-	T-6	T-6	
	Shredding of floppy disks T(1-7)	-	-	-	-	-	-	-	-	-	T-6	-	-	-	-	-	-	-	-	-	-	T-6	T-6
	Shredding of cards with chip E(1-7)	-	-	-	-	-	-	-	E-5	-	E-5	-	-	-	-	-	-	-	-	-	-	E-5	E-5
	Shredding of PenDrive E(1-7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Shredding of films and foils F(1-7)	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3
Shredding speed m/s		0,07	0,08	0,07	0,08	0,07	0,07	0,08	0,1	0,12	0,1	0,07	0,08	0,07	0,08	0,08	0,07	0,08	0,08	0,12	0,12	0,1	
Shredding of small paper clips/staples		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Automatic START/STOP		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Light signalization: open door/removed bin		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Optic full-bin indicator		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Mounted on casters		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Window in casing		option	-	option	-	option	option	-	-	-	option	-	option	-	option	option	-	-	-	-	-	-	
Motor designed for continuous work		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Motor overheating protection		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Noise level (dba)		61	54	61	54	61	61	57	58	58	62	61	54	61	54	61	61	57	58	58	58	62	
Power (W)		500	460	500	460	600	900	920*	2600	2100	2600	500	460	500	460	600	900	920*	2600	2100	2100	2600	
Waste basket's capacity (litres)		40	40	60	60	110	135	135	135	200	205	40	40	60	60	110	135	135	135	200	80+110	205	
Separate container for shredded media		-	-	-	option	-	-	option	-	-	option	-	-	-	option	-	-	option	-	-	-	option	
Dimensions (cm)	width	64	61	84	80	92	100	96	96	93	104	64	61	84	80	92	100	96	96	93	93	104	
	depth	40	40	40	40	53	53	53	53	60	60	40	40	40	40	53	53	53	53	60	60	60	
	height	36	36	36	36	43	43	43	43	48	48	36	36	36	36	43	43	43	43	48	48	48	
Weight (kg)		28	29	32	33	41	48	57	91	112	128	28	29	32	33	41	48	57	91	112	112	128	
Automatic oiling of cutting blades		option	option	option	option	option	option	●	●	●	●	option	option	option	option	option	option	●	●	●	●	●	

**WARRANTY**  
**2** YEARS ★★  
 ALL DEVICES

All Wallner shredders are covered by a two year warranty.



Wallner S-580   Wallner FXD85B   Wallner BCD 408   Wallner ACD 410   Wallner XD 805 CD   Wallner XD 1012 CD   Wallner C8A0 / C860   Wallner JP 6215CD   Wallner HD-208 C   Wallner HD-120   Wallner HD-220   Wallner HD-300   Wallner HC1601   Wallner JP 820S/830C   Wallner JP 826C   Wallner JP 510C/JP 516C/JP 520C/JP 526C


Specification		Personal									Office									Professional					
Model >	S-580	FXD85B	BCD 408	ACD 410	XD 805 CD	XD 1012 CD	C8A0	C860	JP 6215CD	HD 208 C	HD 120 C4	HD 120 C2	HD 220 C4	HD 220 C2	HD 300 C4	HD 300 C2	HC1601	JP 820S	JP 826C	JP 830C	JP 520C	JP 526C	JP 510C	JP 516C	
Entry width (mm)	220	220	225	225	220	220	230	230	230	225	235	235	235	235	240	240	220	230	240	230	270	270	310	310	
Cutting width (mm)	6	4x33	4x35	4x35	4x45	4x35	4x50	3x9	4x50	2X12	4x30	2x10	4x20	2X10	4x25	2x10	4x39	3,9	3,8x40	1,9x10	4x40	2x10	4x30	2x15	
Efficiency - amount of sheets	8 (80g)	8 (70g)	8 (80g)	10 (80g)	8 (80g)	10 (80g)	10 (80g)	6 (80g)	15 (70g)	10 (80g)	10 (80g)	8 (80g)	14 (80g)	12 (80g)	19 (80g)	14 (80g)	16 (80g)	25 (70g)	18 (70g)	17 (70g)	25 (70g)	20 (70g)	32 (70g)	22 (70g)	
Security level DIN 66399	Shredding of paper P(1-7)	P-2	P-4	P-4	P-4	P-3	P-4	P-3	P-5	P-3	P-5	P-4	P-5	P-4	P-5	P-4	P-5	P-4	P-2	P-4	P-5	P-4	P-5	P-4	P-5
	Crushing of CDs O(1-7)	-	●*	●*	●*	●*	●*	●*	●*	0-2	-	0-1	0-1	0-1	0-1	0-1	0-1	0-3	0-2	0-1	0-4	0-3	0-4	0-3	0-4
	Shredding of plastic cards T(1-7)	-	T-4	T-2	T-2	T-2	T-2	T-2	T-2	T-3	T-5	T-4	T-5	T-4	T-5	T-4	T-5	T-4	T-3	T-2	T-5	T-4	T-5	T-4	T-5
	Shredding of floppy disks T(1-7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	T-2	-	T-4	T-5	T-4	T-5
	Shredding of cards with chip E(1-7)	-	E-3	E-3	E-3	E-2	E-3	E-2	E-2	E-2	E-4	E-3	E-4	E-3	E-4	E-3	E-4	-	E-2	E-2	E-4	E-3	E-4	E-3	E-4
	Shredding of PenDrive E(1-7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shredding of films and foils F(1-7)	-	F-1	F-1	F-1	-	-	-	F-2	-	F-2	F-1	F-2	F-1	F-2	F-1	F-2	-	-	F-1	F-2	F-1	F-2	F-1	F-2	
Shredding of staples	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Shredding of small paper clips	-	-	●	●	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Automatic START/STOP	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Motor overheating protection	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Mounted on casters	-	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Window in casing	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	-	-	-	-	-	-	-	-
Noise level (dba)	< 65	< 72	< 60	< 60	< 72	< 72	< 58	< 58	< 56	< 60	< 55	< 55	< 55	< 55	< 55	< 55	< 57	< 55	< 55	< 55	< 58	< 58	< 58	< 58	
Power (W)	150	230	350	380	280	350	260	300	330	320	310	320	320	450	600	500	529	470	420	540	610	630	1250	1350	
Waste basket's capacity (litres)	15	15	13	18	13	21	25	25	21	16	20	20	30	30	38	38	29	35	35	35	53	53	80	80	
Dimensions: (mm)	width	393	390	375	400	322	396	500	500	555	465	518	518	600	600	667	667	517	645	645	645	795	795	895	895
	depth	185	170	200	230	163	220	240	240	265	271	268	268	322	322	350	350	300	305	305	305	335	335	385	385
	height	320	340	295	350	310	360	365	365	365	355	291	291	372	372	404	404	400	395	395	395	460	460	520	520
Weight (kg)	2,5	3,9	4,2	5,1	4,0	5,5	6,7	6,7	13,7	7,6	9,8	11,3	12,3	12,5	19,7	21,3	12,3	18,3	21	18,7	44	44	70	70	

\* \* shredder shreds CDs, but shred's size is not classified according to Standard DIN 66399

**WARRANTY** **2** YEARS ★★  
 ALL DEVICES

# Unique features of Kobra and Wallner shredders

Detailed information on unique features and technical parameters of shredders can be found in a dedicated catalog provided by your distributor.



Ultra-tough and highly durable shredding module. Class HS and HS-6 devices are equipped with complex shredding knives made of tempered spring steel alloy (65-70 HRC).



Electronic Power Control - a control panel with multiple visual indicators allowing for controlling the device and optimizing its performance.



Energy Smart System - a patented technological system promotes environmental protection and energy cost savings. After finishing work, the system automatically activates a stand-by mode, cutting off power.



Silent Device - shredders marked with this emblem are equipped with an ultra quiet motors that shred documents at the noise level of 52-58 dB. Silent document shredding improves work comfort.



Equipped with two separate openings for paper as well as CD, DVD and credit cards. Two separate waste bins allow for segregating the shredded matter.



Kobra shredders are equipped with continuous action motors that ensure maximum daily work efficiency.



Super Potential Power System – gears made of special hardened steel powered through a metal chain transmission system guarantees reliable operation and resistance to heavy loads. The chain is covered by a lifetime warranty.



Series AF Kobra shredders are equipped with automatic paper feeding system that allows for simultaneous shredding of multiple sheets. The feeder in the AF.1 model is furnished with a digital pin code lock.

## shredders directory 2020

This directory is a commercial information, designed especially for distributors and institutional clients. All technical data and dimensions are approximate. The producer reserves the right to introduce modifications in technical solutions and designs.



[www.argo.pl](http://www.argo.pl)



Contact our Export Department:

tel.: +48 58 55 43 558  
e-mail: [kbatowkina@argo.pl](mailto:kbatowkina@argo.pl)

tel.: +48 58 55 43 527  
e-mail: [mczaplinska@argo.pl](mailto:mczaplinska@argo.pl)