

PROFESSIONAL



CATALOGUE 2020

guidebook through shredders,
lamination, document binding,
guillotines, office accessories



NEW, SECOND CATALOGUE BY ARGO IS COMING SOON!

Here you will find a wide range of novelties. Rich and diverse offer of Galeria Papieru assortment, well-known and acknowledged Mintra notebooks and our new brand of writing products called Heykka.

Heykka®

ART OF CREATION
**GALERIA
PAPIERU**

MINTRA®

Heykka is our new brand for writing products. Here you will find coloured highlighters, high quality coloured pencils and wax crayons, incredible Marvel pens and vibrant gel crayons. Our products help to make the world more excellent and touch your imagination. Discover a magnificent world of colours with us!

Galeria Papieru is the brand of a wide variety of creative products. Decorative papers and card papers, certificates, invitations, envelopes, folders, covers, tools and decorative accessories which permit to create any work on your own.

Mintra is a company whose mission is to create high quality products, who cares about protection of our planet's natural environment. In our offer you will find a wide choice of durable, esthetic, colourful and elegant notebooks and filling folders.

NOVELTIES 2020




KOBRA SHREDDER HYBRID-S

Productive, silent and energy-efficient shredder. Maintains stored electric power, shreds up to 15% of all the documents from the stored energy.



WALLNER SHREDDERS HD-208 C2/HD-220 C2

Modern and compact shredders for home and small office use. Made of high quality materials ensure security and reliable use.



TAKE BACK LAMINATING POUCHES

This kind of laminating pouches allows to get the document back without being damaged. All you need is to cut the foil along the edge of the laminated paper and get the document out.



STAPLERS

High quality staplers for professional and everyday work. Available in three colours: yellow, white and black. Staple up to 35 sheets, an applied mechanism allows to use 50% less power while stapling than a normal stapler.



CLOCKS

The clocks have light, clear dial perfect for offices, schools, bureaux. Distinct and thick hand and big numbers make reading of the time easy from the long distance.



CLASSIC DESK ACCESSORIES SETS

Desk set consists of 10 practical elements, will make your desk look elegant and refined. Available in two colours: brown and black. Perfect for office or boss's desk.

FIND IN THE CATALOGUE:

KOBRA SHREDDERS	NEW	7
WALLNER SHREDDERS	NEW	30
LAMINATING MACHINES		38
LAMINATING POUCHES	NEW	44
BINDING MACHINES		46
BINDING COVERS		52
PLASTIC COMBS		54
HAND BINDING MATERIALS		55
WIRE BINDING COMBS		57
THERMAL BINDING		62
GUILLOTINES		64
TRIMMERS		72
PUNCHERS		74
STAPLERS	NEW	74
CORNER ROUNDERS		75
CABINETS AND FIRST-AID	NEW	76
PROTECTIVE CLOTHING		79
WALL CLOCKS	NEW	80
MONEY DETECTORS		82
IDENTIFICATION	NEW	83
PRESENTATION	NEW	86
COMPUTER ACCESSORIES		88



Argo S.A. catalogue available in the electronic version at argo.pl



How can shredders make an influence on data security in your company?

GDPR

After introducing GDPR regulations concerning data privacy protection into life, having a shredder at home or in your office has become a must have. We are not conscious how many documents include our personal data information. You can just look around your house and find: bank statements and information, invoices, contracts, letters from Social Insurance Fund, credit cards or identity cards. In the office the number of such documents is much bigger.

Shredders shred the highly confidential documents efficiently and irrevocably. Choosing the right kind of machine according to the kind of documents, you will ensure security for your company and yourself.

How the documents are being destroyed


Standard DIN 66399 security levels classification of paper particles

Paper, printed materials

P-1	Shred's width max 12 mm
P-2	Shred's width max 6 mm
P-3	Shred's surface max 320 mm ² and shred's width max 2 mm
P-4	Shred's surface max 160 mm ² and shred's width max 6 mm
P-5	Shred's surface max 30 mm ² and shred's width max 2 mm
P-6	Shred's surface max 10 mm ² and shred's width max 1 mm
P-7	Shred's surface max 5 mm ² and shred's width max 1 mm



A4 sheet of paper is cut into stripes 12 mm wide. For general documents which do not contain critical information like useless promotional materials, notes, leaflets.



A4 sheet of paper is cut into 80 stripes 6 mm wide. For internal documents like old manuals, announcements, fill-in forms or corporate correspondence.




A4 sheet of paper is cut into approximately 200 cross-cuts 4x80 mm or stripes 2 mm wide. For sensitive documents like: data and HR documents, commercial offers or orders.



A4 sheet of paper is cut into approximately 400 cross-cuts 4x40 mm or particles 6 mm wide. For sensitive and confidential documents which requires high security: personal data, financial balance, bills, bank statements, medical information, tax documents.



A4 sheet of paper is cut into approximately 4000 cross-cuts 2x15 mm or particles 2 mm wide. For confidential documents which are sensitive for companies, public administration bureaus: strategic documents, patent certificates, competition analysis, court documents.



A4 sheet of paper is cut into approximately 8000 cross-cuts 0,8x9,5 mm or particles maximum 1 mm wide. For highly confidential documents: official documentation, R&D documentation.



A4 sheet of paper is cut into approximately 16000 cross-cuts 0,8x5 mm or particles maximum 1 mm wide. The highest security level for highly confidential documents like military documents, police data.

Standard DIN 66399 data storage media classification

Optic data carriers	Magnetic data carriers	Memory Sticks, Chip Cards, SD and Micro SD	Micro films and foils	Hard Disks
O-1 Shred's surface max 2000 mm ²	T-1 Mechanically out of order (broken)	E-1 Mechanically and electronically out of order (broken)	F-1 Shred's surface max 160 mm ²	H-1 Mechanically and electronically out of order
O-2 Shred's surface max 800 mm ²	T-2 Shred's surface max 2000 mm ²	E-2 Cut into pieces	F-2 Shred's surface max 30 mm ²	H-2 Broken
O-3 Shred's surface max 160 mm ²	T-3 Shred's surface max 30 mm ²	E-3 Shred's surface max 30 mm ²	F-3 Shred's surface max 10 mm ²	H-3 Deformed
O-4 Shred's surface max 30 mm ²	T-4 Shred's surface max 160 mm ²	E-4 Shred's surface max 30 mm ²	F-4 Shred's surface max 2.5 mm ²	H-4 Multiply cut and deformed, shred's surface max 2000 mm ²
O-5 Shred's surface max 10 mm ²	T-5 Shred's surface max 30 mm ²	E-5 Shred's surface max 10 mm ²	F-5 Shred's surface max 1 mm ²	H-5 Multiply cut and deformed, shred's surface max 320 mm ²
O-6 Shred's surface max 5 mm ²	T-6 Shred's surface max 10 mm ²	E-6 Shred's surface max 1 mm ²	F-6 Shred's surface max 0.5 mm ²	H-6 Multiply cut and deformed, shred's surface max 10 mm ²
O-7 Shred's surface max 0.2 mm ²	T-7 Shred's surface max 2.5 mm ²	E-7 Shred's surface max 0.5 mm ²	F-7 Shred's surface max 0.2 mm ²	H-7 Multiply cut and deformed, shred's surface max 5 mm ²

Choose a shredder according to your needs. Get to know the unique characteristics of our machines which make the shredding of the documents easy and efficient.



Automatic shredding of the paper - the shredders are equipped in automatic paper feeder which allows to shred up to 37 sheets per minute. Thanks to the feeder which can store up to 300 sheets of paper, the paper shredding is possible without constant adding of the documents. Such machines are recommended for medium size offices, bureaus and banks. The shredders with such function: KOBRA AF+1, KOBRA AF.1 and Kobra 310 TS-AF.



Digital electronic combination lock for documents - thanks to individual PIN-code use the documents left for shredding prevent from getting into wrong hands. The feeder secured by code is recommended in places where many people have an access to the documents being shredded (for example when the shredder is located in crowded corridor or in some space where many people are present). The shredder with this function is Kobra AF.1



Shredders directory with the parameters of Kobra and Wallner shredders is available on our website:
www.argo.pl/en/download/



Silent work - the work without too much noise and distractions is extremely important in an office. While making a choice which kind of a shredder to choose for a place where many people work together pay attention to a shredder with silent work operating mode. Kobra 240.1 shredders will be perfect.



Cabinet mounted on casters ensures the mobility. Such solution is recommended in places where movement and changes are regular. Perfect in conference rooms and big spaces - everywhere where transporting of a shredder can be a problem.



Sliding cover - the cover which secures the entry and shredder's cutting knives. Additionally the cover secures against dust and dirt which affects the proper work of the equipment. Wallner HC1601 shredder has under the cover functional buttons which prevents the machine from accidental switch on.



Safe Control Panel - such shredders like Wallner JP 826C, Wallner JP820S / JP 830C are equipped with safety control panel which stops the machine's work when touching the entry. This function is extremely important in places where children and animals are.



The separate baskets and entries for paper documents and media permit waste segregation.



Energy Smart System - saving of energy thanks to zero power consumption in stand-by mode.



Electronic Power Control - system which shows the device's shredding capacity in the particular moment.



Super Potential Power System - reinforced chain drive system with life-time guarantee.

TOUCH SCREEN

Touch Screen - multi-functional touch screen which starts the required function upon pressing the screen.



Hybrid technology - intake and power consumption saving system during each shredder's work.



Silent Decide - shredder equipped with a motor that shreds documents at the noise level 52-58 dB.



All Kobra shredders marked C and HS are additionally equipped with a Kobra oil bottle.



Automatic Oiler - integrated system of automatic oiling of cutting knives, which prolongs machine's lifespan.



100% Jam Proof system - in case of paper jams the reverse function starts automatically and pulls back the documents.



Ultra-tough and highly durable shredding module. Class HS and HS-6 devices are equipped with complex shredding knives made of tempered spring steel alloy (65-70 HRC).



Motor designed for continuous work. Selected models of Kobra shredders may work continuously even for 24 hour per day.

The life-time guarantee for cutting knives does not include the natural knife's wear, as well as cases of damages aroused in effect of faulty use or not following the recommendations in the manual.



All Kobra shredders are under three years guarantee for the machines and **life-time guarantee for cutting knives.**



All Wallner shredders and other devices are under two years guarantee.

Safe shredders use

Shredders use is easy and safe, pay attention to a few important rules:



Read the user manual and device's properties carefully. The shredders have different properties. Some models destroy paperclips and CDs without a problem. On the other hand even with the best shredders while putting paper and other things for shredding at the same moment you can cause the equipment's jam.



Put for shredding the recommended by the manufacturer quantity of sheets. Too many sheets can cause the device's blockage and big overloads of mechanical systems, decrease the shredder's durability and even cause device's damage.



While shredding the big quantities of documents please remember about the short breaks in the device's work. Continuous shredder's work can cause the overheating of the shredder. All the information concerning continuous work of the shredder you can find in user manual or nameplate placed on a shredder.



Please remember to empty the shredder's basket



Do not put more than 1 credit card or CD at once for shredding



Do not shred paper and credit cards/CD together.



Regular oiling of the cutting knives ensures a better work of the shredder.



For oiling of the cutting knives use special oil or special shredder lubricant sheets. Do not use any aerosol synthetic oil or petroleum products or any aerosol lubricant means inside or near the shredder as it can cause fire.



All the repairs should be done by a specialist only.



Kobra oil for shredders

Special formula of the oil intended to grease the cutting knives. 1000 ml bottle dedicated for automatic oiling systems. 1 bottle contains 125 ml of oil 130050

1 bottle contains 1000 ml of oil 130130

NOTE: Regular oiling of the cutting knives ensures a better work of the shredder. To each cross-cut shredder, with symbols C or HS, 1 bottle containing 125 ml of oil is included. We encourage to perform frequently the following simple procedure: pour a few drops of the oil on a sheet of paper and then shred it in the machine.



Shredder lubricant sheets 130110

A5 lubricant sheets, which spread the oil on the cutting knives. Clean and easy way to extend the lifespan of a shredder. Each sheet contains 6 ml of oil.

10 pcs per pack

ATTENTION: Put the lubricant sheet into the entry of the shredder as shown by the drawn arrows, shred it and then run the reverse for about 10 seconds to allow an even distribution of the oil.

CLASSIC LINE SHREDDERS

KOBRA®

**LIFE TIME
WARRANTY**
CUTTING KNIVES

3 YEARS ★★★
FOR MACHINE



Shredder Kobra C1

Shredders recommended for homes and small offices. The wide entry makes it easy to insert documents. The silent motor permits to use the shredders in small spaces.

- entry width: 230 mm
- shreds: plastic cards, staples and paper clips
- automatic start/stop
- Energy Smart System - zero power consumption in stand-by mode
- motor thermal protection
- silent 24 hours continuous duty motor
- automatic cutting off of the power supply in case of paper jam or cutting head removal
- window in casing permits to control basket's fill up level
- Eco-Friendly - shred's basket does not require the use of bags
- waste basket's capacity: 18 l

See
shredder
Kobra C1
in use



model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
Kobra C1	9		3,5x40	3	P-4/T-4/E-3/F-1	18 l						120833



Shredders Kobra +1

Shredders from Kobra +1 series are recommended for medium size offices and bureaus. Equipped with an engine adapted to intensive continuous work without thermal danger, thus ensuring higher efficiency of shredding.

- entry width: 230 mm
- shreds: CDs, plastic cards, staples and paper clips
- automatic start/stop with automatic reverse
- Energy Smart System - zero power consumption in stand-by mode
- motor thermal protection
- silent 24 hours continuous duty motor
- automatic cutting off of the power supply in case of paper jam or waste basket's removal
- window in casing permits to control basket's fill up level
- Eco-Friendly - shred's basket does not require the use of bags
- optional full-basket sensor
- waste basket's capacity: 38.5 l

See
shredder
Kobra +1
in use




KOBRA +1

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
+1 SS4 ES	19		3,8	2	P-2/O-2/T-2/E-2	38,5 l						120012
+1 SS7 ES	27		7,5	1	P-1/O-1/T-2/E-2	38,5 l						120021
+1 SS6 ES	25		5,8	2	P-2/O-2/T-2/E-2	38,5 l						120032
+1 CC4 ES	14		3,5x40	3	P-4/T-4/E-3/F-1	38,5 l						120043

CLASSIC LINE SHREDDERS

KOBRA®

LIFE TIME WARRANTY
CUTTING KNIVES
3 YEARS ★★★
FOR MACHINE



Shredders Kobra +2/+3

Shredders recommended for medium size offices and bureaus. Special cover protects the cutting knives against dust and dirt.


- entry width: 230 mm
- automatic start/stop with automatic reverse
- motor thermal protection
- silent 24 hours continuous duty motor
- Energy Smart System - zero power consumption in stand-by mode
- Throw and Shred System - possibility to shred crumbled sheets of paper (Kobra +3)
- automatic cutting off of the power supply in case of paper jam or waste basket's removal
- two separate sets of knives to shred papers and CDs and plastic cards
- window in casing permits to control basket's fill up level
- Eco-Friendly - shred's basket does not require the use of bags
- separate entry for the safe shredding of CDs
- separate waste baskets for papers and CDs and plastic cards (1.5 l)
- waste basket's capacity: 38.5 l

See shredders Kobra +2/+3 in use



KOBRA +2 +3

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
+2 SS4 ES	19		3,8	2	P-2/ O-2/ T-2/ E-2	38,5 l						120052
+2 SS7 ES	27		7,5	1	P-1/ O-1/ T-2/ E-2	38,5 l						120061
+2 CC2 ES	8		1,9x13	4	P-5/ O-1/ T-5/ E-4/ F-2	38,5 l						120074
+3 CC4 ES	14		3,5x40	3	P-4/ O-1/ T-4/ E-3/ F-1	38,5 l						120083



Shredders Kobra 240

Shredders recommended for medium size offices and bureaus. Designed to shred large amounts of documents with staples and paper clips.

- entry width: 240 mm
- automatic start/stop
- motor thermal protection
- silent 24 hours continuous duty motor
- included systems: Energy Smart, Super Potential Power System (SPPS), see page 5
- automatic cutting off of the power supply in case of paper jam or waste basket's removal
- metal chain drive with life-time guarantee
- Turbo Power - additional Power boost, which eliminates paper jams (240 SS4, 240 SS5, 240 C2, 240 C4)
- durable knives unaffected by staples and paper clips
- shredding of wide computer printouts
- Eco-Friendly - shred's basket does not require the use of bags
- special cover for safe shredding of CDs and floppy disks
- light-emitting diode (LED), which signalizes removed basket
- removable, easy to clean waste basket for CDs shreds
- waste basket's capacity: 35 l

See shredder Kobra 240 in use



KOBRA 240

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
SS2 ES	15		1,9	3	P-3/ T-3/ E-2	35 l						120103
SS4 ES TURBO	30*		3,8	2	P-2/ O-2/ T-2/ E-2	35 l						120112
SS5 ES TURBO	52*		5,8	2	P-2/ O-2/ T-2/ E-2	35 l						120122
C2 ES TURBO	19*		1,9x15	4	P-5/ T-5/ E-4/ F-2	35 l						120134
C4 ES TURBO	26*		3,5x30	3	P-4/ O-3/ T-4/ E-3/ F-1	35 l						120143

* values given for turned on TURBO POWER function

** with TURBO POWER function turned on and after the knives have been oiled

CLASSIC LINE SHREDDERS

KOBRA®



Shredders Kobra 385

Shredders with extra power recommended for large offices and bureaus.
Ideal for shredding wide computer printouts.

- entry width: 385 mm
- automatic start/stop with automatic reverse
- motor thermal protection
- silent 24 hours continuous duty motor
- included systems: Energy Smart, Super Potential Power System (SPPS), see page 5
- automatic cutting off of the power supply in case of paper jam or open door
- durable knives unaffected by staples and paper clips
- metal chain drive with life-time guarantee
- gears made from special hardened carbon steel
- light-emitting diode (LED), which signalizes open door
- shredding of wide computer printouts
- optic full-basket indicator
- Additional Option: Auto Oiler, see page 21
- cabinet mounted on casters
- waste basket's capacity: 130 l



KOBRA 385

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
SS4 ES	22		3,8	2	P-2/ O-2/ T-2/ E-2	130 l						120522
C2 ES	11		1,9x15	4	P-5/ T-5/ E-4/ F-2	130 l						120534
C4 ES	17		3,5x30	3	P-4/ T-4/ E-3/ F-1	130 l						120543

170l waste basket available upon request.



Kobra 400 S5, C2 and C4 models
shred also Pen Drives



Shredders Kobra 390/400

Shredders with extra power and efficiency, recommended for large offices and bureaus.

- entry width: 400 mm
- automatic start/stop with automatic reverse
- motor thermal protection
- 24 hours continuous duty motor
- included systems: Energy Smart, Super Potential Power System (SPPS), see page 5
- automatic cutting off of the power supply in case of paper jam or open door
- metal chain drive with life-time guarantee
- gears made from special hardened carbon steel
- light-emitting diode (LED), which signalizes open door or full-basket
- special cover for safe shredding of CDs and floppy disks
- shredding of wide computer printouts
- possibility to place a shelf for computer printouts
- optional: Metal Detector, Auto Oiler (390C4, 400 C2, 400 C4) see page 21
- cabinet mounted on casters
- waste basket's capacity: 200 l



KOBRA 390

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
S5 ES	33		5,8	2	P-2/ O-2/ T-2/ E-2	200 l						120552
C4 ES	26		3,9x40	3	P-4/ O-3/ T-4/ E-3/ F-1	200 l						120563

KOBRA 400

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
S5 ES	62		5,8	2	P-2/ O-2/ T-2/ E-2	200 l						120572
C2 ES	31		1,9x15	4	P-5/ O-4/ T-5/ E-4/ F-2	200 l						120584
C4 ES	48		3,9x40	3	P-4/ O-3/ T-4/ E-3/ F-1	200 l						120593
HS ES AUTO OILER	19		0,8x9,5	5	P-6/ F-3	200 l						120605
HS-6 ES AUTO OILER	10		0,8x5	6	P-7/ F-3	200 l						121256

**LIFE TIME
WARRANTY**
CUTTING KNIVES

3 YEARS ★★★
FOR MACHINE

Shredders

KOBRA®



Hybrid

Environmentally
friendly
technology

Productive, silent and energy-efficient shredder.

***Maintains stored electric power,
to be used in each work cycle.***




■ Kobra Hybrid

Shredder recommended for home and office use.

***The Hybrid technology saves intake and power consumption
during each shredder's work.***

- entry width: 230 mm
- shreds: plastic cards, staples and paper clips
- automatic start/stop
- silent 24 hours continuous duty motor
- engine power: 170 W
- zero power consumption in stand-by mode
- automatic cutting off of the power supply in case of paper jam or waste basket's removal
- **light-emitting diode (LED) which signalizes the level of stored electric power**
- window in casing permits to control basket's fill up level
- Eco-Friendly - shred's basket does not require the use of bags
- waste basket's capacity: 30 l

*The automatic
cutting off from the
mains after finishing work
eliminates electric power
consumption.*



*Equipped with an innovative energy
management system. Light-emitting
diode (LED), which signalizes the level
of stored electric power.*

*Durable knives unaffected by staples
and paper clips. Durable knives with
life-time guarantee*



Shreds up to 15% all documents from the stored energy

NEW

■ Kobra Hybrid-S

Shredder recommended for home and office use.

The Hybrid technology saves intake and power consumption during each shredder's work.

- entry width: 230 mm
- shreds: plastic cards, staples and paper clips
- automatic start/stop
- silent 24 hours continuous duty motor
- engine power: 250 W
- zero power consumption in stand-by mode
- automatic cutting off of the power supply in case of paper jam or waste basket's removal
- **light-emitting diode (LED) which signalizes the level of stored electric power**
- window in casing permits to control basket's fill up level
- Eco-Friendly - shred's basket does not require the use of bags
- waste basket's capacity: 30 l



KOBRA HYBRID

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
Hybrid	9		3,5x40	3	P-4/ T-4/ E-3/ F-1	30 l						121273
Hybrid-S	14		3,5x40	3	P-4/ T-4/ E-3/ F-1	30 l						121293

Hybrid
environmentally friendly technology

Exceptionally
silent work
55 dB



Being eco-friendly in your office

Take care of environment!



Eco-friendly solutions make profits not only for your surroundings but for your company as well!

Proper waste segregation is a basis of running a company and your house in an environmentally sustainable way.



Every KOBRA shredder is equipped in ENERGY SMART SYSTEM® (zero power consumption in stand-by mode), in comparison to most traditional shredders available in the market, you can significantly reduce the electricity costs and reduce your CO₂ emission.

In order to segregate the wastes properly the shredders have separate baskets and entries for the documents. Shredded particles from plastic cards and CDs go to a separate basket which makes the separation from the paper easier. Shredders models with „Eco-Friendly“ symbol don't require the usage of plastic waste bags.

The good idea is to reuse the shredded paper. Paper strips can be ideal for packing and secure of the things in packaging.

SAVE PAPER


We normally use huge quantities of paper in an office. You can significantly save the paper introducing a few simple rules in your work:



Don't print your emails. If it is not possible, print the message on both sides of a paper. Smaller margins settings will make the printing larger surface.



Before the printing please check if the documents have any mistakes and all the printer's settings as well - it will prevent you from printing the document once.



Useless, one-side printed sheets of paper use again for making notes or new printing.



If the documents don't involve any confidential information or personal data you can pass the printed cards to a nearest kindergarten where they will be successfully re-used.



OIL FREE SYSTEM

Kobra AF.1 C4 and AF+1 shredders are equipped with cutting knives which do not require oiling.

52 dB

exceptionally silent work



KOBRA AF+1 AUTOFEEDER



Shredders Kobra AF+1

Shredders with an automatic paper feeder, recommended for medium size offices and bureaus. Equipped with cutting knives which do not require oiling.

- entry width: 240 mm
- paper feeder for 300 sheets A4 (80g) or 350 sheets A4 (70g) for automatic shredding of paper
- automatic shredding speed: 12 sheets per minute
- automatic start/stop with automatic reverse
- 24 hours continuous duty motor
- motor thermal protection
- Energy Smart system - zero power consumption in stand-by mode
- Oil-Free System - cutting knives which do not require oiling
- knives resistant to staples and paper clips
- automatic cutting off of the power supply in case of paper jam
- or waste basket's removal
- cabinet mounted on casters
- waste basket's capacity: 40 or 60 l

See shredder Kobra AF+1 in use



KOBRA AF+1

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
AF+1 40	12		3,5x40	3	P-4/T-4/E-3/F-1	40 l						121213
AF+1 60	12		3,5x40	3	P-4/T-4/E-3/F-1	60 l						121223



KOBRA AF.1 AUTOFEEDER

Fastest automatic paper feeder

37 sheets per minute.



The rest of the shredders with automatic feeder you can find on p. 18

Shredders Kobra AF.1

Professional shredder recommended for medium size offices and bureaus. Equipped with a special drawer - a paper feeder, for automatic shredding of documents.

- entry width: 260 mm
- drawer - feeder for 300 sheets A4 (80g) or 350 sheets A4 (70g) for automatic shredding of paper, secured by a 4 digit electronic combination lock
- automatic shredding speed: 37 sheets per minute (C2)
- automatic start/stop with automatic reverse
- 24 hours continuous duty motor silent 24 hours continuous duty motor
- motor thermal protection
- included systems: Energy Smart, Super Potential Power System (SPPS), see page 5
- Oil-Free System - durable cutting knives which do not require oiling, resistant to staples and paper clips (model AF.1 C4)
- Automatic Oiler(model AF.1.C2) - automatic oiling of cutting knives
- automatic cutting off of the power supply in case of paper jam
- or waste basket's removal
- cabinet mounted on casters
- waste basket's capacity: 135 l

See shredder Kobra AF.1 in use



KOBRA AF.1

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
AF.1 C2 AUTO OILER	8		1,9x15	4	P-5/T-5/E-4/F-2	135 l						121204
AF.1 C4	12		3,9x40	3	P-4/T-4/E-3/F-1	135 l						121153



● DOT SERIES SHREDDERS



KOBRA 240.1

KOBRA 300.1



Unique series of professional shredders for documents. The wide variety of models permits to choose the appropriate shredder in terms of the size of the room, number of people who will operate it and the type of shred materials.

All models from Kobra dot series are equipped with a chain drive with carbon hardened cutting knives, which eliminate the need to cool down the 24 hours continuous duty motor, the energy saving Energy Smart system. The wooden cabinet casing mounted on casters allows easy moving of the device.

■ Shredders Kobra 240.1 / 260.1 / 300.1 / 300.2

Shredders designed to shred small, medium or large amounts of documents. Equipped with a 24 hours continuous duty motor, enforced chain drive system and Energy Smart System, which allows the saving of energy.

- entry width: 240-310 mm
- shreds up to 38 sheets of paper at a time (300.2 S5)
- automatic start/stop with automatic reverse
- motor thermal protection
- silent 24 hours continuous duty motor
- Energy Smart System - saving of energy thanks to zero power consumption in stand-by mode
- Super Potential Power System (SPPS) - strengthened with a silent drive system, see page 5
- automatic cutting off of the power supply in case of paper jam or open door
- metal chain drive with life-time guarantee
- gears made of special hardened carbon steel
- durable knives unaffected by staples and paper clips
- light-emitting diode (LED), which signalizes open door
- cabinet mounted on casters with a handle to make it easy to empty the basket
- optic full-basket indicator
- waste basket's capacity: 40 - 135 l



Possibility to order Kobra shredders C2, C4, HS and HS-6 with automotive oiling system, nonstandard basket capacity and window in casing upon request.

The use of the reinforced chain drive system with a life-time guarantee and gears made of specially hardened carbon steel ensures the machine's durability and trouble-free work for many years.



● DOT SERIES SHREDDERS

KOBRA®



KOBRA 240.1 entry width 240 mm

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
S2 ES	15		1,9	3	P-3/T-3/E-2	40 l						120893
S4 ES	26		3,8	2	P-2/O-2/T-2/E-2	40 l						120902
S5 ES	31		5,8	2	P-2/O-2/T-2/E-2	40 l						120912
C2 ES	12		1,9x15	4	P-5/T-5/E-4/F-2	40 l						120924
C4 ES	17		3,5x30	3	P-4/O-3/T-4/E-3/F-1	40 l						120933
HS ES	8		0,8x9,5	5	P-6/F-3	40 l						120945
HS-6 ES	5		0,8x5	6	P-7/F-3	40 l						120956

KOBRA 260.1 entry width 260 mm

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
S2 ES	16		1,9	3	P-3/T-3/E-2	60 l						120963
S4 ES	28		3,8	2	P-2/O-2/T-2/E-2	60 l						120972
S5 ES	31		5,8	2	P-2/O-2/T-2/E-2	60 l						120982
C2 ES	12		1,9x15	4	P-5/T-5/E-4/F-2	60 l						120994
C4 ES	17		3,5x30	3	P-4/O-3/T-4/E-3/F-1	60 l						121003
HS ES	8		0,8x9,5	5	P-6/F-3	60 l						121015
HS-6 ES	5		0,8x5	6	P-7/F-3	60 l						121026

KOBRA 300.1 entry width 310 mm

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
S4 ES	29		3,8	2	P-2/O-2/T-2/E-2	110 l						121032
S5 ES	32		5,8	2	P-2/O-2/T-2/E-2	110 l						121042
C2 ES	14		1,9x15	4	P-5/T-5/E-4/F-2	110 l						121054
C4 ES	22		3,9x40	3	P-4/O-3/T-4/E-3/F-1	110 l						121063
HS ES	10		0,8x9,5	5	P-6/F-3	110 l						121075
HS-6 ES	5		0,8x5	6	P-7/F-3	110 l						121086

KOBRA 300.2 entry width 310 mm

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
S4 ES	33		3,8	2	P-2/O-2/T-2/E-2	135 l						121092
S5 ES	40		5,8	2	P-2/O-2/T-2/E-2	135 l						121102
C2 ES	18		1,9x15	4	P-5/T-5/E-4/F-2	135 l						121114
C4 ES	25		3,9x40	3	P-4/O-3/T-4/E-3/F-1	135 l						121123
HS ES	11		0,8x9,5	5	P-6/F-3	135 l						121135
HS-6 ES	6		0,8x5	6	P-7/F-3	135 l						121146

Series of professional Kobra shredders produced with the use of modern composite materials, used among others in the space industry's technologies.

The composite elements have an effect on the soundproof of the machines and allow highest mechanical performances with the lightest weight, thus affecting the durability of the machine.

The wooden cabinet casing mutes the noise. Additional casters simplify moving the shredder around.



Shredder on special order.
Possibility to order Kobra shredders made according to client's specific requirements.



See shredder
Kobra 240.1
in use



See shredder
Kobra 260.1
in use



See shredder
Kobra 300.1
in use



See shredder
Kobra 300.2
in use



SERIALS SHREDDERS

KOBRA®



TOUCH SCREEN



KOBRA®



TOUCH SCREEN



Shredders Kobra 245 TS

Shredders recommended for medium offices and bureaus. The multifunctional touch screen allows an intuitive handling of the machine.

- entry width: 245 mm
- Touch Screen - multifunctional touch screen
- light-emitting diodes (LED), which signalize the turned on functions of the shredder
- included systems: Energy Smart, Super Potential Power System (SPPS), see page 5
- metal chain drive with life-time guarantee
- the Super Fast function permits to shred an A4 sheet in just one second (model 245 S4 TS Super Fast)
- silent 24 hours continuous duty motor
- motor thermal protection
- durable knives unaffected by staples and paper clips
- automatic start/stop with automatic reverse
- automatic cutting off of the power supply in case of paper jam or open door
- cabinet mounted on casters
- optional: Metal Detector, Automatic Oiler (C2, C4, HS), see page 21
- waste basket's capacity: 40 l

See shredder
Kobra 245 TS
in use



model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
S4 TS SF SUPER FAST	16		3,8	2	P-2/T-2/E-2	40 l						120842

Shreds a A4 sheet in just one second!

KOBRA 245 TS

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
S4 TS ES	27		3,8	2	P-2/O-2/T-2/E-2	40 l						120162
S5 TS ES	29		5,8	2	P-2/O-2/T-2/E-2	40 l						120172
C2 TS ES	13		1,9x15	4	P-5/T-5/E-4/F-2	40 l						120184
C4 TS ES	23		3,9x40	3	P-4/O-3/T-4/E-3/F-1	40 l						120193
HS TS ES	8		0,8x9,5	5	P-6/F-3	40 l						120205
HS-6 TS ES	5		0,8x5	6	P-7/F-3	40 l						120856

Shredders Kobra 260 TS

Shredders recommended for medium size offices. Equipped with a 24 hours continuous duty motor ensuring higher efficiency of shredding. Multifunctional touch screen.

- entry width: 260 mm
- Touch Screen - multifunctional touch screen
- light-emitting diodes (LED), which signalize the turned on functions of the shredder
- included systems: Electronic Power Control (EPC), Energy Smart, Super Potential Power System (SPPS), see page 5
- metal chain drive with life-time guarantee
- silent 24 hours continuous duty motor
- automatic cutting off of the power supply in case of paper jam or open door
- cabinet mounted on casters
- separate entry for CD and plastic cards
- optional: Metal Detector, CD cutting unit (HS, HS-6), Automatic Oiler (C2, C4, HS, HS-6), see page 21
- waste basket's capacity: 60 l

See shredder
Kobra 260 TS
in use



KOBRA 260 TS

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
S4 TS ES	28		3,8	2	P-2/O-2/T-2/E-2	60 l						120282
S5 TS ES	30		5,8	2	P-2/O-2/T-2/E-2	60 l						120292
C2 TS ES	14		1,9x15	4	P-5/O-1/T-5/E-4/F-2	60 l	opcja					120304
C4 TS ES	24		3,9x40	3	P-4/O-3/T-4/E-3/F-1	60 l						120313
HS TS ES	8		0,8x9,5	5	P-6/F-3	60 l	opcja					120325
HS-6 TS ES	5		0,8x5	6	P-7/F-3	60 l	opcja					120866



Shredders 310 TS HD

Kobra **Heavy Duty** shredders may shred up to 56 sheets at a time. All HD models are equipped with an automatic oiling of cutting blades system.

Kobra 310 TS HD C2 and C4 models shred also Pen Drives

TOUCH SCREEN



Shredders Kobra 310 TS / 310 TS HD

Shredders with extra power recommended for large offices and bureaus. Allow the shredding of computer printouts with perforation. Multifunctional touch screen.

- entry width: 310 mm
- Touch Screen - multifunctional touch screen
- light-emitting diodes (LED), which signalize the turned on functions of the shredder
- included systems: Electronic Power Control (EPC), Energy Smart, Super Potential Power System (SPPS), see page 5
- metal chain drive with life-time guarantee
- silent 24 hours continuous duty motor
- automatic cutting off of the power supply in case of paper jam or open door
- light-emitting diode (LED), which signalizes open door and full-basket
- separate entry for CD and plastic cards
- possibility to order a shredder with an Automatic Feeder (models CC2, CC4, HS, HS-6), see page 18
- optional: Metal Detector, CD cutting unit (HS, HS-6), see page 21
- waste basket's capacity: 135 l

See shredder Kobra 310 TS in use



KOBRA 310 TS

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
SS4 ES	39		3,8	2	P-2/0-2/T-2/E-2	135 l						120382
SS5 ES	47		5,8	2	P-2/0-2/T-2/E-2	135 l						120392
CC2 ES	19		1,9x15	4	P-5/0-1/T-5/E-4/F-2	135 l						120404
C2 ES HD AUTO OILER	32		1,9x15	4	P-5/0-4/T-5/E-4/F-2	135 l						121164
CC4 ES	31		3,9x40	3	P-4/0-3/T-4/E-3/F-1	135 l						120413
C4 ES HD AUTO OILER	56		3,9x40	3	P-4/0-3/T-4/E-3/F-1	135 l						121173
HS ES AUTO OILER	13		0,8x9,5	5	P-6/F-3	135 l	opcja					120425
HS ES HD AUTO OILER	20		0,8x9,5	5	P-6/0-5/T-6/E-5/F-3	135 l						121185
HS-6 ES AUTO OILER	6		0,8x5	6	P-7/F-3	135 l	opcja					120876
HS-6 ES HD AUTO OILER	12		0,8x5	6	P-7/F-3	135 l	opcja					121196



Kobra 410 TS S5, C2 and C4 models shred also Pen Drives

TOUCH SCREEN



Shredders Kobra 410 TS

Shredders recommended for large offices and bureaus. The multifunctional touch screen allows an intuitive handling of the machine.

- entry width: 410 mm
- Touch Screen - multifunctional touch screen
- light-emitting diodes (LED), which signalize the turned on functions of the shredder
- included systems: Electronic Power Control (EPC), Energy Smart, Super Potential Power System (SPPS), see page 5
- metal chain drive with life-time guarantee
- Automatic Oiler – system for automatic oiling of cutting knives (except model S5)
- silent 24 hours continuous duty motor
- motor thermal protection
- automatic start/stop with automatic reverse
- automatic cutting off of the power supply in case of paper jam or open door
- separate entry for CD and plastic cards
- shreds CDs into shreds of the size 1.5 x 2.5 mm (410 HS TS)
- cabinet mounted on casters
- separate waste baskets for paper, CD and plastic card shreds
- optional: Metal Detector, see page 21
- waste basket's capacity: 205 l

See shredder Kobra 410 TS in use



KOBRA 410 TS

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
S5 TS ES	72		5,8	2	P-2/0-2/T-2/E-2	205 l						120613
C2 TS ES AUTO OILER	32		1,9x15	4	P-5/0-4/T-5/E-5/F-2	205 l						120624
C4 TS ES AUTO OILER	56		3,9x40	3	P-4/0-3/T-4/E-3/F-1	205 l						120633
HS TS ES AUTO OILER	22		0,8x9,5	5	P-6/0-6/T-6/E-5/F-3	205 l						120645
HS-6 TS ES AUTO OILER	12		0,8x5	6	P-7/0-6/T-6/E-5/F-3	205 l						120886

AUTOFEEDER SHREDDERS

**LIFE TIME
WARRANTY**
CUTTING KNIVES

3 YEARS ★★★
FOR MACHINE

KOBRA®

Kobra shredders from the TS-AF series are equipped with the automatic paper feeder. After placing the documents into the feeder, the shredder picks up the pages by itself. For further document's safety, the feeder in TS-AF HS models is additionally lockable with the high security cover to protect documents waiting to be shred, thus preventing their mishandling.



■ Shredders Kobra 310 TS-AF

Shredders recommended for medium and large offices and bureaus. Equipped with the automatic paper feeder for 170 sheets. Multifunctional touch screen.

Features of Auto-Feeder series:

- entry width: 310 mm
- automatic paper feeder for 170 sheets (optional lockable high security cover)
- Touch Screen - multifunctional touch screen
- light-emitting diodes (LED), which signalize the turned on functions of the shredder
- included systems: Electronic Power Control (EPC), Super Potential Power System (SPPS), Energy Smart, Automatic Oiler (standard in HS models, optional in others)
- metal chain drive with life-time guarantee
- silent 24 hours continuous duty motor
- motor thermal protection
- automatic start/stop with automatic reverse
- automatic cutting off of the power supply
- in case of paper jam or open door
- light-emitting diode (LED), which signalizes open door
- optic full-bin indicator
- separate entry for CD and plastic cards
- handle which enables easy opening of the waste basket
- mounted on casters
- separate waste baskets for paper, CD and plastic card shreds
- optional Metal Detector, CD cutting unit, Auto Oiling System see page 21
- basket capacity 135 l

**TOUCH
SCREEN**



Automatic paper feeder with optional lockable high security cover.



Paper feeder for 170 sheets in A4 format.

See
shredder
Kobra 310 TS-AF
in use



The Kobra TS-AF shredders apart from the automatic paper feeder have also an additional entry for manual placing of sheets and a separate entry for plastic cards and CDs.

KOBRA 310 TS-AF

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
CC2 ES	19		1,9x15	4	P-5/ O-1/T-5/ E-4/F-2	135 l						120484
CC4 ES	31		3,9x40	3	P-4/ O-1/T-4/ E-3/F-1	135 l						120493
HS ES AUTO OILER	13		0,8x9,5	5	P-6/F-3	135 l	opcja					120505
HS-6 ES AUTO OILER	6		0,8x5	6	P-7/F-3	135 l	opcja					121246

OPTICAL MEDIA SHREDDERS



Kobra shredders from the Optical Media series are designed for shredding CDs and floppy disks. They cut without any problems up to 1500 CDs per hour into micro-shreds of the size 1.5 x 2.5 mm assuring highest security level. Designed especially for military and governmental organizations.



See shredder
Kobra 400 HS OM
in use



■ Niszczarka Kobra HS OM ■ Niszczarka Kobra HS COMBI ■ Niszczarka Kobra HS-6 COMBI



Shredders recommended for shredding data storage media and large amounts of confidential documents. Especially useful in big offices, public administration bureaus, governmental agencies and armies.

- entry width: 130 mm for shredding CDs
240 mm for shredding paper
- shreds up to: 19 sheets of paper at a time (400 HS COMBI)
10 sheets at a time (400 HS-6 COMBI)

Features of the 400 HS OM / HS COMBI series:

- shredding of A4 documents into 8000 impossible to read micro-shreds (400 HS COMBI)
- shredding of CDs into 1.5 x 2.5 mm shreds
- shred up to 1500 CDs per hour
- Automatic Oiler – system for automatic oiling of cutting knives
- Energy Smart System – saving of energy thanks to zero power consumption in stand-by mode
- SPPS – Super Potential Power System, see page 5
- silent chain drive for efficient functionality
- metal chain drive with life-time guarantee
- durable knives unaffected by staples and paper clips
- automatic start/stop with automatic reverse
- motor thermal protection
- 24 hours continuous duty motor
- automatic cutting off of the power supply in case of paper jam or open door
- light-emitting diode (LED), which signalizes open door
- special cover for safe shredding of CDs
- mounted on casters
- optic full-basket indicator
- optional: Metal Detector, see page 21
- basket capacity: 80l (CDs)
110l (paper shreds)

Shredders designed for cutting multimedia in the highest security level.

model	arkusze	ścinek	ścinki CD (mm)	ścinki papier (mm)	DIN 32757	DIN 66399	kosz CD	kosz papier	plyty CD	dyskiety	kod
400 HS-OM AUTO OILER	1500 CD/h		1,5x2,5		5	O-6/ T-6/ E-5	80 l				120665
400 HS COMBI AUTO OILER	1500 CD/h		1,5x2,5	0,8x9,5	5	P-6/ O-6/ T-6/ E-5/ F-3	80 l	110 l			120675
400 HS-6 COMBI AUTO OILER	1500 CD/h		1,5x2	0,8x5	6	P-7/ O-6/ T-6/ E-5/ F-3	80 l	110 l			121266



Separate entry for paper and CD/DVD shredding in HS COMBI and HS-6 COMBI models.



Automatic Oiler the integrated system of automatic oiling of cutting knives, which assures better shredder's work and diminishes the risk of damaging the knives.



Cutting units Kobra HS shredders are equipped with cutting units - hydraulically compressed on steel shafts after assembling.



highest security level

HIGH SECURITY

- Shredders Kobra SERIA **HS**
- Shredders Kobra SERIA **HS-6***

Kobra HS shredders are a wide range of models designed to shred small, medium and large amounts of highly confidential documents. Especially useful in public administration bureaus, governmental agencies and armies.

Shredders equipped with a special, precise mechanism, which cuts A4 sheets of paper into 16,000 impossible to read micro-shreds (models HS-6). The size of such shred is only 0.8 x 5 mm.



Super Potential Power System - special carbon hardened cutting knives with chain drive system ensure reliability of its work and endurance to hard conditions. Metal chain with life-time guarantee.



HS and HS-6 shredders are equipped in cutting knives made of specially hardened carbon steel with the highest hardness 65-70 HRC, unaffected by staples and paper clips.

KOBRA HS

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
240.1 HS ES	8		0,8x9,5	5	P-6/F-3	40 l						120945
245 TS HS ES	8		0,8x9,5	5	P-6/F-3	40 l						120205
260.1 HS ES	8		0,8x9,5	5	P-6/F-3	60 l						121015
260 TS HS ES	8		0,8x9,5	5	P-6/F-3	60 l	opcja					120325
300.1 HS ES	10		0,8x9,5	5	P-6/F-3	110 l						121075
300.2 HS ES	11		0,8x9,5	5	P-6/F-3	135 l						121135
310 TS HS ES AUTO OILER	13		0,8x9,5	5	P-6/F-3	135 l	opcja					120425
310 TS HS ES HD AUTO OILER	22		0,8x9,5	5	P-6/O-5/T-6/ E-5/F-3	135 l						121185
310 TS-AF HS ES AUTO OILER	13		0,8x9,5	5	P-6/F-3	135 l						120505
400 HS ES AUTO OILER	19		0,8x9,5	5	P-6/F-3	200 l						120605
410 TS HS ES AUTO OILER	22		0,8x9,5	5	P-6/O-6/T-6/ E-5/F-3	205 l						120645

KOBRA HS-6*

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
240.1 HS-6 ES	5		0,8x5	6	P-7/F-3	40 l						120956
245 TS HS-6 ES	5		0,8x5	6	P-7/F-3	40 l						120856
260.1 HS-6 ES	5		0,8x5	6	P-7/F-3	60 l						121026
260 TS HS-6 ES	5		0,8x5	6	P-7/F-3	60 l	opcja					120866
300.1 HS-6 ES	5		0,8x5	6	P-7/F-3	110 l						121086
300.2 HS-6 ES	6		0,8x5	6	P-7/F-3	135 l						121146
310 TS HS-6 ES AUTO OILER	6		0,8x5	6	P-7/F-3	135 l	opcja					120876
310 HS-6 ES HD AUTO OILER	12		0,8x5	6	P-7/F-3	135 l						121196
400 HS-6 ES AUTO OILER	10		0,8x5	6	P-7/F-3	200 l						121256
410 TS HS-6 ES AUTO OILER	12		0,8x5	6	P-7/O-6/T-6/ E-5/F-3	205 l						120886

DIN 32757
6

DIN 66399
P-7

DIN 32757
5

DIN 66399
P-6

Photos present real shred's size.
Sheets were overprinted with text in TimesNewRoman 12 font.

Durable knives unaffected by staples and paper clips. The highest resistance of cutting mode for disadvantageous mechanical actions. The shredders from HS and HS-6 series are equipped in cutting knives made of specially hardened carbon steel with the highest hardness 65-70 HRC.





HIGH SECURITY

Shredders Kobra HS series

Shredders designed to shred small, medium and large amounts of confidential documents. Especially useful in public administration bureaus, governmental agencies and armies.

- Models from HS series shred A4 documents into 8,000 impossible to read micro-shreds
- HS-6 models shred A4 documents into 16,000 impossible to read micro-shreds
- Energy Smart System - saving of energy thanks to zero power consumption in stand-by mode
- SPPS – Super Potential Power System reinforced, silent drive system
- metal chain drive with life-time guarantee
- durable knives unaffected by staples and paper clips
- optional Automatic Feeder with lockable high security cover (TS-AF HS), see page 18
- gears made of special hardened carbon steel
- possibility to order shredders with an Automatic Oiler
- possibility to order shredders from the HS TS series with an additional CD cutting unit
- automatic start/stop with automatic reverse
- 24 hours continuous duty motor
- motor thermal protection
- automatic cutting off of the power supply in case of paper jam or open door
- light-emitting diode (LED), which signals open door
- mounted on casters
- optic full-basket indicator
- possibility to place a shelf for computer printouts – applicable to model 400
- waste basket's capacity: 40 - 205 l

Shredders tested by adequate governmental and military organizations. They are being used by US State Department, CIA and US National Security Agency. Kobra HS shredders are also recommended for NATO armies.



Additional options for chosen models of Kobra shredders:



Metal Detector

Detects large paper clips and other metal objects, which may damage the cutting knives, if accidentally inserted into the shredder.



Automatic Oiler

Integrated system of automatic oiling of cutting knives, which prolongs machine's lifespan.



Moduł CD

Additional set of cutting knives, which allows the shredding of CDs.

CENTRALIZED SHREDDERS



Shredders designed for the centralized shredding of large amounts of documents in bigger offices and bureaus, where individual posts are not equipped with personal shredders or where, in one place, appear large amounts of documents to be shred. They permit to secure the contents of all office waste baskets from the access of incompetent persons.

■ Shredder Kobra 400 WB

- entry width: 400 mm
- SPPS - Super Potential Power System – gears made from special hardened carbon steel
- metal chain drive with life-time guarantee
- powerful cutting head unaffected by staples and paper clips
- rotary mechanism which sweeps the content of the container
- automatic start/stop with automatic reverse
- motor thermal protection
- 24 hours continuous duty motor
- automatic cutting off of the power supply in case of paper jam or open door
- control panel with full-basket and open-door signalization
- container with easy access from the top or through the glass door
- optic full-basket indicator
- additional shelf and entry for computer printouts
- waste basket's capacity: 200 l

■ Shredder Kobra 430 TS*

- entry width: 430 mm
- included systems: Super Potential Power System and Automatic Oiler
- metal chain drive with life-time guarantee
- Touch Screen - multifunctional touch screen
- light-emitting diodes (LED), which signalize the turned on functions of the shredder
- moving belt, which moves the materials directly into the cutting head
- gears made from special hardened carbon steel
- powerful cutting head unaffected by staples and paper clips
- automatic start/stop with automatic reverse
- motor thermal protection
- 24 hours continuous duty motor
- automatic cutting off of the power supply in case of paper jam or open door
- integrated system of automatic oiling of cutting knives
- trolley-like removable waste basket
- optic full-basket indicator
- three-phase current 380V power supply
- waste basket's capacity: 470 l



Moving belt, which moves the materials directly into the cutting head.



model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
400 WB	48		3,9x40	3	P-4/ O-3/ T-4/ E-3/ F-1	200 l						120653
model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
430 TS* AUTO OILER	130		5,8x50	3	P-3/ O-2/ T-3/ E-2	470 l						120823

* Available on special order

Kobra 430 TS is under one year warranty.

INDUSTRIAL SHREDDERS

CYCLONE + COMPACTOR



Zobacz
niszczarkę
Kobra Cyclone
w działaniu



■ Kobra Cyclone* 120686

Kobra Cyclone is a unique technological solution for document's shredding, designed especially to shred larger amounts of paper and other materials: floppy disks, CDs, plastic bottles, aluminium cans, cardboard and board. The innovative shredding system based on a turbine generating a high pressure air flow and sets of high speed rotating blades allows the use of different security levels. Kobra Cyclone is equipped with an integrated vacuum system specifically designed to provide the operator with clean and dust free shredding environment. Kobra Cyclone is built with a double insulated shredding chamber and special plastic outer housing enclosure for low noise operation. **There is a possibility to expand Kobra Cyclone shredder into additional Compactor C-500 which can reduce the volume of the shredded paper by 5 times.**

- shredding system based on a turbine combined with the High Speed Rotating Blades
- no requirement for special maintenance or oiling of cutting blades
- possibility to use one of the five available security levels, depending on the requirements (5 strainers for levels of security)
- motor designed for continuous work
- inbuilt trolley allows easy transportation and exchange of the bag with shreds
- three-phase current 380V power supply
- waste basket's capacity: 400 l

sheets	shred	shred size	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy
500		5 options	2-6	P-2 to P-7	400 l					

■ Exchangeable strainers for Kobra Cyclone shredder

Exchangeable strainer as element of the cutting system allow to choose one of the 5 security levels.

Strainer	Security	Capacity kg/h **	code
Strainer 6	Maximum	70-80	130060
Strainer 5	High	100-120	130070
Strainer 4	Higher	200-230	130080
Strainer 3	Medium	300-320	130090
Strainer 2	Basic	400-420	130100

** Values have been calculated theoretically

* Available on special orders

KOBRA®

Kobra Cyclone

Compactor C-500

Shred container
is not part
of the device
and is not added to it.



See
shredder
Kobra Cyclone
+ Compactor C-500
in use



■ Kobra Compactor C-500* 130010

Kobra Compactor C-500 is a unique solution which compresses and reduces the volume of the shredded paper by 5 times, to minimize the space required for disposal. The Kobra Compactor C-500 is designed to work with the Cyclone industrial shredder and may be used only when paper is being shred. To shred other materials, you simply remove the compactor and use standard Cyclone disposal bags. Easy to install and operate, the Kobra Compactor C-500 will work with any of 5 Cyclone security level screens. Compacted shred papers can be collected into any type of container or into plastic waste bags, which the Compactor C-500 will fill in.

Technical parameters of Kobra Cyclone

Voltage	380/400 - three-phase current	
Entry (W x H)	325 x 220 mm	
Amount of shredded sheets	up to 500 sheets of A4 70g/m ² paper at a time up to 420 sheets of A4 80g/m ² paper at a time	
Exchangeable strainers with standard security levels	DIN 32757	DIN 66399
	6	P-7 / O-5 / T-5 / E-4 / F-3
	5	P-6 / O-3 / T-4 / E-3 / F-1
	4	P-4 / O-2 / T-3 / E-2
	3	P-2 / O-2 / T-2 / E-2
	2	P-2 / O-2 / T-2 / E-2
Capacity **	From 80 to 420 kg per hour	
Possibility to shred	Paper, cardboard, board, floppy disks, CDs, plastic bottles, aluminium cans	
Possibility of continuous work 24 hours a day	YES	
Waste basket's capacity	400 litres	
Dimensions (L x W x H)	212 x 80 x 210 cm	

Technical parameters of Compactor-500

Voltage	380/400 - three-phase current
Power	2.2 KW
Dimensions (WxLxH)	110 x 60 x 148 cm
Weight	190 kg
Accessories	Plastic bag for shreds

Kobra Cyclone and Compactor are under one year warranty.

HIGH SECURITY DISINTEGRATORS

Kobra SSD and **SSD-HS** are disintegrators entirely devoted to the destruction of disks and electronic devices. Now available in two options: basic (SSD) and extended (SSD-HS). Choose the model which will fit your needs best.



SSD-HS SSD



■ **Kobra SSD*** 121236

■ **Kobra SSD-HS*** 121287

Kobra SSD series are equipped with an integrated internal HEPA air filtration system to ensure a clean, safe and comfortable operating environment. The filtration system collects the air from different places inside the shredder, including the entry, and then filtrates them through HEPA filters to collect and maintain inside any detrimental materials used in the production of closed circuits.

Kobras SSD and SSD-HS are equipped with a heavy duty lockable double wheel caster. The easily accessible 240 x 25 mm feed port is designed with a safety brush covering the complete opening for safety and ease of feed operation. Lockable feed hopper cover prevents unauthorized access to the contents of the hopper once material is fed into the machine.

Features of the Kobra SSD:

- electronically controlled system of the two stage destruction operation, with a large 180 mm diameter 16 blade grinders second stage for complete and reliable destruction into sand-like particules (SSD-HS)
- electronic safety lock out and shut down monitoring systems for bin access door, air filtration system access door and feed hopper
- automatic reverse in case of accidental jam
- lighted indicator displays to keep the operator informed of machine's operating status
- front mounted large lockable emergency stop switch for safety
- HEPA air filtration system
- 24 hours continuous duty motor


Technical parameters of Kobra SSD, SSD-HS

Model	SSD BASIC	SSD-HS EXTENDED
Voltage (V)	220 V	318-415 three-phase current
Entry width (W x H)	240 x 25 mm	
Capacity	0,18 m/s	up to 40 kg per hour
Security level DIN 66399	0-3/ T-4/ E-3	0-7/ T-7/ E-7
Possibility to shred	solid disk devices, smartphones, memory sticks, iPads, Pen Drives, tablets, circuit boards, plastic cards, cards with embedded electronic chip and/or magnetic media, CDs/DVDs, computer processors with ROM and/or flash memory	
Possibility of continuous work 24 hours a day	yes	
Waste basket's capacity	75 litres	35 litres
Dimensions (W x L x H)	103 x 82 x 121 cm	
Shred	10 x 8-15 mm	sand size shreds
Weight	280 kg	500 kg
Power	2000 W	5000 W

The only device that destroys mobile phones and disks at the highest security level.



See shredder Kobra SSD in use



Mobile phones are literally pulverized.



This photo presents the magnified result of destroying a memory hard disk.

The production of Kobra SSD series shredders was based on an over 30 years long experience in creating machines to shred multimedia and it fulfills the US National Security Agency NSA/EPL 9-12 requirements for the destruction of solid state devices.



Kobra SSD shredders were designed to destroy solid state devices, plastic cards, CDs and DVDs. The shredding capacity may differ in relation to the size and density of the products and to the voltage.

Kobra SSD and SSD-HS are under one year warranty.

* Available on special orders

Technical parameters of Kobra shredders

TURN PAGE
FOR MORE
TECHNICAL PARAMETERS



High Security shredders were designed to shred confidential documents, recommended and used in NATO armies.



Specification			High Security - Highest security level																				
Series >			KOBRA HS									KOBRA HS-6											
Model >			240.1 HS	245 TS HS	260.1 HS	260 TS HS	300.1 HS	300.2 HS	310 TS HS	310 TS HS HD	400 HS	410 TS HS	240.1 HS-6	245 TS HS-6	260.1 HS-6	260 TS HS-6	300.1 HS-6	300.2 HS-6	310 TS HS-6	310 TS HS-6 HD	400 HS-6	400 HS - 6 COMBI	410 TS HS-6
Entry width (mm)			240	245	260	260	310	310	310	310	400	410	240	245	260	260	310	310	310	310	400	130/240	410
Cutting width (mm)			0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 9,5	0,8 x 5	0,8 x 5	0,8 x 5	0,8 x 5	0,8 x 5	0,8 x 5	0,8 x 5	0,8 x 5	0,8 x 5	1,5 x 2 0,8 x 5	0,8 x 5
Efficiency - amount of sheets /70g			6/8	6/8	6/8	6/8	8/10	9/11	11/13	20/22	17/19	20/22	4/5	4/5	4/5	4/5	4/5	5/6	5/6	12	10	8/10	10/12
Security level DIN 66399	Shredding of paper	P(1-7)	P-6	P-6	P-6	P-6	P-6	P-6	P-6	P-6	P-6	P-7	P-7	P-7	P-7	P-7	P-7	P-7	P-7	P-7	P-7	P-7	P-7
	Crushing of CDs	O(1-7)	-	-	-	option	-	-	option	O-5	-	O-6	-	-	-	option	-	-	option	-	-	O-6	O-6
	Shredding of plastic cards	T(1-7)	-	-	-	-	-	-	-	T-6	-	T-6	-	-	-	-	-	-	-	-	-	T-6	T-6
	Shredding of floppy disks	T(1-7)	-	-	-	-	-	-	-	-	-	T-6	-	-	-	-	-	-	-	-	-	T-6	T-6
	Shredding of cards w/chip	E(1-7)	-	-	-	-	-	-	-	E-5	-	E-5	-	-	-	-	-	-	-	-	-	E-5	E-5
	Shredding of PenDrive	E(1-7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Shredding of films/foils	F(1-7)	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3	F-3
Shredding speed m/s			0,07	0,08	0,07	0,08	0,07	0,07	0,08	0,1	0,12	0,1	0,07	0,08	0,07	0,08	0,08	0,07	0,08	0,08	0,12	0,12	0,1
Shredding of small paperclips/staples			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Automatic START/STOP			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Light signalization: open door/removed bin			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Optic full-bin indicator			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Mounted on casters			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Window in casing			option	-	option	-	option	option	-	-	-	-	option	-	option	-	option	option	-	-	-	-	-
Motor designed for continuous work			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Motor overheating protection			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Noise level (dB)			58-61	54	58-61	54	58-61	58-61	57	58	58	58-61	58-61	54	58-61	54	58-61	58-61	57	58-61	58	58	58-61
Power (W)			500	460	500	460	600	900	920*	2600	2100	2600	500	460	500	460	600	900	920*	2600	2100	2100	2600
Waste basket's capacity (litres)			40	40	60	60	110	135	135	135	200	205	40	40	60	60	110	135	135	135	200	80+110	205
Separate container for shredded media			-	-	-	option	-	-	option	-	-	option	-	-	-	option	-	-	option	-	-	-	option
Dimensions (cm)	height		64	61	84	80	92	100	96	96	93	104	64	61	84	80	92	100	96	96	93	93	104
	depth		40	40	40	40	53	53	53	53	60	60	40	40	40	40	53	53	53	53	60	60	60
	width		36	36	36	36	43	43	43	43	48	48	36	36	36	36	43	43	43	43	48	48	48
Weight (kg)			28	29	32	33	41	48	57	91	112	128	28	29	32	33	41	48	57	91	112	112	128
Automatic oiling of cutting blades			option	option	option	option	option	option	●	●	●	●	option	option	option	option	option	option	●	●	●	●	●

* joint power of two engines

Kobra shredders are built according to CE standards and possess majority safety marks.



All technical parameters are approximate. Due to constant improvement of equipment, the manufacturer reserves the right to make changes.

Technical parameters of Kobra shredders

**LIFE TIME
WARRANTY**
CUTTING KNIVES
3 YEARS ★★★
FOR MACHINE



Specification		Personal							Office													
Series >		C1	Hybrid		KOBRA +1				KOBRA +2			+3	KOBRA 240					KOBRA 240.1				
Model >		C1	Hybrid	Hybrid S	SS4	SS7	SS6	CC4	SS7	SS4	CC2	CC4	SS2	SS4 TURBO POWER	SS5 TURBO POWER	C2 TURBO POWER	C4 TURBO POWER	S2	S4	S5	C2	C4
Entry width (mm)		230	230	230	230	230	230	230	230	230	230	230	240	240	240	240	240	240	240	240	240	240
Cutting width (mm)		3,5 x 40	3,5 x 40	3,5 x 40	3,8	7,5	5,8	3,5 x 40	7,5	3,8	1,9 x 13	3,5 x 40	1,9	3,8	5,8	1,9 x 15	3,5 x 30	1,9	3,8	5,8	1,9 x 15	3,5 x 30
Efficiency - amount of sheets /70g		8/9	8/9	12/14	17/19	25/27	23/25	12/14	25/27	17/19	7/8	12/14	13/15	24/26 28/30*	27/29 50/52*	8/10 17/19*	13/15 24/26*	13/15	24/26	29/31	10/12	15/17
Security level DIN 66399	Shredding of paper P(1-7)	P-4	P-4	P-4	P-2	P-1	P-2	P-4	P-1	P-2	P-5	P-4	P-3	P-2	P-2	P-5	P-4	P-3	P-2	P-2	P-5	P-4
	Crushing of CDs O(1-7)	-	-	-	O-2	O-1	O-2	-	O-1	O-2	O-1	O-1	-	O-2	O-2	-	O-3	-	O-2	O-2	-	O-3
	Shredding of plastic cards T(1-7)	T-4	T-4	T-4	T-2	T-2	T-2	T-4	T-2	T-2	T-5	T-4	T-3	T-2	T-2	T-5	T-4	T-3	T-2	T-2	T-5	T-4
	Shredding of floppy disks T(1-7)	-	-	-	-	-	-	-	-	-	-	-	-	T-2	T-2	-	T-4	-	T-2	T-2	-	-
	Shredding of cards w/chip E(1-7)	E-3	E-3	E-3	E-2	E-2	E-2	E-3	E-2	E-2	E-4	E-3	E-2	E-2	E-2	E-4	E-3	E-2	E-2	E-2	E-4	E-3
	Shredding of PenDrive E(1-7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Shredding of films/foils F(1-7)	F-1	F-1	F-1	-	-	-	F-1	-	-	F-2	F-1	-	-	-	F-2	F-1	-	-	-	F-2	F-1
Shredding speed m/s		0,035	0,035	0,035	0,025	0,025	0,025	0,035	0,025	0,025	0,035	0,035	0,09	0,09	0,09	0,09	0,07	0,09	0,09	0,09	0,09	0,07
Shredding of small paperclips/staples		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Automatic START/STOP		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Light signalization: open door/removed bin		-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Optic full-bin indicator		K	K	K	K	K	K	K	K	K	K	K	-	-	-	-	-	●	●	●	●	●
Mounted on casters		-	-	-	option	option	option	option	option	option	option	option	●	●	●	●	●	●	●	●	●	●
Window in casing		●	●	●	●	●	●	●	●	●	●	●	-	-	-	-	option	option	option	option	option	option
Motor designed for continuous work		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Motor overheating protection		●	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Noise level (dB)		52	53	55	54	54	54	54	54	54	54	53	52	54	54	58	58	55	55	55	58-61	58-61
Power (W)		170	170	250	250	250	250	250	250	250	250	250	460	460	460	460	460	500	500	500	500	500
Waste basket's capacity (litres)		18	30	30	38,5	38,5	38,5	38,5	38,5 +1,5	38,5 +1,5	38,5 +1,5	38,5 +1,5	35	35	35	35	35	40	40	40	40	40/60
Separate container for shredded media		-	-	-	-	-	-	-	●	●	●	●	-	-	-	-	-	-	-	-	-	-
Dimensions (cm)	height	50	50	50	59	59	59	59	59	59	59	59	56	56	56	56	56	64	64	64	64	64
	depth	34	37	37	39	39	39	39	39	39	39	39	37	37	37	37	37	40	40	40	40	40
	width	20	26	26	30	30	30	30	30	30	30	30	33	33	33	33	33	36	36	36	36	36
Weight (kg)		7	8	9	11	11	11	12	12	12	14	13	15	15	15	14	14	24	24	24	25	25
Automatic oiling of cutting blades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	option	option

* values given for turned on Turbo Power function



														Professional				Specification	
KOBRA 245 TS					KOBRA 260.1					KOBRA 260 TS				KOBRA 300.1				Series >	
S4 SF	S4	S5	C2	C4	S2	S4	S5	C2	C4	S4	S5	C2	C4	S4	S5	C2	C4	Model >	
245	245	245	245	245	260	260	260	260	260	260	260	260	260	310	310	310	310	Entry width (mm)	
3,8	3,8	5,8	1,9 x 15	3,9 x 40	1,9	3,8	5,8	1,9 x 15	3,5 x 30	3,8	5,8	1,9 x 15	3,9 x 40	3,8	5,8	1,9 x 15	3,9 x 40	Cutting width (mm)	
14/16	25/27	27/29	11/13	21/23	14/16	26/28	29/31	10/12	15/17	26/28	28/30	12/14	22/24	27/29	30/32	12/14	20/22	Efficiency - amount of sheets /70g	
P-2	P-2	P-2	P-5	P-4	P-3	P-2	P-2	P-5	P-4	P-2	P-2	P-5	P-4	P-2	P-2	P-5	P-4	Security level DIN 66399	Shredding of paper P(1-7)
-	O-2	O-2	-	O-3	-	O-2	O-2	-	O-3	O-2	O-2	option	O-3	O-2	O-2	-	O-3		Crushing of CDs O(1-7)
T-2	T-2	T-2	T-5	T-4	T-3	T-2	T-2	T-5	T-4	T-2	T-2	T-5	T-4	T-2	T-2	T-5	T-4		Shredding of plastic cards T(1-7)
-	T-2	T-2	-	-	-	T-2	T-2	-	-	T-2	T-2	-	-	T-2	T-2	-	-		Shredding of floppy disks T(1-7)
E-2	E-2	E-2	E-4	E-3	E-2	E-2	E-2	E-4	E-3	E-2	E-2	E-4	E-3	E-2	E-2	E-4	E-3		Shredding of cards w/chip E(1-7)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		Shredding of PenDrive E(1-7)
-	-	-	F-2	F-1	-	-	-	F-2	F-1	-	-	F-2	F-1	-	-	F-2	F-1		Shredding of films/foils F(1-7)
0,15	0,07	0,07	0,07	0,07	0,1	0,06	0,1	0,1	0,07	0,05	0,07	0,07	0,07	0,06	0,07	0,06	0,07	Shredding speed m/s	
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Shredding of small paperclips/staples	
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Automatic START/STOP	
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Light signalization: open door/removed bin	
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Optic full-bin indicator	
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Mounted on casters	
-	-	-	-	-	option	option	option	option	option	-	-	-	-	option	option	option	option	Window in casing	
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Motor designed for continuous work	
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Motor overheating protection	
58	54	54	54	54	55	55	55	58-61	58-61	54	54	54	54	55	55	58-61	58-61	Noise level (dB)	
460	460	460	460	460	500	500	500	500	500	460	460	460	460	600	600	600	600	Power (W)	
40	40	40	40	40	60	60	60	60	60	60	60	60	60	110	110	110	110	Waste basket's capacity (litres)	
-	-	-	-	-	-	-	-	-	-	●	●	●	●	-	-	-	-	Separate container for shredded media	
61	61	61	61	61	84	84	84	84	84	80	80	80	80	92	92	92	92	Dimensions (cm)	height
40	40	40	40	40	40	40	40	40	40	40	40	40	40	53	53	53	53		depth
36	36	36	36	36	36	36	36	36	36	36	36	36	36	43	43	43	43		width
23	24	24	27	27	28	28	28	29	29	29	30	32	31	37	37	38	38	Weight (kg)	
-	-	-	option	option	-	-	-	option	option	-	-	option	option	-	-	option	option	Automatic oiling of cutting blades	

Possibility to order selected Kobra models with an **Automatic Oiler** system and/or **Auto-Feeder** and/or **Metal Detector**.

Technical parameters of Kobra shredders



Specification																							
Series >			KOBRA 300.2				KOBRA 310 TS					KOBRA 385			KOBRA 390		KOBRA 400			KOBRA 410 TS			
Model >			S4	S5	C2	C4	SS4	SS5	CC2	C2 HD	CC4	C4 HD	SS4	C2	C4	S5	C4	S5	C2	C4	S5	C2	C4
Entry width (mm)			310	310	310	310	310	310	310	310	310	310	385	385	385	400	400	400	400	400	410	410	410
Cutting width (mm)			3,8	5,8	1,9 x 15	3,9 x 40	3,8	5,8	1,9 x 15	1,9 x 15	3,9 x 40	3,9 x 40	3,8	1,9 x 15	3,5 x 30	5,8	3,9 x 40	5,8	1,9 x 15	3,9 x 40	5,8	1,9 x 15	3,9 x 40
Efficiency - amount of sheets /70g			31/33	37/40	16/18	23/25	37/39	45/47	17/19	30/32	29/31	54/56	20/22	9/11	15/17	31/33	24/26	60/62	29/31	44/48	68/72	30/32	54/56
Security level DIN 66399	Shredding of paper	P(1-7)	P-2	P-2	P-5	P-4	P-2	P-2	P-5	P-5	P-4	P-4	P-2	P-5	P-4	P-2	P-4	P-2	P-5	P-4	P-2	P-5	P-4
	Crushing of CDs	O(1-7)	O-2	O-2	-	O-3	O-2	O-2	O-1	O-4	O-3	O-3	O-2	-	-	O-2	O-3	O-2	O-4	O-3	O-2	O-4	O-3
	Shredding of plastic cards	T(1-7)	T-2	T-2	T-5	T-4	T-2	T-2	T-5	T-5	T-4	T-4	T-2	T-5	T-4	T-2	T-4	T-2	T-5	T-4	T-2	T-5	T-4
	Shredding of floppy disks	T(1-7)	T-2	T-2	-	T-4	T-2	T-2	-	T-5	T-4	T-4	-	-	-	T-2	T-4	T-2	T-5	T-4	T-2	T-5	T-4
	Shredding of cards w/chip	E(1-7)	E-2	E-2	E-4	E-3	E-2	E-2	E-4	E-4	E-3	E-3	E-2	E-4	E-3	E-2	E-3	E-2	E-4	E-3	E-2	E-5	E-3
	Shredding of PenDrive	E(1-7)	-	-	-	-	-	-	-	E-4	-	E-3	-	-	-	-	-	E-2	E-4	E-3	E-2	E-5	E-3
	Shredding of films/foils	F(1-7)	-	-	F-2	F-1	-	-	F-2	F-2	F-1	F-1	-	F-2	F-1	-	F-1	-	F-2	F-1	-	F-2	F-1
Shredding speed m/s			0,09	0,09	0,07	0,07	0,08	0,08	0,07	0,1	0,07	0,1	0,07	0,07	0,07	0,09	0,09	0,12	0,12	0,12	0,1	0,1	0,1
Shredding of small paperclips/staples			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Automatic START/STOP			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Light signalization: open door/removed bin			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Optic full-bin indicator			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Mounted on casters			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Window in casing			option	option	option	option	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor designed for continuous work			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Motor overheating protection			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Noise level (dB)			60	60	58-61	58-61	57	57	57	58	57	58	54	58	58	59	59	59	58	59	58-61	58-61	58-61
Power (W)			900	900	900	900	920*	920*	920*	2600	920*	2600	460	460	460	920*	920*	2100	2100	2100	2600	2600	2600
Waste basket's capacity (litres)			135	135	135	135	135	135	135	135	135	135	130	130	130	200	200	200	200	200	205	205	205
Separate container for shredded media			-	-	-	-	●	●	●	-	●	-	-	-	-	-	-	-	-	-	●	●	●
Dimensions (cm)	height	100	100	100	100	96	96	96	96	96	96	85	85	85	93	93	93	93	93	100	100	100	
	depth	53	53	53	53	53	53	53	53	53	53	58	58	58	60	60	60	60	60	60	60	60	
	width	43	43	43	43	43	43	43	43	43	43	35	35	35	48	48	48	48	48	48	48	48	
Weight (kg)			44	44	45	45	56	56	54	88	55	88	33	40	40	73	77	95	101	95	105	112	112
Automatic oiling of cutting blades			-	-	option	option	-	-	option	●	option	●	-	option	option	-	option	-	option	option	-	●	●

All technical parameters are approximate. Due to constant improvement of equipment, the manufacturer reserves the right to make changes.

* joint power of two engines



With automatic feeder								Specialist							Specification	
AF +1		AF.1		310 TS AF				400	OPTICAL MEDIA		KOBRA				Series >	
40 I	60 I	C2	C4	CC2	CC4	HS	HS-6	400 WB	400 HS OM	400 HS COMBI	CYCLONE	430 TS	SSD	SSD -HS	Model >	
240	240	260	260	310	310	310	310	400	130	130/240	325/220	430	240x25	240x25	Entry width (mm)	
3,5 x 40	3,5 x 40	1,9 x 15	3,9 x 40	1,9 x 15	3,9 x 40	0,8 x 9,5	0,8 x 5	3,9 x 40	1,5 x 2,5 (CD)	1,5 x 2,5 0,8 x 9,5	depending on strainer	5,8 x 50	10 x 8-15	dust like grains of sand	Cutting width (mm)	
12	12	8	12	19	31	13	6	44/48	-	17/19	up to 420 kg/h	125/130	-	up to 40 kg/h	Efficiency - amount of sheets /70g	
P-4	P-4	P-5	P-4	P-5	P-4	P-6	P-7	P-4	-	P-6	-	P-3	-	-	Security level DIN 66399	Shredding of paper P(1-7)
-	-	-	-	O-1	O-3	option	option	O-3	O-6	O-6	15000/h	O-2	O-3	O-7		Crushing of CDs O(1-7)
T-4	T-4	T-5	T-4	T-5	T-4	option	option	T-4	T-6	T-6	45000/h	T-3	T-4	T-7		Shredding of plastic cards T(1-7)
-	-	-	-	-	-	-	-	T-4	T-6	T-6	-	T-3	T-4	T-7		Shredding of floppy disks T(1-7)
E-3	E-3	E-4	E-3	E-4	E-3	option	option	E-3	E-5	E-5	7000/h	E-2	E-3	E-7		Shredding of cards w/chip E(1-7)
-	-	-	-	-	-	option	option	E-3	-	-	-	E-2	E-3	E-7		Shredding of PenDrive E(1-7)
F-1	F-1	F-2	F-1	F-2	F-1	F-3	F-3	F-1	-	F-3	-	-	-	-		Shredding of films/foils F(1-7)
13 ark /min	13 ark /min	24 ark /min	37 ark /min	0,07	0,07	0,08	0,08	0,12	0,12	0,12	up to 420 kg/h	0,21	0,18	up to 40 kg/h	Shredding speed m/s	
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Shredding of small paperclips/staples	
●	●	●	●	●	●	●	●	●	●	●	Man. start Auto. stop	●	Man. start Auto. stop	Man. start Auto. stop	Automatic START/STOP	
●	●	●	●	●	●	●	●	●	●	●	-	●	●	●	Light signalization: open door/removed bin	
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Optic full-bin indicator	
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Mounted on casters	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Window in casing	
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Motor designed for continuous work	
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Motor overheating protection	
52	52	56	56	58	58	58	58	59	60	58	75/85	60	60***	60***	Noise level (dB)	
250	250	600	600	920*	920*	920*	920*	2100	2100	2100	6000	4000	2000	5000	Power (W)	
40	60	135	135	135	135	135	135	200	80	80+110	400	470	75	35	Waste basket's capacity (litres)	
-	-	-	-	●	option	option	option	-	-	-	-	-	-	-	Separate container for shredded media	
64	83	98	98	96	96	96	96	163	93	93	210	170	121	121	Dimensions (cm)	height
39	39	53	53	53	53	53	53	60	60	60	80	81	103	103		depth
36	36	43	43	43	43	43	43	48	48	48	212	161	82	82		width
24	24	46	46	54	54	57	57	132	101	112	220	480	280	500	Weight (kg)	
oil free	oil free	●	oil free	option	option	●	●	-	●	●	-	●	-	-	Automatic oiling of cutting blades	

Possibility to order selected Kobra models with an **Automatic Oiler** system and/or **Auto-Feeder** and/or **Metal Detector**.

* joint power of two engines ** the noise level in Kobra SSD depends on the destroyed device

WALLNER SHREDDERS



WARRANTY

2 YEARS ★★
ALL
DEVICES

Shredder Wallner S-580

- entry width: 220 mm
- shred's size: 6 mm
- sheet capacity (A4/80g): 8
- security level DIN 32757: 2
- security level DIN 66399: P-2
- dimensions: 393 x 185 x 320 mm
- automatic start/stop
- reverse function
- window in casing permits to control basket's fill up level
- waste basket's capacity: 15 l

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples clips	floppy	code
S-580	8		6	2	P-2	15 l					110012



BCD 408



*Shredder
ideal for home use.
Shreds staples, paper clips,
plastic cards
and CDs.*



Shredder Wallner BCD 408

- entry width: 225 mm
- shred's size: 4 x 35 mm
- sheet capacity (A4/80g): 8
- shreds: plastic cards, CDs, staples and paper clips
- separate entry for CDs
- security level DIN 32757: 3
- security level DIN 66399: P-4/ T-2/ E-3/ F-1
- dimensions: 375 x 200 x 295 mm
- automatic start/stop
- window in casing permits to control basket's fill up level
- waste basket's capacity: 13 l

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples clips	floppy	code
BCD 408	8		4x35	3	P-4/ T-2/ E-3/ F-1	13 l					110353



ACD 410



*Best shredder
for a small office.
Its small dimensions
allow to place it by or
under the desk.*



Shredder Wallner ACD 410

- entry width: 225 mm
- shred's size: 4 x 35 mm
- sheet capacity (A4/80g): 10
- shreds: plastic cards, CDs, staples and paper clips
- separate entry for CDs
- security level DIN 32757: 3
- security level DIN 66399: P-4/ T-2/ E-3/ F-1
- dimensions: 400 x 230 x 350 mm
- automatic start/stop
- window in casing permits to control basket's fill up level
- waste basket's capacity: 18 l

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples clips	floppy	code
ACD 410	10		4x35	3	P-4/ T-2/ E-3/ F-1	18 l					110363



Shredder Wallner FXD85B

- entry width: 220 mm
- shred's size: 4 x 33 mm
- sheet capacity (A4/70g): 8
- shreds: plastic cards, CDs, staples
- separate entry for CDs
- security level DIN 32757: 3
- security level DIN 66399: P-4/ T-4/ E-3/ F-1
- dimensions: 390 x 170 x 340 mm
- automatic start/stop and reverse function
- autoreverse when too many sheets are put at one time
- zero power consumption in stand-by mode
- window in casing permits to control basket's fill up level
- waste basket's capacity: 15 l

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
FXD85B	8		4x33	3	P-4/ T-4/ E-3/ F-1	15 l						110023

XD 1012 CD


NEW

Shredder Wallner XD 1012 CD*

- entry width: 220 mm
- shreds size: 4x35 mm
- sheets capacity (A4/80g): 10
- shreds: plastic cards, CDs, staples
- security level DIN 32757: 3
- security level DIN 66399: P-4/T-2/E-3
- dimensions: 396x220x360 mm
- automatic start/stop
- protection against overheating
- window in casing permits to control basket's fill up level
- waste basket's capacity: 21 l

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
XD1012CD	10		4x35	3	P-4/T-2/E-3	21 l						110403

*available starting from May 2020

XD 805 CD


NEW

Shredder Wallner XD 805 CD*

- entry width: 220 mm
- shreds size: 4x45 mm
- sheets capacity (A4/80g): 8
- shreds: plastic cards, CDs, staples
- security level DIN 32757: 3
- security level DIN 66399: P-3/T-2/E-2
- dimensions: 322x163x310 mm
- automatic start/stop
- protection against overheating
- waste basket's capacity: 13 l



model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
XD805CD	8		4x45	3	P-3/T-2/E-2	13 l						110393

*available starting from May 2020

FOR SMALL OFFICE AND HOME USE



■ Wallner Shredders C8A0 / C860

- entry width: 230 mm
- shred's size: 4 x 50 / 3 x 9 mm
- sheet capacity (A4/80g): 10 / 6
- shreds: staples, paper clips, plastic cards and CDs
- separate entry for CDs and plastic cards
- dimensions: 500 x 240 x 365 mm
- automatic start/stop
- reverse function
- autoreverse when too many sheets are put at one time
- silent motor
- window in casing permits to control basket's fill up level
- -waste basket's capacity: 25 l

Higher efficiency or higher security level.

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
C8A0	10		4x50	3	P-3/T-2/E-2	25 l						110053
C860	6		3x9	4	P-5/T-2/E-2/F-2	25 l						110044



Sliding cover secures the entry against the dust and dirt. Automatic stand-by mode of the shredder upon drawing back the cover.

Shreds up to 16 sheets (80 g/m²). Two separate entries for CDs and plastic cards.

Big waste basket - 29 litres.

Mounted on casters enables moving of the shredder in every direction.

Silent and efficient engine equipped in overheating system.



The sliding cover secures the entry from dirt and dust.

■ Shredder Wallner HC1601

- entry width: 220 mm
- shred's size: 4 x 39 mm
- sheet capacity (A4/ 80g): 16
- shreds: staples, paper clips, plastic cards and CDs
- two separate entries for CDs and plastic cards
- security level DIN 32757: 3
- security level DIN 66399: P-4/ O-3/ T-4
- dimensions: 400 x 300 x 517 mm
- sliding cover secures the entry
- automatic start-up of the shredder upon drawing back the cover
- automatic start/stop and reverse function
- zero power consumption when the cover is closed
- silent motor designed for continuous work for up to 8 hours
- protection against overheating
- optic full-basket / removed basket indicator
- removable waste basket
- window in casing permits to control basket's fill up level
- mounted on casters
- waste basket's capacity: 29 l



model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
HC1601	16		4x39	3	P-4/ O-3/ T-4	29 l						110293



JP SERIES WALLNER SHREDDERS

*Selected models of shredders are additionally equipped with an oil bottle to start.
Do not forget to oil the knives at regular basis to prolong the shredder's lifespan!*



■ Shredder Wallner JP 6215CD

- entry width: 230 mm
- shred's size: 4 x 50 mm
- sheet capacity (A4/70g): 15
- two separate entries for CDs and plastic cards
- security level DIN 32757: 3
- security level DIN 66399: P-3/ O-2/ T-3 / E-2
- dimensions: 555 x 265 x 365 mm
- automatic start/stop with reverse function
- autoreverse when too many sheets are put at one time
- silent motor (<56 dB)
- protection against overheating
- optic full-basket / removed basket indicator
- removable waste basket
- window in casing permits to control basket's fill up level
- mounted on casters
- waste basket's capacity: 21 l

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
JP 6215CD	15		4x50	3	P-3/ O-2/ T-3/ E-2	21 l						110273



■ Shredders Wallner JP 820S / JP 830C

- entry width: 230 mm
- shred's size (mm): 3.9 / 1.9 x 10
- sheet capacity (A4/70g): 25 / 17
- shreds: staples, small paper clips, plastic cards and CDs
- dimensions: 645 x 305 x 390 mm
- automatic start/stop and reverse function
- silent motor designed for continuous work for up to 15 minutes
- protection against overheating
- metal knives without plastic elements (JP 830C)
- optic full-basket / removed basket indicator
- safety panel – security indicator, which withholds shredder's work upon touching it
- liquid-crystal display (LCD), which shows the turned on functions of the shredder
- 30 ml oil bottle included
- mounted on casters
- waste basket's capacity: 35 l

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
JP 820S	25		3,9	2	P-2/ O-2/ T-3/ E-2	35 l						110122
JP 830C	17		1,9x10	4	P-5/ O-4/ T-5/ E-4/ F-2	35 l						110134



■ Shredder Wallner JP 826C

- entry width: 240 mm
- shred's size: 3.8 x 40 mm
- sheet capacity (A4/ 70g): 18
- shreds: staples, paper clips, plastic cards, CDs and floppy disks
- separate entries and baskets for CDs and plastic cards
- security level DIN 32757: 3
- security level DIN 66399: P- 4/ O-1/ T-2 / E-2 / F-1
- dimensions: 645 x 305 x 390 mm
- automatic start/stop with reverse function
- silent motor designed for continuous work for up to 10 minutes
- protection against overheating
- optic full-basket / removed basket indicator
- safety panel – security indicator, which withholds shredder's work upon touching it
- liquid-crystal display (LCD), which shows the turned on functions of the shredder
- 30 ml oil bottle included
- mounted on casters
- waste basket's capacity: 35 l

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
JP 826C	18		3,8x40	3	P-4/ O-1/ T-2/ E-2/ F-1	35 l						110113



HD SERIES

modern shape
and ergonomic design

HD shredder series means modern design, compact size and high efficiency.

Made from highest quality materials, which assure safety and reliable performance. Best both for home and office use.



Shredder Wallner HD-208 C2

- entry width: 225 mm
- shreds size: 2x12 mm
- sheets capacity (A4/80g): 10
- shreds: plastic cards, staples, paper clips
- security level DIN 32757: 4
- security level DIN 66399: P-5/T-5/E-4/F-2
- dimensions: 465x271x355 mm
- light-emitting diode (led) which signalize open door and full-basket
- automatic start/stop with reverse function
- protection against overheating
- silent motor designed for continuous work up to 10 minutes
- window in casing permits to control basket's fill up level
- mounted on casters with blocking
- waste basket's capacity: 16l

NEW

HD-208 C2



model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
HD-208 C2	10		2x12	4	P-5/T-5/E-4/F-2	16 l						110373

HD-120


Wallner Shredders HD-120

- entry width: 235 mm
- sheet capacity (A4/80g): 10/8
- shreds: staples, paper clips, plastic cards and CDs
- two separate entries for CDs and plastic cards
- dimensions: 518 x 258 x 291 mm
- automatic start/stop with auto-reverse function
- light-emitting diode (led) which signalize open door and full-basket
- protection against overheating
- silent motor designed for continuous work up to 10 minutes
- window in casing permits to control basket's fill up level.
- mounted on casters with a lock.
- waste basket's capacity: 20 l

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
HD-120 C4	10		4x30	3	P-4/ O-1/ T-4/ E-3/ F-1	20 l						110304
HD-120 C2	8		2x10	4	P-5/ O-1/ T-5/ E-4/ F-2	20 l						110313

HD-220


Shredder Wallner HD-220

- entry width: 235 mm
- sheet capacity (A4/80g): 14/12
- shreds: staples, paper clips, plastic cards and CDs
- separate entry for shredding of CDs and plastic cards
- dimensions: 600 x 322 x 372 mm
- automatic start/stop with auto-reverse function
- light-emitting diode (led) which signalize open door and full-basket
- protection against overheating
- silent motor designed for continuous work up to 12 minutes
- window in casing permits to control basket's fill up level
- mounted on casters with blocking
- waste basket's capacity: 30 l

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
HD-220 C4	14		4x20	3	P-4/ O-1/ T-4/ E-3/ F-1	30 l						110323
HD-220 C2	12		2x10	4	P-5/ O-1/ T-5/ E-4/ F-2	30 l						110383

NEW
HD-300


Wallner Shredders HD-300

- entry width: 240 mm
- sheet capacity (A4/80g): 19/14
- shreds: staples, paper clips, plastic cards and CDs
- two separate entries for CDs and plastic cards
- dimensions: 667 x 350 x 404 mm
- automatic start/stop with auto-reverse function
- light-emitting diode (led) which signalize open door and full-basket
- protection against overheating
- silent motor designed for continuous work up to 20 minutes
- window in casing permits to control basket's fill up level
- mounted on casters with a lock
- waste basket's capacity: 38 l

model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
HD-300 C4	19		4x25	3	P-4/ O-1/ T-4/ E-3/ F-1	38 l						110334
HD-300 C2	14		2x10	4	P-5/ O-1/ T-5/ E-4/ F-2	38 l						110343

Niszczarki Wallner JP 510C / JP 516C JP 520C / JP 526C

- entry width: 310 mm (510C, 516C) / 270 mm (520C, 526C)
- automatic start/stop with autoreverse
- motor designed for continuous work: up to 30 minutes (510C, 516C)
up to 25 minutes (520C, 526C)
- protection against overheating
- optic full-basket / removed basket indicator
- LED display, which shows the turned on functions of the shredder
- separate entry for CDs
- comfortable handles for easy transportation, solid metal casing mounted on casters
- separate basket to store additional shred bags, oil or documents ready for shredding
- 120 ml oil bottle included
- removable waste basket



model	sheets	shred	mm	DIN 32757	DIN 66399	bin	CD's	pl. cards	staples	clips	floppy	code
JP 510C	32		4x30	3	P-4/ O-3/ T-4/ E-3/ F-1	80 l						110213
JP 516C	22		2x15	4	P-5/ O-4/ T-5/ E-4/ F-2	80 l						110224
JP 520C	25		4x40	3	P-4/ O-3/ T-4/ E-3/ F-1	53 l						110193
JP 526C	20		2x10	4	P-5/ O-4/ T-5/ E-4/ F-2	53 l						110204

Technical parameters of Wallner shredders

Specification		Soho										
Model >		S-580	FXD85B	BCD 408	ACD 410	XD 805 CD	XD 1012 CD	C8A0	C860	JP 6215CD	HD 208 C2	HD 120 C4
Entry width (mm)		220	220	225	225	220	220	230	230	230	225	235
Cutting width (mm)		6	4x33	4x35	4x35	4x45	4x35	4x50	3x9	4x50	2X12	4x30
Sheet capacity A4		8 (80g)	8 (70g)	8 (80g)	10 (80g)	8 (80g)	10 (80g)	10 (80g)	6 (80g)	15 (70g)	10 (80g)	10 (80g)
Security level DIN 66399	Shredding of paper P(1-7)	P-2	P-4	P-4	P-4	P-3	P-4	P-3	P-5	P-3	P-5	P-4
	Crushing of CDs O(1-7)	-	●*	●*	●*	●*	●*	●*	●*	O-2	-	O-1
	Shredding of plastic cards T(1-7)	-	T-4	T-4	T-4	T-2	T-2	T-2	T-2	T-3	T-5	T-4
	Shredding of floppy disks T(1-7)	-	-	-	-	-	-	-	-	-	-	-
	Shredding of cards w/chip E(1-7)	-	E-3	E-3	E-3	E-2	E-3	E-2	E-2	E-2	E-4	E-3
	Shredding of PenDrive E(1-7)	-	-	-	-	-	-	-	-	-	-	-
	Shredding of films / foils F(1-7)	-	F-1	F-1	F-1	-	-	-	F-2	-	F-2	F-1
Shredding staples		-	●	●	●	●	●	●	●	●	●	●
Shredding of small paperclips		-	-	●	●	-	-	●	●	●	●	●
Automatic START/STOP		●	●	●	●	●	●	●	●	●	●	●
Motor overheating protection		●	●	●	●	●	●	●	●	●	●	●
Mounted on casters		-	-	-	-	-	-	-	-	●	●	●
Window in casing		●	●	●	●	●	●	●	●	●	●	●
Noise level (dB)		< 65	< 72	< 60	< 60	< 72	< 72	< 58	< 58	< 56	< 60	< 55
Power (W)		150	230	350	380	280	350	260	300	330	320	310
Waste basket's capacity (litres)		15	15	13	18	13	21	25	25	21	16	20
Dimensions (mm)	height	393	390	375	400	322	396	500	500	555	465	518
	depth	185	170	200	230	163	220	240	240	265	271	268
	width	320	340	295	350	310	360	365	365	365	355	291
Weight (kg)		2,5	3,9	4,2	5,1	4,0	5,5	6,7	6,7	13,7	7,6	9,8



Kobra oil
for shredders
in bigger and
smaller bottles
on page 6.



■ Oil for shredders 350 ml 130120

- special formula of the oil designed to grease the cutting blades
- how to use: pour a few drops of the oil on a sheet of paper and then shred it in the machine
- 1 bottle contains 350 ml of oil

Regular oiling of the cutting knives:
- extends the lifespan of a shredder
- reduces the noise level
- prevents paper jams



■ Shredder lubricant sheets 130110

- A5 lubricant sheets, which spread the oil on the cutting knives
- clean and easy way to extend the lifespan of a shredder
- each sheet contains 6ml of oil
- 10 pcs per pack

ATTENTION:

Put the lubricant sheet into the entry of the shredder as shown by the drawn arrows, shred it and then run the reverse for about 10 seconds, to allow an even distribution of the oil.

Technical parameters of Wallner shredders

Office									Professional			
HD 120 C2	HD 220 C4	HD 220 C2	HD 300 C4	HD 300 C2	HC1601	JP 820S	JP 826C	JP 830C	JP 520C	JP 526C	JP 510C	JP 516C
235	235	235	240	240	220	230	240	230	270	270	310	310
2x10	4x20	2X10	4x25	2x10	4x39	3,9	3,8x40	1,9x10	4x40	2x10	4x30	2x15
8 (80g)	14 (80g)	12 (80g)	19 (80g)	14 (80g)	16 (80g)	25 (70g)	18 (70g)	17 (70g)	25 (70g)	20 (70g)	32 (70g)	22 (70g)
P-5	P-4	P-5	P-4	P-5	P-4	P-2	P-4	P-5	P-4	P-5	P-4	P-5
O-1	O-1	O-1	O-1	O-1	O-3	O-2	O-1	O-4	O-3	O-4	O-3	O-4
T-5	T-4	T-5	T-4	T-5	T-4	T-3	T-2	T-5	T-4	T-5	T-4	T-5
-	-	-	-	-	-	-	T-2	-	T-4	T-5	T-4	T-5
E-4	E-3	E-4	E-3	E-4	-	E-2	E-2	E-4	E-3	E-4	E-3	E-4
-	-	-	-	-	-	-	-	-	-	-	-	-
F-2	F-1	F-2	F-1	F-2	-	-	F-1	F-2	F-1	F-2	F-1	F-2
●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	-	-	-	-	-	-	-
< 55	< 55	< 55	< 55	< 55	< 57	< 55	< 55	< 55	< 58	< 58	< 58	< 58
320	320	450	600	500	529	470	420	540	610	630	1250	1350
20	30	30	38	38	29	35	35	35	53	53	80	80
518	600	600	667	667	517	645	645	645	795	795	895	895
268	322	322	350	350	300	305	305	305	335	335	385	385
291	372	372	404	404	400	395	395	395	460	460	520	520
11,3	12,3	12,5	19,7	21,3	12,3	18,3	21	18,7	44	44	70	70

LAMINATING MACHINE VISION G60 FULLY AUTOMATIC



WARRANTY

2 YEARS ★★
ALL
DEVICES



shelf for laminated documents

black shiny casing

document feeder

symbols enabling proper placing of documents

control panel with easy access to all functions


■ Laminator Vision G60

- laminating machine automatically chooses the thickness of laminating pouches and adjusts the best settings for lamination
- automatic switch off of the laminating machine after 30 minutes without working
- black shiny casing
- for hot and cold lamination
- intuitive control panel
- choice of three laminating functions: of documents, of photos and cold lamination
- the reverse function permits to release incorrectly inserted pouches
- ready-to-use temperature signalization
- technology of 6 heating rollers (2 of them hot rollers) – no need to use carriers
- ready-to-use signal
- folded shelf for laminated documents
- thickness of laminating pouches: 75 - 250 mic
- maximum thickness of the laminated document: 0.7 mm
- lamination width: 335 mm (A3+)
- heating time: 1 min
- lamination speed: 1000 mm/min
- dimensions: 520 x 175 x 160 mm

Model	Lamination width	Heating time	Lamination speed	Pouch's thickness (mic)	Cold/hot lamination	Code
Vision G60	335 mm	1 min	1000 mm/min	75-250	+ / +	310321

We recommend
Vision G60
for photo lamination and to perform decorations with the metallized stamping foil (see page 45).

To perform decorations with the metallized stamping foil we do recommend laminating machines Vision G60 and Sky 335 R6 (see page 41)



1. Stick the foil onto the writing or design



2. Protect the project by placing it into the carton 'carrier'. Place it in the laminating machine.



3. When the project comes out from the laminating machine you may carefully remove the foil from the chosen spots.



4. Your unique project is ready!

Even
the simplest machine
guarantees
good lamination
results.



Lamination protects documents from
external conditions – they are safe,
waterproof and last for longer.

Laminating machine Vision G10

- modern laminating machine
- for hot and cold lamination
- the reverse function permits to release incorrectly inserted pouches
- ready-to-use temperature signalization
- technology of 2 heating rollers – no need to use carriers
- thickness of laminating pouches: 75 - 125 mic
- maximum thickness of the laminated document: 0.5 mm
- lamination width: 235 mm (A4)
- heating time: 3-4 min
- lamination speed: 410 mm/min
- dimensions: 360 x 112 x 65 mm

Model	Lamination width	Heating time	Lamination speed	Pouch's thickness (mic)	Cold/hot lamination	Code
Vision G10	235 mm	3-4 min	410 mm/min	75-125	+ / +	310422



The proper choice of the laminating pouches to the document's size will guarantee a beautiful lamination. We offer antistatic gloss, matt and self-adhesive pouches. The wide variety of pouches is on pages 44-45.

Laminating machine Vision G20

- modern laminating machine
- for hot lamination
- the reverse function permits to release incorrectly inserted pouches
- zipper for easy selection of pouch's thickness
- ready-to-use temperature signalization
- technology of 2 heating rollers – no need to use carriers
- sound ready-to use signalization
- shelf for laminated documents
- thickness of laminating pouches: 80 - 125 mic
- maximum thickness of the laminated document: 0.5 mm
- lamination width: 320 mm (A3)
- heating time: 3-4 min
- lamination speed: 480 mm/min
- dimensions: 470 x 116 x 98 mm

Model	Lamination width	Heating time	Lamination speed	Pouch's thickness (mic)	Cold/hot lamination	Code
Vision G20	320 mm	3-4 min	480 mm/min	80-125	- / +	310319



Lamination allows to bring out details and brighten colours,
making the printouts look more lively and sharp.



Buttons for easy selection of pouch's
thickness on the control panel.



Shelf for laminated
documents.

Laminating machine Vision G50

- modern laminating machine
- automatic switch-off of the machine after 30 minutes without working
- for hot and cold lamination
- the reverse function permits to release incorrectly inserted pouches
- control buttons for easy selection of pouch's thickness and cold lamination
- ready-to-use temperature signalization
- technology of 4 heating rollers (2 hot rollers) – no need to use carriers
- sound ready-to-use signalization
- shelf for laminated documents
- thickness of laminating pouches: 80 - 150 mic
- maximum thickness of the laminated document: 0.6 mm
- lamination width: 320 mm (A3)
- heating time: 1 min
- lamination speed: 480 mm/min
- dimensions: 470 x 146 x 123 mm

Model	Lamination width	Heating time	Lamination speed	Pouch's thickness (mic)	Cold/hot lamination	Code
Vision G50	320 mm	1 min	480 mm/min	80-150	+ / +	310320

LAMINATING MACHINES WALLNER



DWL-3AF

DWL-4CF



■ Laminating machines Wallner DWL-4CF Wallner DWL-3AF

- office laminating machine for hot and cold lamination
- the reverse function permits to release incorrectly inserted pouches
- temperature settings adjustable to pouch thickness
- ready-to-use temperature signalization
- thickness of laminating pouch 60-150 mic
- technology of 4 heating rollers - no need to use carriers (2 hot rollers including)
- lever reducing rollers propulsion
- maximum thickness of the laminated document: 0.6 mm
- lamination width: 240 (A4+) / 340 mm (A3+)
- heating time: 4-6 min / 3-5 min
- lamination speed: 350 mm/min



Model	Lamination width	Heating time	Lamination speed	Pouch's thickness (mic)	Cold/hot lamination	Code
DWL-4CF	240 mm	4-6 min	350 mm/min	60-150	+ / +	310408
DWL-3AF	340 mm	3-5 min	350 mm/min	60-150	+ / +	310309



LM341

LM441



■ Laminating machines Wallner LM441 Wallner LM341

- office laminating machine for hot and cold lamination
- the reverse function permits to release incorrectly inserted pouches
- temperature settings adjustable to pouch thickness
- technology of 4 heating rollers - no need to use carriers (2 hot rollers including)
- ready-to-use temperature signalization
- ready-to-use signal
- thickness of laminating pouch 80- 250 mic
- maximum thickness of the laminated document: 0.7 mm
- lamination width: 240 (A4+) / 330 (A3+) mm
- heating time: ~1 min
- lamination speed: 300 mm/min



Model	Lamination width	Heating time	Lamination speed	Pouch's thickness (mic)	Cold/hot lamination	Code
LM441	240 mm	1 min	300 mm/min	80-250	+ / +	310416
LM341	330 mm	1 min	300 mm/min	80-250	+ / +	310317

LAMINATING MACHINES

SKY



Sky Photo 330

Sky Photo 230

■ Laminating machines

Sky Photo 230

Sky Photo 330

- laminating machines, ideal for photos
- for hot and cold lamination
- the reverse function permits to release incorrectly inserted pouches
- functional control panel
- temperature settings adjustable to pouch thickness
- ready-to-use temperature signalization
- technology of 4 heating rollers - no need to use carriers
- thickness of laminating pouches between 60-250 mic
- the maximum thickness of laminated document: 0.7 mm
- lamination width: 230 (A4+) / 330 (A3+) mm
- heating time: 6-8 min
- lamination speed: 300 mm/min



Model	Lamination width	Heating time	Lamination speed	Pouch's thickness (mic)	Cold/hot lamination	Code
Sky 230	230 mm	6-8 min	300 mm/min	60-250	+ / +	310401
Sky 330	330 mm	6-8 min	300 mm/min	60-250	+ / +	310302

The control panel permits a precise choice of temperature and lamination speed, depending on the thickness of the laminating pouch.



■ Laminating machine Sky 335 R6

- professional laminating machine – perfect lamination of photos
- for hot and cold lamination
- modern control panel
- liquid-crystal display (LCD)
- temperature settings adjustable to pouch thickness
- the reverse function permits to release incorrectly inserted pouches
- ready-to-use temperature signalization
- technology of 6 heating rollers – no need to use carriers
- ready-to-use signalization
- thickness of laminating pouches between 60-350mic
- maximum thickness of the laminated document: 1mm
- lamination width: 335 mm (A3+)
- heating time: 6 min
- lamination speed: 1400 mm/min

*We recommend this **Sky 335 R6** laminating machines for photo lamination and to perform decorations with the metallized stamping foil (see pages 45).*



Model	Lamination width	Heating time	Lamination speed	Pouch's thickness (mic)	Cold/hot lamination	Code
335 R6	335 mm	6 min	1400 mm/min	60-350	+ / +	310304

LAMINATING MACHINE WALLNER



extraordinarily thin and easy
to store casing



■ Laminating machine Wallner OL290

- for hot and cold lamination
- stable laminating temperature
- reverse function permits to release incorrectly inserted pouches
- ready-to-use temperature signalization
- technology of 4 heating rollers - no need to use carriers
- lever reducing roller's propulsion
- thickness of laminating pouches between 80-125 mic
- maximum thickness of the laminated document: 0.4 mm
- lamination width: 232 mm (A4+)
- heating time: 3-5 min
- lamination speed: 250 mm/min

Model	Lamination width	Heating time	Lamination speed	Pouch's thickness (mic)	Cold/hot lamination	Code
OL290	232 mm	3-5 min	250 mm/min	80-125	+ / +	310406



Easy-to-use
– just turn it on
and start working.

■ Paper carrier

- stiff cardboard in A4 format, coated with a special material, for multiple use
- guaranteed security of laminated documents
- permits to laminate with the pouch's margin wider than 3 mm
- better quality of lamination
- long-lasting cleanness of the rollers in a laminating machine
- allows unilateral lamination

Format	Code
A4	360400

The use of paper carriers permits to perform beautiful photo lamination and make decorative motives with metallized stamping foil (page 45). Please remember to set a high temperature on the laminating machine before you start working with the use of paper carrier.

Thanks to the carrier
you will obtain
the highest quality
and an ideally smooth
surface of the laminated
document.



Technical parameters of laminating machines

Specification / model	Soho	Office									Professional	
	Wallner OL290	Vision G10	Wallner DWL4CF	Vision G20	Wallner DWL3AF	Wallner LM441	Wallner LM341	SKY PHOTO 230	Vision G50	SKY PHOTO 330	Vision G60	SKY 335 R6
Page number in catalogue	42	39	40	39	40	40	40	41	39	41	38	41
Maximum document's size	A4+	A4+	A4+	A3+	A3+	A4+	A3+	A4+	A3+	A3+	A3+	A3+
Maximum width of documents (mm)	232	235	240	320	340	240	330	230	320	330	335	335
Amount of heating rollers	4	2	4	2	4	4	4	4	4	4	6	6
Max. thickness of laminating pouch (mic)	125	125	150	125	150	250	250	250	150	250	250	350
Lamination speed mm/min	250	410	350	480	350	300	300	300	480	300	1000	1400
Heating time (min)	3-5	3-4	4-6	3-4	3-5	1	1	6-8	1	6-8	1	6
Cold lamination	●	●	●	●	●	●	●	●	●	●	●	●
Lamination without carrier	●	●	●	●	●	●	●	●	●	●	●	●
Possibility to laminate photos	●	●	●	●	●	●	●	●	●	●	●	●
Dimensions	445x175x45	360x112x65	395x170x100	470x116x98	470x190x100	394x150x65	494x150x65	352x147x101	470x146x123	475x185x120	520x175x160	536x271x112
Code	310406	310422	310408	310319	310309	310416	310317	310401	310320	310302	310321	310304

Lamination in the office and at home

How to laminate the document properly

Lamination is the simplest and fastest way to prevent the documents against external conditions and forgery. Laminated documents, certificates, teaching materials become durable and more practical. The photos and projects of the youngest ones have brighter colours and attract other people attention.

Important hints how to choose the right laminating machine

Short heating time helps to prepare the laminating machine fast and save your time, the perfect choice will be Vision G50 where heating time is only 1 minute!

Lamination width - think over what size of the document you want to secure, a laminating machine which laminates up to A3 size (for example, LM 341 or Vision G20) can laminate the documents of all sizes: A3, A4, A5, A6 and smaller which makes it more practical.


Easy-to-use machine means possibility to select a correct temperature for a proper laminating pouches thickness, a shelf for the laminated documents, easy-to-read control panel, reverse function and ready-to-use temperature signalization (all this you will find in our completely automatic laminating machine Vision G60).

If you need to do many things at the same time, more crucial will be such parameters like: ready-to-use signalization and automatic switch-off func-

tion. This function helps to save energy and prevent machine's overheating (look at our laminating machines Vision G60 and G50)

Machine's dimensions and lamination speed - if you are at home or in the office where there isn't much space, we recommend compact laminating machines, easy to transport and store, like OL290 or laminating machines from DWL series. If you need more powerful device - Vision and Sky laminating machines will be a perfect solution.

How to laminate the document correctly



1. Switch on the laminating machine and wait till it heats up. Prepare the document which you want to laminate and an appropriate laminating pouch. Put the document inside the laminating pouch so that you will have 2-3 mm of spare space from each side.



2. Place the laminating pouch with the document inside with sealed edge towards the laminating machine's entry. Please remember to use good quality laminating pouches. Crystal+ laminating pouches have antistatic layer and round edges (Easy In) - it helps you to put the document inside the pouch.



3. Wait till the whole document will be laminated, then put it on the flat surface for cooling down. Lamination prevents the document against the external conditions (water, dust, etc) and fading.

Choose the best kind of pouches from our offer for your document

Hot lamination is the fastest and the most efficient way of preventing the documents against destruction. Exact adhesion of foil to paper and esthetic finishing can be done if you follow a few simple rules.

Kind of pouch /kind of document	Self-adhesive	One-side matt	Two-sided matt	TAKE BACK	Gloss antistatic
Teaching materials/certificates	●	●	●	●	●
Photographs	●			●	●
Identity cards/Identifiers		●	●	●	●
Important documents				●	
Home use	●	●	●	●	●
Promotional materials	●	●	●	●	●
Educational materials	●	●	●	●	●

LAMINATING POUCHES

Laminating pouches have different sizes and thickness. While choosing a correct laminating pouch please pay attention to:

Thickness - is measured in micrones (mic). The higher value of micrones means thicker and stiffer lamination. If you want thin and elastic laminated document, choose thinner laminating pouch. Laminating pouches consist of two sheets sealed together on one side. If you see such an exemplary symbol: ,2 x 100 mic' it means, that each of the sheets of the pouch has a thickness of 100 mic.

Size: laminating pouches are available in many sizes and shapes. Big sizes like A3 and A2 are perfect for lamination of posters, announcements, maps. Standard sizes like A4 or A5 will be the best solution for commercial offers, teaching materials, menu. Smaller sizes like 60x95 or 75x105 are used for identifiers, passes, luggage tags, etc.



FOR BEST RESULTS
LIFETIME PROTECTION




Kinds of laminating pouches



Antistatic laminating pouches

Antistatic laminating pouches

It is the most frequently used laminating pouch, it has antistatic layer and round edges which facilitates the documents lamination. Other features like High Gloss ensures glossy finishing and Rich in Colours bring out the details and brighten colours of the printouts. Perfect for everyday use. Widely used at home and in the office.



Matt laminating pouch

It doesn't reflect the light and its matt finishing hides inelegant fingerprints. Matt laminating pouches prevent appearing of reflections while making the documents copies. Special surface enables making of erasable notes on laminated document.



Self-adhesive laminating pouch

Enables sticking of the laminated document on every kind of surface, both from inside and outside (storefront or school window). Perfect for making stickers.



Take Back laminating pouch

NEW

Created for those who wants to get the document back. All you need is to cut a piece of pouch and take the laminated document out. Such method of lamination allows to get the original document or a photo back without risk of damaging it. The pouch does not stick to a document but to a second sheet of the pouch in the place of connection.

■ Stiff gloss antistatic laminating pouch

Format (mm)	A2 (426 x 600)		A3 (303 x 426)						A4 (216 x 303)							
Grammage (mic)	80	125	80	100	125	150	175	250	60	80	100	125	150	175	200	250
Code	320280	320212	320380	320310	320312	320315	320317	320325	320460	320480	320410	320412	320415	320417	320420	320425

Format (mm)	A5 (154 x 216)							A6 (111 x 154)				80 x 120					80 x 111					
Grammage (mic)	60	80	100	125	150	175	250	80	100	125	250	80	100	125	150	175	80	100	125	150	175	250
Code	320560	320580	320510	320512	320515	320517	320525	320680	320610	320612	320625	328280	328210	328212	328215	328217	328180	328110	328112	328115	328117	328125

Format (mm)	75 x 105						65 x 95						60 x 95						54 x 86				
Grammage (mic)	80	100	125	150	175	250	80	100	125	175	200	250	60	80	100	125	150	175	200	250	80	125	150
Code	327580	327510	327512	327515	327517	327525	326580	326510	326512	326517	326520	326525	326060	326080	326010	326012	326015	326017	326020	326025	325480	325412	325415

■ Self-adhesive laminating pouch


Format (mm)	A3 (303 x 426)			A4 (216 x 303)			A5 (154 x 216)			54 x 86		
Grammage (mic)	80	100	125	80	100	125	80	100	125	80	100	125
Code	330380	330310	330312	330480	330410	330412	330580	330510	330512	335480	335410	335412

■ One-side matt stiff laminating pouch

Format (mm)	A3 (303 x 426)			A4 (216 x 303)			A5 (154 x 216)		
Grammage (mic)	80	100	125	80	100	125	80	100	125
Code	340380	340310	340312	340480	340410	340412	340580	340510	340512

■ Two-sided matt stiff laminating pouch

Format (mm)	A3 (303 x 426)			A4 (216 x 303)			A5 (154 x 216)		
Grammage (mic)	80	100	125	80	100	125	80	100	125
Code	350380	350310	350312	350480	350410	350412	350580	350510	350512



■ TAKE BACK laminating pouch

- shiny and antistatic laminating film protects documents against moisture, dirt and dust
- you can easily recover previously laminated documents
- When you want to make changes and recover the document, just cut off the edge of the film and pull out its contents
- A4 size (303x2106 mm)
- 100 pcs in a pack
- single sheet thickness 100 mic.

Format (mm)	Thickness (mic)	Code
A4 (303x216)	100	360410



■ Metallized stamping foil

- for monochromatic printouts from laser printers and copy machines
- adds a metallized brilliance to all kinds of inscriptions and designs
- available colours: gold, silver, blue, green, red
- packaging:
 - A4 sheets - 25 or 100 pieces
 - rolls - width 20.3 cm / length 30.5 m
 - rolls - width 20.3 cm / length 122 m

Packaging / Colour	Code				
	gold	silver	blue	green	red
A4 25 pcs	362501	362502	362503	362504	362505
A4 100 pcs	361001	361002	361003	361004	361005
Roll 30,5 m	-	-	360003	360004	360005
Roll 122m x 20,3 cm	360101	360102	-	-	360105

More info concerning metallized stamping foil on page 38.

If the sheets of laminating pouch doesn't stick together, you should increase the lamination temperature and use the same laminating pouch again.

BINDING MACHINES

FOR PLASTIC COMBS

JAZON PLUS JAZON



The vertical arrangement of sheets during punching permits a precise binding.

■ Binding machine Jazon ■ Binding machine Jazon Plus

- professional binding machines for plastic combs
- two separate handles for punching and comb opening
- equipped with a 7 releasable dies mechanism (Jazon Plus)
- special covers protect the binding and punching mechanisms
- vertical arrangement of sheets during punching
- readable comb's size selector
- margin depth adjustment: 2, 3, 4, 5 mm
- punches up to 25 sheets at a time
- binds up to 510 sheets of A4 format at a time
- shred tray

model	punching up to	binding up to	code
Jazon	25 sheets	510 sheets	401102
Jazon Plus	25 sheets	510 sheets	401112

25
punched
sheets

The ergonomic punching handle allows effortless punching, comfortable work and precise binding.



Place the document in the entry and punch the sheets.



Place the plastic comb along with the punched sheets.



Close the comb and remove the bound document. Ready!



Binding machine with a releasable dies mechanism, which permits to bind non-standard documents.

WARRANTY

2 YEARS ★★
ALL
DEVICES

Wallner
FOR YOUR OFFICE



8
punched
sheets

■ Binding machine Wallner iBind A8

- binding machine for plastic combs
- comfortable punching handle
- paper limiter for precise placing of sheet
- punches up to 8 sheets of paper at a time
- binds documents up to 145 sheets of A4 format
- shred tray

model	punching up to	binding up to	code
iBind A8	8 sheets	145 sheets	401061

Wallner
FOR YOUR OFFICE



12
punched
sheets

■ Binding machine Wallner iBind A12

- binding machine for plastic combs
- comfortable punching handle
- paper limiter for precise placing of sheet
- margin depth adjustment 2-5 mm
- punches up to 12 sheets of paper at a time
- binds documents of up to 450 sheets of A4 format
- shred tray

model	punching up to	binding up to	code
iBind A12	12 sheets	450 sheets	401071

Wallner
FOR YOUR OFFICE



15
punched
sheets

■ Binding machine Wallner iBind A15

- binding machine for plastic combs
- comfortable punching handle
- paper limiter for precise placing of sheet
- margin depth adjustment 2-5 mm
- punches up to 15 sheets of paper at a time
- binds documents of up to 450 sheets of A4 format
- shred tray

model	punching up to	binding up to	code
iBind A15	15 sheets	450 sheets	401081

Wallner
FOR YOUR OFFICE



20
punched
sheets

■ Binding machine Wallner iBind A20

- binding machine for plastic combs
- comfortable punching handle
- separate comb opening and closing handles
- paper limiter for precise placing of sheet
- margin depth adjustment 2-5 mm
- punches up to 20 sheets of paper at a time
- binds documents up to 450 sheets of A4 format
- shred tray


model	punching up to	binding up to	code
iBind A20	20 sheets	450 sheets	401092

WARRANTY

2 YEARS ★★
ALL
DEVICES

OFFICE BINDING MACHINES

The readable comb's size selector on the casing helps to choose the adequate size of the comb to the amount of binded sheets.



Readable comb's size selector. Paper limiter.

■ Binding machine Wallner S-60

- durable binding machine for plastic combs
- two separate handles for punching and comb opening
- paper limiter for precise placing of sheets
- margin depth adjustment 3-8 mm
- comb's size selector to fit the amount of binded sheets
- punches up to 20 sheets at a time
- binds up to 510 sheets of A4 format at a time
- shred tray

model	punching up to	binding up to	code
S-60	20 sheets	510 sheets	401012

Wallner
FOR YOUR OFFICE

20
punched
sheets



*The releasable
7 dies mechanism
permits beautiful binding
of even non-standard
documents*



7 releasable dies mechanism Paper limiter.

■ Binding machine Wallner S-68

- modern binding machine for plastic combs
- two separate handles for punching and comb opening
- casing and mechanisms made entirely from metal
- paper limiter for precise placing of sheets
- margin depth adjustment 3-8 mm
- comb's size selector to fit the amount of binded sheets
- equipped with a 7 releasable dies mechanism
- punches up to 20 sheets at a time
- binds up to 510 sheets of A4 format at a time
- shred tray

model	punching up to	binding up to	code
S-68	20 sheets	510 sheets	401022

Wallner
FOR YOUR OFFICE

20
punched
sheets



EFFORTLESS BINDING



Comb's size selector to fit the amount of binded sheets.

Margin depth adjustment and paper limiter allow a precise placing of the sheet.

The ergonomic punching handle allows to evenly distribute the used pressure. The unique construction of the handle permits effortless punching, allowing comfortable work of both right-handed and left-handed persons.

■ Binding machine Wallner S-100

- professional binding machine for plastic combs
- comfortable punching handle
- strengthened binding mechanism
- separate comb opening handle
- margin depth adjustment 3-6 mm
- easy-to-use comb's size selector
- equipped with a 21 releasable dies mechanism
- punches up to 26 sheets at a time
- binds up to 510 sheets of A4 format at a time
- shred tray

Binding machine with a releasable dies mechanism, which permits to bind non-standard documents.

model	punching up to	binding up to	code
S-100	26 sheets	510 sheets	401032

■ Trial binding set* 414040

- set of essential binding materials
- 5 x Delta leather-like cardboard - for back covers
- 5 x colourful Prestige covers - for front covers
- 5 x plastic comb


* trial binding set - no possibility to choose a specific colour of a cover nor size and colour of a comb



WALLNER
FOR YOUR OFFICE™

26
punched
sheets

The wide choice of colourful binding covers and plastic combs on pages 52-54



Technical parameters of binding machines for plastic combs

Specification / model	Soho	Office						Professional			
	WALLNER iBIND A8	WALLNER iBIND A12	WALLNER iBIND A15	WALLNER iBIND A20	WALLNER S-60	WALLNER S-68	WALLNER S-100	JAZON	JAZON PLUS	X5	XP5
Page number in catalogue	43	43	43	43	44	44	45	42	42	47	46
Maximum quantity of sheets A4 punched at a time	8	12	15	20	20	20	26	25	25	20	20
Maximum quantity of binded sheets	145	450	450	450	510	510	510	510	510	450 / 115	450/115
Type of comb	plastic	plastic	plastic	plastic	plastic	plastic	plastic	plastic	plastic	plastic/wire	plastic/wire
Electric punching	-	-	-	-	-	-	-	-	-	-	●
Comb's size selector	-	●	●	●	●	●	●	●	●	-	-
Shred tray	●	●	●	●	●	●	●	●	●	●	●
Releasable dies mechanism	-	-	-	-	-	●	●	-	●	-	-
Code	401061	401071	401081	401092	401012	401022	401032	401102	401112	401132	401142

XP5

PROFESSIONAL ELECTRIC BINDING MACHINE

FOR PLASTIC AND WIRE BINDING COMBS



20/25
punched
sheets



Electric
Binding
Machine

Binding was never this easy!

The professional electric binding machine XP5 allows both plastic and wire comb binding. You need just one device to prepare elegant binding in any chosen format.

Thanks to the **PUNCH** button there is no need to use force. By pressing the PUNCH button the knives start off and automatically punch the prepared sheets.



The **PUNCH** button starts off the knives and automatically punches the sheets.



plastic comb opening
and closing handle

choice of type
of binding

handle to close
wire combs

hook for placing
wire combs



Special pedal to start off the punching knives, works interchangeably with the PUNCH button.

The consistent punching indicator permits the binding of documents longer than A4. The expert elements enable even punching of longer formats.

Electric binding machine XP5

- professional binding machine for plastic and wire binding combs (in 3:1 system)
- two separate handles for closing plastic and wire combs
- margin depth adjustment 2-6 mm
- silently working punching unit
- button which starts off the punching knives
- signaling diodes: ready-to-use, full or removed shred tray, paper jam or other malfunctions
- entry, which allows to bind documents in any chosen format
- punches at one time:
 - up to 25 sheets (plastic combs)
 - up to 20 sheets (wire combs)
- binds documents:
 - up to 450 sheets (plastic combs)
 - up to 115 sheets (wire combs)
- functional shred tray

model	punching up to		binding up to		code
	plastic comb	wire comb	plastic comb	wire comb	
XP5	25 sheets	20 sheets	450 sheets	115 sheets	401142

X5

PROFESSIONAL BINDING MACHINE

FOR PLASTIC AND WIRE BINDING COMBS

WARRANTY

2 YEARS ★★
ALL
DEVICES


Binding was never this easy!

The X5 binding machine is an effective device which guarantees a professional quality of binding. Easily binds documents with plastic and wire binding combs (in 3:1 system).

There is no format limitation in the entry, so it is possible to bind really unusual documents.



Page 59 – wire binding combs




Page 54 – plastic binding comb



The pull-out paper limiter for precise placing of sheet.



The consistent punching indicator permits the binding of documents longer than A4.



20
punched
sheets



See
the binding
machine X5
in use




■ Binding machine X5

- professional binding machine for plastic and wire binding combs
- two separate handles for closing plastic and wire combs, which facilitate work
- margin depth adjustment 2-6 mm
- the stable construction permits precise punching
- binds with plastic combs
- elegant wire binding in 3:1 system
- entry, which allows to bind documents in any chosen format
- precise wire comb's tightening regulator for all sizes
- punches up to 20 sheets at a time
- binds documents:
 - plastic combs: up to 450 sheets
 - wire combs: up to 115 sheets
- functional shred tray

model	punching up to		binding up to		code
	plastic comb	wire comb	plastic comb	wire comb	
X5	20 sheets	20 sheets	450 sheets	115 sheets	401132

BINDING COVERS

are the best finishing of documents bound with plastic and wire binding combs, slide binders or greenbinders. Transparent foil, material and cardboard covers in any combination will look great as front and back covers.




■ Prestige covers

- transparent foil covers for binding documents
- to be used as covers
- foil thickness 150 or 200 mic
- format A4 in packages of 100 or 25 sheets
- format A3 in packages of 100 sheets

Grammage	Colour	Format A4		Format A3
		Packaging 25 pcs	Packaging 100 pcs	Packaging 100 pcs
		Code	Code	Code
150 mic	clear	410155	410151	431151
	clear	410205	410201	431201
200 mic	blue	409035	409031	-
	red	409045	409041	-
	green	409055	409051	-
	yellow	409075	409071	-
	brown	409085	409081	-

A4 A3

Colours of Prestige covers**





■ Delta leather-like cardboard

- binding cardboard of a leather-like texture
- available colours: white, yellow, red, bordeaux, green, blue, brown, grey, black, navy blue, ivory
- format A4 in packages of 100 or 25 sheets
- format A3 in packages of 100 sheets

Colour	Format A3
	Packaging 100 pcs Code
white	432011
black	432021
blue	432031
navy blue	432061
bordeaux	432091

Colour	Format A4	
	Packaging 25 pcs Code	Packaging 100 pcs Code
white	407015	407011
black	407025	407021
blue	407035	407031
red	407045	407041
green	407055	407051
navy blue	407065	407061
yellow	407075	407071
brown	407085	407081
bordeaux	407095	407091
grey	407105	407101
ivory	407125	407121

Colours of Delta cardboards**



■ Chromo cardboard

- unilateral gloss cardboard for binding documents
- available colours: white, yellow, red, green, blue, black
- grammage 250 g/m²
- format A4 in packages of 100 or 25 sheets

Colour	Packaging 25 pcs Code	Packaging 100 pcs Code
	Code	Code
white	408015	408011
black	408025	408021
blue	408035	408031
red	408045	408041
green	408055	408051
yellow	408075	408071

A4


Colours of Chromo cardboards**





Exclusive covers

- stiff material of a grainy structure
- available colours: black, blue, navy blue, bordeaux, yellow
- thickness 400 mic
- format A4 in packages of 50 sheets



A4

Colour	Grammage 400 mic Code
black	411024
blue	411034
navy blue	411064
yellow	411074
bordeaux	411094

Colours of Exclusive covers**




*available until stocks last



Decorative card paper Mika


- decorative card paper with glittering particles, also used for binding documents
- available colours: black, navy blue
- grammage 240 g/m²
- format A4 in packages of 100 sheets



A4

Colour	Packaging 100 pcs Code
navy blue	203115
black	203117

Colours of Mika decorative card papers**



LASER, COPY MACHINES AND INK-JET FILM

which allow to create individual, personalized covers by making the overprint respectively on copying machines, laser or ink-jet printers.



Film for laser printers and copy machines

- transparent polyester film
- thickness 100 mic
- for monochromatic laser printers and copy machine's printouts
- high thermal resistance
- bilateral antistatic finishing

- Packaging 20 sheets A4 413012
- Packaging 100 sheets A4 413011
- Packaging 20 sheets A3 413032
- Packaging 100 sheets A4 413031

A4 A3



Film for ink-jet printers

- transparent polyester film, without strip
- thickness 100 mic.
- for ink-jet printers
- film's texture prevents from ink spilling

- Packaging 20 sheets A4 413022
- Packaging 50 sheets A4 413025
- Packaging 20 sheets A3 413042
- Packaging 50 sheets A3 413045

A4 A3



Self-adhesive film for laser or ink-jet printers

- gloss polyester film with glue
- for laser or ink-jet printouts (see the table below), copy machines, flexo
- 10 pieces per pack

A4

Colour	Grammage (mic)	Inkjet	Laser	Code
transparent	100	•		434020
transparent	50		*	434010
white	80		*	434011
silver	80		*	434019



Express covers

- binding set consisting of: front cover – transparent foil back cover – colourful cardboard
- transparent slide binder
- available colours: black, blue, green, dark red



A4

Size (mm)	Amount of bound sheets	Amount of sets per pack	Colour			
			black	blue	green	dark red
4,5	50	10	414452	414453	414455	414457
9,5	100	8	414952	414953	414955	414957

• * Suggested type of printing.



To select the proper comb size, place the sheets with covers between the two parallel lines. If it fits between the lines, then read the comb's size. You may also find, written on the side next to each comb size, the approximate amount of binded sheets that will fit in.

Measure below the amount of sheets to select the adequate comb size

5 mm	10 sheets
6 mm	25 sheets
8 mm	45 sheets
10 mm	65 sheets
12,5 mm	105 sheets
14 mm	125 sheets
16 mm	145 sheets
19 mm	165 sheets
22 mm	210 sheets
25 mm	240 sheets



PLASTIC COMBS

Colourful plastic combs will allow an easy and esthetic binding and multiple revision of binded documents.



Diversity of sizes and colours for a more adequate choice of combs in relevance to the colour of the cover and amount of sheets.

Plastic combs

Available colours: white, yellow, red, green, blue, black and transparent

Comb's size (mm)	Max amount of sheets 80 g/m²	Amount per box	Code						
			white	black	blue	red	green	yellow	transparent
Packaging 100 pcs									
5	10	100	405051	405052	405053	405054	405055	405056	405058
6	25	100	405061	405062	405063	405064	405065	405066	405068
8	45	100	405081	405082	405083	405084	405085	405086	405088
10	65	100	405101	405102	405103	405104	405105	405106	405108
12,5	105	100	405121	405122	405123	405124	405125	405126	405128
14	125	100	405141	405142	405143	405144	405145	405146	405148
16	145	100	405161	405162	405163	405164	405165	405166	405168
19/20	165	100	405191	405192	405193	405194	405195	405196	-
Packaging 50 pcs									
22	210	50	405221	405222	405223	405224	405225	405226	-
25	240	50	405251	405252	405253	405254	405255	405256	-
28,5	270	50	405281	405282	405283	405284	405285	405286	-
32	300	50	405321	405322	405323	405324	405325	405326	-
38	350	50	405381	405382	405383	405384	405385	405386	-
45	440	50	405451	405452	405453	405454	405455	405456	-
51	510	50	405511	405512	405513	405514	405515	405516	-

Note: 28.5 mm wide combs have an oval shape.
32 mm wide combs are additionally equipped with a security snap, which protects against opening.



■ Standard slide binders

- simple binders with one rounded edge
- permit to bind up to 80 sheets A4 without the use of a binding machine
- available colours: white, red, blue, green, black, transparent
- packaging: 50 pieces per carton box



■ Greenbinder locking binders

- foldable, single-element plastic binders
- manual mounting of punched with a binding machine sheets
- the locks firmly hold the binded document
- the binder may be opened at any time to add or withdraw pages
- available colours: white, blue, black
- packaging: 50 pieces per box

Amount of sheets to bind	Binder's size (mm)	Code					
		white	red	blue	green	black	transparent
25	4	419041	419044	419043	419045	419042	419040
30	6	419061	419064	419063	419065	419062	419060
50	9/10	419091	419094	419093	419095	419092	419090
80	15	419151	419154	419153	419155	419152	419150

Amount of sheets to bind	Binder's size (mm)	Amount of binders per box	Code		
			white	blue	black
40	5	50	421051	421053	421052
80	10	50	421101	421103	421102
130	15	50	421151	421153	421152
180	20	50	421201	421203	421202
210	25	50	421251	421253	421252



■ Self-adhesive pockets - rectangular 422060

- in the format that fits standard business cards
- purpose: placing appendixes in the form of business cards to documents, folders, brochures, etc.
- dimensions: 55 x 90 mm
- packaging: 10 pieces per pack



■ Self-adhesive pockets - corner 422072

- in a triangle shape to allow the placing of a sheet of paper, brochure, information etc.
- purpose: placing appendixes to documents in lever arch files, folders etc.
- dimensions: 171 x 171 mm
- packaging: 2 pieces per pack




■ CD pockets for files 422045

- pocket for CDs, which may be added to a file
- security flap to secure the CD from falling out
- purpose: adding CDs as appendixes to documents, folders, etc.
- internal dimensions: 136 x 123 mm
- packaging: 5 pieces per pack




■ Self-adhesive CD pockets 422055

- practical CD pocket, which may be stuck on any chosen place
- security flap to secure the CD from falling out
- purpose: adding CDs as appendixes to documents, folders, etc.
- internal dimensions: 125 x 121 mm
- packaging: 5 pieces per pack




■ Punched spines for files 422031

- punched fixing elements for regularly book-bound files
- packaging: 100 pieces per box




■ Self-adhesive spines for files 422011

- fixing elements with cut of edges
- 8 mm wide glue strip
- packaging: 100 pieces per box



■ Self-adhesive spines for files 422021

- fixing elements with rounded edges
- 10 mm wide glue strip
- best for laminated documents or thermal covers
- packaging: 100 pieces per box



■ Plastic archive clips 423011

- holds up to 700 (70g/m²) sheets at a time
- spacing matches standard punchers
- strip's length: 10 cm
- packaging: 50 pieces per box

How to use:

Pass the plastic stripes through punched sheets, place on top the longitudinal board and deflect the stripes sideways until they get shut in the lateral cuts on the board. Sheets may be added repeatedly.

Purpose:

Practical elements which allow to add documents to arch lever files for example laminated sheets, documents, which do not fit standard pockets, binded with combs photos or business cards.

Choose the right kind of binding the documents.



Plastic combs binding

The biggest advantage of using the plastic combs for binding is the possibility to revise and update the binded documents.

A wide range of plastic combs choice enables its appropriate choice depending on the amount of sheets.

- The wide choice of colourful plastic combs will allow an easy identification of binded documents.
- The maximum thickness of the documents is approximately 510 sheets (80g/m2), such documents can be easily binded with a binding machines from Wallner or Jazon series.
- The plastic combs perfectly fit the binding machines from our offer.



Wire combs binding

Thanks to wire combs the binding will always look professional - no matter if it is a commercial offer or advertising brochure.


- after binding the document with wire combs you can't edit a ready document, remove some cards or covers which gives the binded documents protection.
- The wire combs are available in a range of colours and you can use them with every standard cover.
- Commonly used for binding of notebooks, calendars, commercial offers, reports or folders.
- Maximum binding thickness: 120 sheets in 3:1 system and 280 sheets in 2:1 system.



Thermal binding

Short time of binding, comfort and neatness - all these are indisputable advantages of thermal binding.


- Allows to bind big amounts of documents - up to 400 of A4 sheets at once in a fast way (check thermal binding machine T-80 from our offer).
- Join the documents with the help of glue placed on the strip between the front and back cover in a durable way.
- Allows to bind a few documents at once which saves your time.
- Perfect for binding of diploma papers, reports, analysis.
- Binded documents are light and need little space, perfect to be sent by post.



Channel binding

Thanks to binding machines for channel binding and channel covers you can create a high quality presentation easily and fast.

- Fast and durable document binding without the need to punch or glue.
- The covers protect the documents against the dirt and damage.
- Thin channel covers are perfect for storing in archives ad public institutions or while sending by courier.
- Possibility of binded documents edition.
- Wide range of colours and kinds of channel covers.



Binding with slide binders

In order to make a professionally binded document all you need is a properly chosen slide binder and front and back covers.

- Easy and fast way of binding thanks to round edge of the binder, no need to punch the sheets.
- Flat shape allows to put a big amount of sheets in one document.
- Permits to bind up to 80 sheets A4 without the use of a binding machine



Greenbinder's binding

- The binder may be opened at any time to add or withdraw pages you would think are not necessary.
- manual mounting of punched with a binding machine sheets
- The possibility to bind up to 210 A4 sheets, the locks firmly hold the binded document.
- Flat shape allows to put a big amount of sheets in one document, so such type of binding is perfect for sending commercial offers, reports, teaching materials.

Choose the best method of binding for the concret document

There are many kinds of binding methods on the market. The choice depends on what the documents are needed for and our personal preferences. Choose the best binding cover for you and be sure that you will receive the unique and exceptional document!

Document	Plastic combs binding	Wire comb binding	Binding with Greenbinders	Binding with slide binders	Channel binding - soft channel covers	Channel binding- hard channel covers	Thermal binding
Reports, statements	●	●	●	●	●	●	●
Commercial offers	●	●	●	●	●	-	●
Teaching materials	●	●	●	●	●	-	●
Diploma papers	-	-	-	-	●	●	●
Calendars	-	●	-	-	-	-	-
Official documents	-	-	-	-	●	●	●

WARRANTY
2 YEARS ★★
ALL DEVICES

2ⁱⁿ1
DEVICE

Wire combs binding 3:1 and 2:1 systems

punching and closing
wire comb handle

choice of type
of binding



Selector showing the chosen type of binding.



The consistent punching indicator permits the binding of documents longer than A4.

■ Binding machine X6

- professional binding machine for wire binding comb
- the stable construction permits precise punching
- punching and closing wire comb handle
- elegant wire binding in 3:1 and 2:1 systems
- entry, which allows to bind documents in any chosen format
- margin depth adjustment 2-6 mm
- punches up to 20 sheets at a time
- binds documents up to 115 sheets in 3:1 system and up to 280 sheets in 2:1 system at a time
- functional shred tray

model	system	punching up to	binding up to	code
X6	3:1 / 2:1	20 sheets	115 / 280 sheets	402052

hook for placing
wire combs

360°

20
punched
sheets

X6 PROFESSIONAL BINDING MACHINE

See the binding
machine X6
in use



The simplest device
assuring precise
wire comb binding.

wallner
FOR YOUR OFFICE

■ Binding machine Wallner HP 2108

- single-handle binding machine for wire binding combs in 3:1 system
- comfortable frame which sustains binded documents
- punches up to 12 sheets at a time
- binds documents of up to 115 sheets in A4 format
- shred tray

model	punching up to	binding up to	code
HP 2108	12 sheets	115 sheets	402011

360°

3:1 system

12
punched
sheets

PROFESSIONAL BINDING MACHINES




■ Binding machine D310

- electric binding machine for wire binding combs
- the stable construction permits precise punching
- elegant wire binding in 3:1 system (up to 14.3 mm)
- releasable dies mechanism, which allows the binding of non-standard documents
- electric punching function
- silently working punching unit
- automatic reverse function - when the recommended number of sheets is overpassed, the machine draws back the dies and enables the release of sheets
- entry, which allows to bind documents in any chosen size
- margin depth adjustment 3-8 mm
- precise wire comb's tightening regulator for all sizes
- punches up to 25 sheets at a time
- binds up to 115 sheets in A4 format
- functional shred tray

model	punching up to	binding up to	code
D310	25 sheets	115 sheets	402042



25
punched
sheets




■ Binding machine S310

- professional binding machine for wire binding combs
- the stable construction permits precise punching
- two separate handles for punching and closing wire combs, which facilitate work
- elegant wire binding in 3:1 system (up to 14.3 mm)
- releasable dies mechanism, which allows the binding of non-standard documents
- entry, which allows to bind documents larger than A4 format
- margin depth adjustment 3-8 mm
- precise wire comb's tightening regulator for all sizes
- punches up to 25 sheets at a time
- binds up to 115 sheets in A4 format
- functional shred tray

model	punching up to	binding up to	code
S310	25 sheets	115 sheets	402032



25
punched
sheets




Technical parameters of wire binding machines

Specification / model	Office	Professional				
	WALLNER HP2108	S310	X5	XP5	X6	D310
Page number in catalogue	57	58	51	50	57	58
Maximum quantity of sheets A4 punched at a time	12	25	20	20	20	25
Maximum quantity of binded sheets	115	115	115	115	280	115
Binding of non-standard paper formats	-	●	●	●	●	●
Electronic punching	-	-	-	●	-	●
Type of comb	wire	wire	wire	wire	wire	wire
Shred tray	●	●	●	●	●	●
Releasable dies mechanism	-	●	-	-	-	●
Code	402011	402032	401132	401142	402052	402042


WIRE BINDING COMBS

A SOLID BINDING THAT GIVES DOCUMENTS A SUBTLE, ELEGANT AND PROFESSIONAL LOOK.

Wire binding combs permit to bind documents in 3:1 or 2:1 system. This means that on a 1 inch (2.54 cm) long segment there are 3 or 2 loops of the wire comb. This system is most commonly used when binding notebooks, notepads, car atlases and calendars, but also for business purposes to bind offers, reports, presentations or folders.



3:1 system



2:1 system

■ Wire binding combs in 3:1 system

- binding of documents in A4 format
- purpose: binding of calendars, notebooks, atlases and other frequently used documents
- seven different sizes from 4.8 to 14.3 mm

Amount of sheets (80 g/m ²)	Comb's size (mm)	Comb's size (inch)	Qty per pack	Code				
				white	black	blue	gold	silver
2-15	4.8	3/16"	100	424041	424042	424043	424048	424049
16-40	6.4	1/4"	100	424061	424062	424063	424068	424069
41-55	8	5/16"	100	424081	424082	424083	424088	424089
56-65	9.5	3/8"	100	424091	424092	424093	424098	424099
66-80	11	7/16"	100	424111	424112	424113	424118	424119
81-100	12.7	1/2"	100	424121	424122	424123	424128	424129
101-115	14.3	9/16"	100	424141	424142	424143	424148	424149

■ Wire binding combs 2:1*

- binding of documents in A4 format
- purpose: binding of calendars, notebooks, atlases and other frequently used documents
- five different sizes from 15.9 to 31.8 mm

Amount of sheets (80 g/m ²)	Comb's size (mm)	Comb's size (inch)	Qty per pack	Code			Code	
				white	black	blue	gold	silver
101-115	15.9	5/8"	100	425151	425152	425153	425158	425159
116-138	19	3/4"	100	425191	425192	425193	425198	425199
139-164	22.2	7/8"	100	425221	425222	425223	425228	425229
165-189	25.4	1"	100	425251	425252	425253	425258	425259
260-280	31.8	5/4"	50	425311	425312	425313	425318	425319

* Available on special order



In offer also red and green colour – for more information please contact us.



PROFESSIONAL WIRE BINDING



■ Wire binding combs on spools in 3:1 system

- high quality wire binding combs on spools in 3:1 system
- made from wire covered with nylon material
- may be used in automatic and semi-automatic binding machines
- binds documents of any chosen length
- available diameters 6.4; 8 and 9.5 mm
- available colours: white, black and silver
- the amount of loops per spool depends on the comb's diameter

RoCo
WIRE COMBS - SPOOLS

Amount of loops per spool	Comb's size (mm)	Comb's size (inch)	Code		
			white	black	silver
92000	6.4	1/4"	426151	426152	426159
62000	8	5/16"	426161	426162	426169
46000	9.5	3/8"	426171	426172	426179

On special orders also available other colours and sizes of wire binding combs on spools in 3:1 and 2:1 system.

■ Calendar hangers*

- wire calendar hangers
- available colours: white, black, green, blue, red, silver, gold
- available sizes: 7, 10, 15, 20, 25, 30, 40 cm
- packaging: 1000 pieces per box

Length of hangers (cm)	Code						
	white	black	blue	red	green	gold	silver
7	428071	428072	428073	428074	428075	428078	428079
10	428101	428102	428103	428104	428105	428108	428109
15	428151	428152	428153	428154	428155	428158	428159
20	428201	428202	428203	428204	428205	428208	428209
25	428251	428252	428253	428254	428255	428258	428259
30	428301	428302	428303	428304	428305	428308	428309
40	428401	428402	428403	428404	428405	428408	428409

* Available on special order

CHANNEL BINDING

FAST AND DURABLE DOCUMENT'S BINDING

■ Soft DELUXE channel covers

- high class, elegant bookbinding covers
- highest quality covers with a leather-like finishing protect from dirt and wrinkles
- pleasant and sensuous texture
- inner side of the cover with a beige leather-like veneer texture
- spines match the colour of the covers
- fast and durable bookbinding, no need to punch or glue

Types of covers

- available colours: black, white, navy blue, bordeaux
- available sizes: up to 55 sheets (Deluxe 50), up to 95 sheets (Deluxe 80)
- packaging: 2 pieces per pack

*Bookbinding with elegance and individual character.
Best for reports, analysis and calculation's presentation.
The first impression counts.*




Size	Quantity bound sheets	Colour	Code
Deluxe 50	up to 55	black	441012
		white	441017
		navy blue	441016
		bordeaux	441018
Deluxe 80	up to 95	black	442022
		white	442027
		navy blue	442026
		bordeaux	442028



Leather-like with a slight shine finishing of covers.

3 quick steps for durable documents binding with the help of DELUXE covers



Prepare the chosen cover and the document you want to bind. Choose the appropriate cover by checking the sheets amount you want to bind and put them into a spin.



Close the cover and put the slider on the spine.



Check if all the sheets are in the spin of the cover. Your document is ready.

■ Soft channel covers

- durable, dirt-resistant, elegant covers for document binding
- soft front cover - transparent foil, which allows to see the first page of the document
- back cover - colourful plastic material
- fast and durable binding without the need to punch or glue

Types of covers

- available colours: black, blue, green
- available sizes: up to 44 sheets (AA), up to 95 sheets (A)
- packaging: 10 pieces per pack

The thin spine is best for binding documents, which will be stored in archives.



Durable and lasting spine in a soft cover.

Size	Quantity bound sheets	Colour	Code
AA (10 pcs/pack)	up to 44	blue	440026
		black	440022
		green	440025
A (10 pcs/pack)	up to 95	blue	439016
		black	439012
		green	439015

CHANNEL BINDING

■ Hard channel covers

- durable, dirt-resistant, elegant covers for document binding
- highest quality bookbinding cover with a metal binder placed in the spine
- leather-like veneer texture
- permits a durable and fast binding, without the need to punch or glue

Types of covers

- available colours: navy blue, bordeaux, green, black
- without inscription
- available sizes: up to 44 sheets (AA), up to 95 sheets (A), up to 125 sheets (B), up to 150 sheets (C)
- 10 identical covers in a box, depending on the size
- packaging: AA, A, B, C - 10 pieces



Scheme showing how to place a document in the cover.

Cover opening with the use of a debinder.

Size	Quantity bound sheets	Colour	Without inscriptions Code
AA (10 pcs/pack)	up to 44	black	435012
		green	435015
		navy blue	435016
		bordeaux	435017
A (10 pcs/pack)	up to 95	black	435022
		green	435025
		navy blue	435026
		bordeaux	435027
B (10 pcs/pack)	up to 125	black	435032
		green	435035
		navy blue	435036
		bordeaux	435037
C (10 pcs/pack)	up to 150	black	435042
		green	435045
		navy blue	435046
		bordeaux	435047
		bordeaux	435057

■ Channel Binder ImpressBind 280* 403032

- professional channel binding machine
- ergonomic handle, which improves the work
- durable binding of master thesis, manuscripts, studies, reports
- stable metal casing, which allows vertical storage of the device
- possibility of opening the document and rebinding it in the same cover
- binds up to 280 sheets
- dimensions: 460 x 160 x 510 mm



ImpressBind 140

impressBIND

ImpressBind 280

■ Channel Binder ImpressBind 140 403011

- professional channel binding machine
- ergonomic handle, which improves the work
- durable binding of master thesis, manuscripts, studies, reports
- stable metal casing, which allows vertical storage of the device
- possibility of opening the document and rebinding it in the same cover
- binds up to 140 sheets
- dimensions 322 x 121 x 515 mm



■ Debinder for channel binder ImpressBind 140 403020

- tool for opening binded channel covers
- model dedicated for channel binder ImpressBind 140

■ Debinder for channel binder ImpressBind 280* 403040

- tool for opening binded channel covers
- model dedicated for channel binder ImpressBind 280

Construction of the casing allows vertical storage of the closed device.

* Available upon request

THERMAL BINDING

*Documents binded in a soft thermal cover take up much less space.
Thermal binding is commonly used in archives
to store large amounts of works.*

*Thermal binding machine TB200 was designed to reflect new trends.
The silver matt casing will look beautifully in modern office spaces.*

WARRANTY

2 YEARS ★★
ALL
DEVICES

Thermal binding machine


TB200

DURABLE AND LASTING BOOKBINDING



Instant binding
of up to

200
sheets



*Under the influence
of the heat, glue placed
on the strip between the front
and back cover, dissolves
and connects the binded
documents.*


■ Thermal binding machine TB 200

- easy-to-use thermal binding machine
- pull-out support for cooling documents
- LED panel
- ready-to-use signalization
- end-of-work signalization
- automatic turning off after 90 minutes upon finishing work
- binds up to 200 sheets in maximum 60 seconds
- dimensions: 420 x 101 x 163 mm


model	binding up to	binding time	code
TB 200	200 sheets 80g	60 s	404032




Colour of thermal covers **



white



Colour of thermal covers **



green

blue

red

black

■ Thermal covers Standing Lux Lami - white

front: crystal clear transparent 150 mic foil

back: white, gloss 250 g/m² cardboard Chromo Lami

Spine's width (mm)	Maximum amount of sheets 80g	Amount of pieces per pack	Code	Amount of pieces per pack	Code
1,5	15	100	429011	10	430011
2	20	100	429021	10	430021
3	30	100	429031	10	430031
4	40	100	429041	10	430041
6	60	100	429061	10	430061
9	90	80	429091	10	430091
12	120	80	429121	10	430121
15/16	150	50	429151	10	430151
18	180	50	429181	10	430181
20	200	50	429201	-	-
25	260	50	429251	-	-
30	310	30	429301	-	-
35	360	30	429351	-	-
40	410	30	429401	-	-
45	460	20	429451	-	-
50	500	20	429501	-	-

■ Thermal covers Prestige – colour

front: crystal clear transparent 150 mic foil

back: leather-like Delta cardboard 225 g/m²,

available colours: green, blue, red, black

Spine's width (mm)	Maximum amount of sheets 80g	Amount of pieces per pack	Code			
			black	blue	red	green
1,5	15	100	429012	429013	429014	429015
		10	430012	430013	430014	430015
3	30	100	429032	429033	429034	429035
		10	430032	430033	430034	430035
4	40	100	429042	429043	429044	429045
		10	430042	430043	430044	430045
6	60	100	429062	429063	429064	429065
		10	430062	430063	430064	430065
9	90	80	429092	429093	429094	429095
		10	430092	430093	430094	430095
12	120	80	429122	429123	429124	429125
		10	430122	430123	430124	430125
15/16	150	50	429152	429153	429154	429155
		10	430152	430153	430154	430155
18	180	50	429182	429183	429184	429185
		10	430182	430183	430184	430185

Thermal binding machine

T-80



Instant binding
of up to

400

sheets



Even more durable binding thanks to stabilizing vibrations which help to stick the sheets together.

*The easiest way
for quick binding.*

*Regardless
of the number
of pages, you need
just tens of second
and the document is
ready!*



DURABLE AND LASTING BOOKBINDING

■ Thermal binding machine T-80

- sound and visual ready-to-use and end-of-work signalization
- cover's size selector
- vibrations that stabilize the sticking of sheets
- automatic turning into standby function after 10 minutes upon finishing work
- shelf for cooling binded documents
- fan activated automatically shelf for cooling binded documents
- triple-step heating time regulation
- maximum temperature: 150 ±10°C
- binds up to 400 sheets (80g/m²) of the maximum length 390 mm

model	binding up to	binding time	code
T-80	400 sheets 80g	30 s	404021

** Due to limitations of the printing techniques colours may differ from originals.

RC SYSTEMS GUILLOTINES

WARRANTY


2 YEARS ★★
ALL
DEVICES

RC guillotines are highest quality professional office guillotines. The blades are made from a unique, durable and specially hardened steel. The blades are sharpened at a 65° angle, thus guaranteeing the highest quality cuts and allowing to cut materials with great precision for many years.

The offer consists of office dedicated and professional guillotines with an **automatic sheet-pressing system**, which cut without any effort up to **650 sheets** at a time!

**professional
Quality**

Specially marked
selected models
designed for the
most demanding
tasks.



Guillotine RC 560 S

- office guillotine with an automatic sheet-pressing system
- sheet-pressing system triggered by blade's movement
- the transparent shield guarantees the safety of work
- ergonomic anti-sliding handle
- cutting guides for different paper formats on the working table
- precise limiter to regulate cutting dimensions
- cuts up to 50 (70g/m²) sheets at a time
- cutting length: 560 mm
- dimensions of the working table: 560 x 455 mm


model	cutting	cutting width	code
RC 560 S	50 sheets 70g	560 mm	510135

Guillotine RC 560 S 510355

RC 560 S version with a special paper support.




Precise cut of a bigger amount of sheets.



Paper support for easier cutting of sheets of specific widths.


24
sheets
at a time

manual sheet-pressing system



24
sheets
at a time

manual sheet-pressing system



Guillotine RC 321 N

- office guillotine with a manual sheet-pressing system
- the transparent shield guarantees the safety of work
- ergonomic anti-sliding handle
- cutting guides for different paper formats on the working table
- cuts up to 24 (70g/m²) sheets at a time
- cutting length: 320 mm
- dimensions of the working table: 320 x 190 mm

model	cutting	cutting width	code
RC 321 N	24 sheets 70g	320 mm	510313


Guillotine RC 331 N

- office guillotine with a manual sheet-pressing system
- the transparent shield guarantees the safety of work
- ergonomic anti-sliding handle
- cutting guides for different paper formats on the working table
- precise limiter to regulate cutting dimensions
- cuts up to 24 (70g/m²) sheets at a time
- cutting length: 330 mm
- dimensions of the working table: 330 x 245 mm

model	cutting	cutting width	code
RC 331 N	24 sheets 70g	330 mm	510323

30
sheets
at a time

manual sheet-pressing system



30
sheets
at a time

automatic sheet-pressing system



Guillotine RC 361

- office guillotine with a manual sheet-pressing system
- the transparent shield guarantees the safety of work
- ergonomic anti-sliding handle
- cutting guides for different paper formats on the working table
- precise limiter to regulate cutting dimensions
- cuts up to 30 (70g/m²) sheets at a time
- cutting length: 360 mm
- dimensions of the working table: 440 x 300 mm

model	cutting	cutting width	code
RC 361	30 sheets 70g	360 mm	510013

Guillotine RC 363

- office guillotine with an automatic sheet-pressing system
- sheet-pressing system triggered by blade's movement
- the transparent shield guarantees the safety of work
- ergonomic anti-sliding handle
- cutting guides for different paper formats on the working table
- precise limiter to regulate cutting dimensions
- cuts up to 30 (70g/m²) sheets at a time
- cutting length: 360 mm
- dimensions of the working table: 440 x 300 mm


model	cutting	cutting width	code
RC 363	30 sheets 70g	360 mm	510023

RC SYSTEMS GUILLOTINES



40
sheets
at a time

*manual
sheet-pressing system*



■ Guillotine RC 380 SE

- office guillotine with a manual sheet-pressing system
- the transparent shield guarantees the safety of work
- ergonomic anti-sliding handle
- cutting guides for different paper formats on the working table
- precise limiter to regulate cutting dimensions
- cuts up to 40 (70g/m²) sheets at a time
- *cutting length: 380 mm
- dimensions of the working table: 430 x 420 mm

model	cutting	cutting width	code
RC 380 SE	40 sheets 70g	380 mm	510063

40
sheets
at a time

*automatic
sheet-pressing system*




■ Guillotine RC 380 SC

- office guillotine with an automatic sheet-pressing system
- the transparent shield guarantees the safety of work
- ergonomic anti-sliding handle
- cutting guides for different paper formats on the working table
- precise limiter to regulate cutting dimensions
- cuts up to 40 (70g/m²) sheets at a time
- cutting length: 380 mm
- dimensions of the working table: 430 x 420 mm

model	cutting	cutting width	code
RC 380 SC	40 sheets 70g	380 mm	510073

50
sheets
at a time

*automatic
sheet-pressing system*



■ Guillotine RC 380 C

- office guillotine with an automatic sheet-pressing system
- the transparent shield guarantees the safety of work
- ergonomic anti-sliding handle
- cutting guides for different paper formats on the working table
- precise limiter to regulate cutting dimensions
- external paper support
- cuts up to 50 (70g/m²) sheets at a time
- cutting length: 380 mm
- dimensions of the working table: 430 x 420 mm

model	cutting	cutting width	code
RC 380 C	50 sheets 70g	380 mm	510083


RC System guillotines with manual and automatic pressing systems cut effortlessly. The high cut's precision and careful execution guarantee assure easy and long lasting use of the machine.



The transparent shield guarantees the safety of work.

40
sheets
at a time

**automatic
sheet-pressing system**



*Cutting guides
for different
paper formats
on the working
table.*

Guillotine RC 440 C

- office guillotine with an automatic sheet-pressing system
- the transparent shield guarantees the safety of work
- ergonomic anti-sliding handle
- cutting guides for different paper formats on the working table
- precise limiter to regulate cutting dimensions
- cuts up to 40 (70g/m²) sheets at a time
- cutting length: 440 mm
- dimensions of the working table: 480 x 380 mm

model	cutting	cutting width	code
RC 440 C	40 sheets 70g	440 mm	510094

40
sheets
at a time

**automatic
sheet-pressing system**



*Special
paper support
for easier cutting
of sheets of specific
widths.*

Guillotine RC 440 S

- office guillotine with an automatic sheet-pressing system
- the transparent shield guarantees the safety of work
- ergonomic anti-sliding handle
- cutting guides for different paper formats on the working table
- precise limiter to regulate cutting dimensions
- external paper support
- cuts up to 40 (70g/m²) sheets at a time
- cutting length: 440 mm
- dimensions of the working table: 480 x 380 mm

model	cutting	cutting width	code
RC 440 S	40 sheets 70g	440 mm	510104


PROFESSIONAL GUILLOTINES



Stable base enables
the creation of a professional
work-stand.


50
sheets
at a time

**automatic
sheet-pressing system**



650
sheets
at a time

**automatic
sheet-pressing system**



*Bookbinding guillotines, with the automatic sheet-pressing system, cut without any effort up to **650 sheets at a time!** Equipped with the transparent shield ensuring the safety of work and ergonomic anti-sliding handle.*

The functional stand permits to place the guillotine in any chosen place and to prepare a professional workplace.

WARRANTY

2 YEARS ★★
ALL
DEVICES

Guillotine RC 710

- professional guillotine with an automatic sheet-pressing system
- sheet-pressing system triggered by blade's movement
- the transparent shield guarantees the safety of work
- ergonomic anti-sliding handle
- external paper support calibrated in millimeters
- cutting guides for different paper formats on the working table
- adjustable limiter for cutting dimensions
- cuts up to 50 (70g/m²) sheets at a time
- cutting length: 710 mm
- dimensions of the working table: 875 x 610 mm

model	cutting	cutting width	code
RC 710	50 sheets 70g	710 mm	510147

Guillotine RC 710 T 510157

Version of the RC 710 guillotine with stand.

Guillotine RC 466*

- professional guillotine with an automatic sheet-pressing system
- sheet-pressing system triggered by blade's movement
- the transparent shield guarantees the safety of work
- ergonomic anti-sliding handle
- beam of light indicating the place to retire the blade
- cutting guides for different paper formats on the working table
- adjustable limiter for cutting dimensions
- cuts up to 650 (70g/m²) sheets at a time
- cutting length: 466 mm
- dimensions of the working table: 466 x 730 mm

model	cutting	cutting width	code
RC 466	650 sheets 70g	466 mm	510264

Guillotine RC 466 T* 510274

Version of the RC 466 guillotine with stand.

* Available on special orders

GUILLOTINES KOBRA



Super Cut System

Special cutting system based on blades made from a unique, durable and specially hardened carbon steel, sharpened at a 65° angle ensuring highest cutting quality.

20
sheets
at a time

**manual
sheet-pressing system**



**SAFE
GUARD**



Guillotine Kobra 360 EM

- office guillotines with a manual sheet-pressing system
- shield guarantees the safety of work
- ergonomic anti-sliding handle for better comfort of work
- cutting guides for different paper formats on the working table
- limiter to regulate cutting dimensions
- cuts up to 20 (70g/m²) sheets at a time
- cutting length: 360 mm
- dimensions of the working table: 400 x 300 mm


model	cutting	cutting width	code
Kobra 360 EM	20 sheets 70g	360 mm	510163

30
sheets
at a time

**automatic
sheet-pressing system**



**SAFE
GUARD**



Guillotine Kobra 360 A

- office guillotines with an automatic sheet-pressing system
- shield guarantees the safety of work
- ergonomic anti-sliding handle for better comfort of work
- cutting guides for different paper formats on the working table
- limiter to regulate cutting dimensions
- cuts up to 30 (70g/m²) sheets at a time
- cutting length: 360 mm
- dimensions of the working table: 400 x 300 mm


model	cutting	cutting width	code
Kobra 360 A	30 sheets 70g	360 mm	510183

30
sheets
at a time

**automatic
sheet-pressing system**



**SAFE
GUARD**



Guillotine Kobra 460 A

- office guillotines with an automatic sheet-pressing system
- shield guarantees the safety of work
- ergonomic anti-sliding handle for better comfort of work
- cutting guides for different paper formats on the working table
- limiter to regulate cutting dimensions
- cuts up to 30 (70g/m²) sheets at a time
- cutting length: 460 mm
- dimensions of the working table: 355 x 500 mm

model	cutting	cutting width	code
Kobra 460 A	30 sheets 70g	460 mm	510174

WARRANTY

2 YEARS ★★
ALL
DEVICES

400
sheets
at a time

**manual
sheet-pressing system**



*JLS guillotines - professional machines at a competitive price. **Perfect for professional servicing stations.***

Guillotine JLS 298 A3

- professional office guillotine
- comfortable cutting handle
- crank, which allows adequate sheet-pressing
- limiter to regulate cutting dimensions
- cutting length: 420 mm
- cuts up to 400 (70g/m²) sheets at a time
- dimensions of the working table: 550 x 425 mm

model	cutting	cutting width	code
JLS 298 A3	400 sheets 70g	420 mm	510224

POPULAR GUILLOTINES



■ Guillotine with trimmer Wallner GT 320

2in1 guillotine with trimmer. Possibility to connect and disconnect the two machines. Easy to store, allows to save space. Cutting guides for different paper formats on the working table.

Guillotine

- manual sheet-pressing system
- safety shield
- cuts up to 10 (80g/m²) sheets at a time
- cutting length: 320 mm

Trimmer

- A4 format
- pressing strip
- choice of 3 cutting lines: straight (up to 10 of 80g/m² sheets), wavy and perforated (up to 3 of 80g/m² sheets)

model	cutting	cutting width	code
GT 320	10 sheets 80g	320 mm	510304



■ Guillotine Wallner GA 448

- office guillotine with a manual sheet-pressing system
- stable metal working table
- plastic, matt security shield
- cutting guides for different paper formats on the working table
- limiter to regulate cutting dimensions
- cuts up to 20 (70g/m²) sheets at a time
- cutting length: 448 mm
- dimensions of the working table: 480 x 330 mm

■ Guillotine Wallner GA 310

- office guillotine with a manual sheet-pressing system
- stable metal working table
- plastic, matt security shield
- cutting guides for different paper formats on the working table
- limiter to regulate cutting dimensions
- cuts up to 20 (70g/m²) sheets at a time
- cutting length: 310 mm
- dimensions of the working table: 350 x 255 mm

model	cutting	cutting width	code
GA 310	20 sheets 70g	310 mm	510283
GA 448	20 sheets 70g	448 mm	510294



■ Guillotine Wallner GB 460

- office guillotine with a manual sheet-pressing system
- anti-sliding base of the working table
- plastic security shield
- high-quality cutting blade made from hardened steel
- limiter to regulate cutting dimensions
- ergonomic handle for better comfort of work
- cutting guides for different paper formats on the working table
- cuts up to 8-10 (80g/m²) sheets at a time
- cutting length: 460 mm (A3)
- dimensions of the working table: 460 x 380 mm

■ Guillotine Wallner GB 320

- office guillotine with a manual sheet-pressing system
- anti-sliding base of the working table
- plastic security shield
- high-quality cutting blade made from hardened steel
- limiter to regulate cutting dimensions
- ergonomic handle for better comfort of work
- cutting guides for different paper formats on the working table
- cuts up to 8-10 (80g/m²) sheets at a time
- cutting length: 320 mm (A4)
- dimensions of the working table: 320 x 250 mm

model	cutting	cutting width	code
GB 320	8-10 sheets 80g	320 mm	510333
GB 460	8-10 sheets 80g	460 mm	510344



The blades in Paper Cutter guillotines also allow a precise cut of cardboards and thin metal sheets. Low risk of injury thanks to blade's specific production means.

Guillotine Paper Cutter A3

- office guillotine with an automatic sheet-pressing system
- cutting guides for different paper formats on the working table
- cuts up to 12 (70g/m²) sheets at a time
- cuts cardboard and thin metal sheets
- cutting length: 420 mm
- dimensions of the working table: 460 x 380 mm

Guillotine Paper Cutter A4

- office guillotine with an automatic sheet-pressing system
- cutting guides for different paper formats on the working table
- paper limiter to regulate cutting dimensions
- cuts up to 12 (70g/m²) sheets at a time
- cuts cardboard and thin metal sheets
- cutting length: 310 mm
- dimensions of the working table: 310 x 250 mm

model	cutting	cutting width	code
Paper Cutter A4	12 sheets 70g	310 mm	510233
Paper Cutter A3	12 sheets 70g	420 mm	510244

Technical parameters of RC guillotines

Specification / model	Office				Professional					Specialized				
	RC 321 N	RC 331 N	RC 361	RC 363	RC 380 SE	RC 380 SC	RC 380 C	RC 440 C	RC 440 S	RC 560 S	RC 466	RC 466 T	RC 710	RC 710 T
Page number in catalogue	61	61	61	61	62	62	62	63	63	60	64	64	64	64
Cutting width (mm)	320	330	360	360	380	380	380	440	440	560	466	466	710	710
Maximum cutting capacity (70g)	24	24	30	30	40	40	50	40	40	50	650	650	50	50
Dimensions of working table (mm)	320x190	320x245	440x300	440x300	430x420	430x420	430x420	480x380	480x380	720x510	730x466	730x466	875x610	875x610
Sheet-pressing system	manual	manual	manual	automatic	manual	automatic	automatic	automatic	automatic	automatic	automatic	automatic	automatic	automatic
Safety cover	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Paper limiter	-	●	●	●	●	●	●	●	●	●	●	●	●	●
Cutting guides on the table	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Stand	-	-	-	-	-	-	-	-	-	-	-	●	-	●
Code	510313	510323	510013	510023	510063	510073	510083	510094	510104	510135	510264	510274	510147	510157

Technical parameters of guillotines

Specification / model	Soho			Office							
	Wallner GB 320	Wallner GB 460	Wallner GT 320	Paper Cutter A4	Paper Cutter A3	Wallner GA 310	Wallner GA 448	JLS 298 A3	Kobra 360EM	Kobra 360 A	Kobra 460 A
Page number in catalogue	66	66	66	67	67	66	66	65	65	65	65
Cutting width (mm)	320	460	320	310	420	310	448	420	360	360	460
Maximum cutting capacity (70g)	8-10 (80g/m ²)	8-10 (80g/m ²)	10 (80g/m ²)	12 (70g/m ²)	12 (70g/m ²)	20 (70g/m ²)	20 (70g/m ²)	400 (70g/m ²)	15-20 (70g/m ²)	25-30 (70g/m ²)	30 (70g/m ²)
Dimensions of working table (mm)	250x320	380x460	320x155	310x250	460x380	350x255	480x330	425x550	400x300	400x300	355x500
Sheet-pressing system	manual	manual	manual	automatic	automatic	manual	manual	manual	manual	automatic	automatic
Safety cover	●	●	●	-	-	●	●	●	●	●	●
Paper limiter	●	●	-	●	●	●	●	●	●	●	●
Cutting guides on the table	●	●	●	●	●	●	●	●	●	●	●
Code	510333	510344	510304	510233	510244	510283	510294	510224	510163	510183	510174

SOHO TRIMMERS

SMALL OFFICE HOME OFFICE

WARRANTY

2 YEARS ★★
ALL
DEVICES

■ TA33 Trimmer

- precise office trimmer
- pressing strip allows a precise cut
- cutting guides for different paper formats on the working table
- cuts sheets in A3 format
- cutting length: 460 mm
- cutting capacity up to 8 (70 g/m²) sheets at a time
- dimensions of the working table: 458 x 160 mm

model	cutting	cutting width	code
TA33	8 sheets 70g	460 mm	520024

■ TA46 Trimmer

- precise office trimmer
- pressing strip allows a precise cut
- cutting guides for different paper formats on the working table
- cuts sheets in A4 format
- cutting length: 320 mm
- cutting capacity up to 8 (70 g/m²) sheets at a time
- dimensions of the working table: 328 x 160 mm

model	cutting	cutting width	code
TA46	8 sheets 70g	320 mm	520013



■ A4 RPT-380 Trimmer

- precise office trimmer
- paper limiter to regulate cutting dimensions
- pressing strip allows a precise cut
- cutting guides for different paper formats on the working table
- cutting length: 380 mm
- cutting capacity up to 20 (80 g/m²) sheets at a time
- dimensions of the working table: 572 x 318 mm

model	cutting	cutting width	code
RPT-380	20 sheets 80g	380 mm	520053

■ A3 RPT-520 Trimmer

- precise office trimmer
- paper limiter to regulate cutting dimensions
- pressing strip allows a precise cut
- cutting guides for different paper formats on the working table
- cutting length: 520 mm
- cutting capacity up to 20 (80 g/m²) sheets at a time
- dimensions of the working table: 713 x 318 mm

model	cutting	cutting width	code
RPT-520	20 sheets 80g	520 mm	520045

■ A2 RPT-730 Trimmer

- precise office trimmer
- paper limiter to regulate cutting dimensions
- pressing strip allows a precise cut
- cutting guides for different paper formats on the working table
- cutting length: 730 mm
- cutting capacity up to 20 (80 g/m²) sheets at a time
- dimensions of the working table: 925 x 318 mm

model	cutting	cutting width	code
RPT-730	20 sheets 80g	730 mm	520037

PROFESSIONAL TRIMMERS

KOBRA®



Perfect
cutting precision
of even very long
works.

■ Kobra 1000 R Trimmer

- professional trimmer with an automatic pressing paper
- cuts: paper, pouch, film, photos, cardboard
- rotary self-sharpening blades
- blades made from a specially hardened carbon steel
- transparent pressing strip allows a precise cut
- paper limiter to regulate cutting dimensions
- special hollow in the working table permits to place paper rolls
- cutting guides for different paper formats on the working table
- cutting length 1000 mm, cutting thickness 0.8 mm

model	cutting	cutting width	code
1000 R	0.8 mm	1000 mm	520061

■ Kobra 1300 R Trimmer

- professional trimmer with an automatic pressing paper
- cuts: paper, pouch, film, photos, cardboard
- rotary self-sharpening blades
- blades made from a specially hardened carbon steel
- transparent pressing strip allows a precise cut
- paper limiter to regulate cutting dimensions
- special hollow in the working table permits to place paper rolls
- cutting guides for different paper formats on the working table
- cutting length 1300 mm, cutting thickness 0.8 mm


model	cutting	cutting width	code
1300 R	0.8 mm	1300 mm	520071

*Available until stocks last


Guillotines and trimmers are the devices to cut different kinds of materials: cardstock, thin metal sheets, foil, photos and some kinds of fabric. The choice between these two kinds of devices depends on our needs and kind of project you want them for.

Guillotine or trimmer

- which one to choose?



The guillotines have got a blade combined with a handle which can move up and down while pushing by hand. The blade is placed outside hence it is recommended to be extremely careful while operating it. A kind of blade is very important as the guillotines are normally bigger and heavier than trimmers. With the help of the guillotine you can quickly and easily cut a set of paper sheets to appropriate size with minimum effort. Useful in the office, printing offices, photo studios or even at home.



Trimmers have got a blade which is slid manually on paper from side-to-side. Such simple action ensures perfect precision and ideal performance. Movement in both directions makes the work with the trimmer comfortable and convenient for both right and left-handed people. The blade closed in a safe cutting casing makes the trimmer one of the safest devices for paper cutting. Perfect for children (under adults' supervision) and beginners, who have no need to cut big amounts of sheets.

While choosing the appropriate device please consider the following parametres:

- **cutting width** - the wider, the bigger paper format we can cut, thanks to this a guillotine or a trimmer become more universal,
- **cutting capacity** - from a few sheets of paper up to big amounts of sheets,
- **self-sharpening blade** - the guillotines with arched blade like RC or Kobra series the cutting of small amount of sheets allows for self-sharpening of the blade through the contact with the counterblade,
- **automatic sheet-pressing system** - is directly connected with guillotine blade handle. It is automatically launched with every movement down of the blade in order to cut the paper. The performed pressure helps to keep the cut materials in one place improving the cutting quality, precision and uniformity.
- **manual sheet-pressing system** - the pressing is made manually with the help of a shield and a separate blade handle. Manual pressing system allows to define the exact pressure you need to make which can be extremely important while cutting some delicate photographic films or paper.
- **format patterns** - standard metric cutting guides for different paper formats on the working table makes the measuring and cutting of the material easier and more precise.
- **format limit indicator** - a blocking side guide regulates the cutting measurements, which guarantees the same cutting each time.

Technical parameters of trimmers

Specification / model	Office						Professional	
	TA46	TA33	Wallner GT 320	A4 RPT-380	A3 RPT-520	A2 RPT-730	Kobra 1000 R	Kobra 1300 R
Page number in catalogue	68	68	66	68	68	68	69	69
Cutting width (mm)	320	460	320	380	520	730	1000	1300
Maximum cutting capacity	8 (70g/m ²)	8 (70g/m ²)	10 (80g/m ²)	20 (80g/m ²)	20 (80g/m ²)	20 (80g/m ²)	0.8 mm	0.8 mm
Sheet-pressing system	●	●	●	●	●	●	●	●
Cutting guides on the table	●	●	●	●	●	●	●	●
Paper limiter	-	-	-	●	●	●	●	●
Code	520013	520024	510303	520053	520045	520037	520061	520071



Stapler Atomo 05631 allows **easy flat stapling** which helps to save up to 30% of place in a folder.



traditional stapling

flat stapling

HP2

HP4

HS-100

HS-260



HP4 Puncher 602031

- 4 hole puncher
- adjustable distance between slots and paper's edges
- snap fastened board with standard paper sizes from B6 to A3
- movable snap fastened board to allow precise setting of the spot to be punched
- easy-to-reach shred tray
- punches two holes in up to 300 sheets at a time (up to 32 mm of total thickness)

HP2 Puncher 602041

- 2 hole puncher
- adjustable distance between slots and paper's edges
- snap fastened board with standard paper sizes from B6 to A3
- movable snap fastened board to allow precise setting of the spot to be punched
- easy-to-reach shred tray
- punches two holes in up to 300 sheets at a time (up to 32 mm of total thickness)

Pads for HP archive punchers 602062

- exchangeable pads for HP punchers
- pad's diameter: 30 mm



Knives for HP archive punchers 602052

- exchangeable knives for HP punchers
- knife's length: 56 mm
- punching diameter: 6 mm
- minimal order quantity: 4 pcs



NEW

Stapler Atomo 05631

- high quality stapler for professional and everyday use
- the used mechanism allows to use 50% less strength
- staples up to 35 sheets at once
- the flat edges of staples help to save up to 30% of place in a folder
- comfortable to use by one hand
- capacity: 100 staples
- suitable for staples 24/6 and 26/6
- maximum insertion depth 45 mm
- made of metal with plastic finishing
- available colours: yellow, white, black

quantity of stapled sheets	quantity of staples	yellow	white	black
35	100	604101	604091	604111

Archive staplers LETACK

- ergonomically shaped archive staplers
- anti-sliding base ensuring stability of work
- cambered handle for improved comfort of work
- paper-depth limiter, which allows a precise setting of the stapling spot
- metal container for different sizes of staples, which depend on the amount of stapled sheets

Stapler LETACK HS-100 604011

- staples up to 100 sheets at a time
- capacity: 100 staples
- maximal depth of stapling - 60 mm
- dimensions: 288 x 78 x 176 mm

Stapler LETACK HS-260 604021

- staples up to 260 sheets at a time
- capacity: 130 staples
- maximum depth of stapling - 60 mm
- dimensions: 360 x 95 x 268 mm

Staples

Type	Amount of stapled pages	Qty per pack	Code
8	2 - 50	1000	604032
10	50 - 70	1000	604042
13	50 - 100	1000	604052
15	50 - 140	1000	604062
17	90 - 160	1000	604072
24	180 - 260	1000	604082



WARRANTY

2 YEARS ★★
ALL
DEVICES

AE-1



Runner for
corner rounder AE-1



Runner for corner rounder AE-1 603102

- knife D21 - allows the precise cutting out of half-rounded slots for calendar hangers
- knife D6 - allows the precise cutting out of single round slots or double round slots with diameters
- appropriate for lever arch files
- easy to assemble

Pads for corner rounder AE-1 603112

- exchangeable pads for corner rounders
 - pad's diameter 25 mm
 - 1 piece per box
- 1 szt. **4⁰⁰**



Exchangeable knives for corner rounder AE-1

Profiles of the knives:



Symbol	Radius of rounding	Code
S	radius 1/8" (3,5 mm)	603072
M	radius 1/4" (6 mm)	603082
L	radius 3/8" (10 mm)	603092
D21	radius 13/16", (21 mm) for cutting half-round slots for hanging the calendars	603052
D6	diameter 1/4", (6 mm) for cutting round slots	603062

Corner rounder AE-1 603021

- very durable professional device for rounding corners
- permits aesthetic finishing of all laminated printouts as well as cardboards, paper, photos, notebooks, calendars and even thin aluminum skin
- **three exchangeable knives** allow to choose curve diameters: 1/8 inches (3.5 mm), 1/4 inches (6 mm) and 3/8 inches (10 mm)
- ergonomic gear improving work
- working table-top with runners
- functional shred tray
- container to store exchangeable knives
- rounds up to 100 sheets at a time

Punched slots:




3 in 1 puncher 603011

- easy-to-use device for punching paper
- three functions and three kinds of punching:
standard puncher - one round slot (1/4") - for pages to be placed in lever arch files
slot puncher - elongated slot (3 x 14 mm) - for identity cards
corner rounder
- punches up to 20 (A4 / 80g/m²) sheets at a time or 1 plastic cover (1 mm)
- the movable board allows a precise setting of the slot to be punched or corner to be rounded
- functional shred tray

Corner rounders AE-3

- small corner rounder in a plastic casing
- functional shred tray
- permits to round single sheets of paper, photos, postcards etc.

Radius of rounding:



Model	Rounding radius	Code
AE-3S	radius 5 mm	603031
AE-3L	radius 10 mm	603041

Slot puncher with runner 602021

- the runner enables a precise punching of the slots, always in the same place
- regulated distance of the slot from sheet's edge
- slot's shape allows to hang laminated documents or blister-type packages
- slot's dimensions: 32 x 9 x 6.5 mm

Punched slot:





WIDE RANGE OF FIRST-AID CABINETS WITH KITS

compliant with DIN 13157 or DIN 13164 standards.

Our offer consists of first-aid cabinets made from plastic, metal and soft waterproof materials. Wall-mounted cabinets recommended for warehouses, offices, cars, handy and home use. The kits of all first-aid cabinets are compliant with DIN 13157 or DIN 13164 standards.



NEW



■ First-aid cabinet AS20 with kit 606221

- first-aid cabinet with kit
- kit compliant with DIN 13164 standard
- possibility to hang on the wall
- made from a steel sheet with white powder paint coating, oven treated
- key locking
- dimensions: 130 x 260 x 240 mm

■ First-aid cabinet AS30 with kit 606161

- first-aid cabinet
- kit compliant with DIN 13157:2009 standards
- possibility to hang on the wall
- made from a steel sheet with white powder paint coating, oven treated
- key locking
- dimensions: 300 x 220 x 120 mm

■ First -aid cabinet HF072B 606011

- metal first-aid cabinet closed by a buckle
- functional arrangement of shelves
- comfortable handle enables easy transportation
- possibility to hang on the wall
- white colour - on the door visible white cross on a green background
- dimensions: 290 x 230 x 80 mm

■ First -aid cabinet HF087 606021

- metal first-aid cabinet closed by 2 buckles
- three shelves
- comfortable handle enables easy transportation
- possibility to hang on the wall
- white colour - on the door visible white cross on a green background
- dimensions: 415 x 350 x 145 mm

We recommend full kits for first-aid cabinets, compliant with DIN 13157 or DIN 13164 standards.

FIRST-AID CABINETS



Many more models in offer.

Please contact us for detailed information.



NEW

First-aid cabinet ASAM with kit 606134

- first-aid car cabinet
- kit compliant with DIN 13164 standards
- made from a waterproof material
- dimensions: 240 x 150 x 60 mm

First-aid cabinet ASAC with kit 606144

- first-aid car cabinet
- kit compliant with DIN 13164 standards
- kit and emergency triangle included
- made from a waterproof material with a separate compartment for the triangle
- dimensions: 450 x 140 x 50 mm

Apteczka AZP100 z wyposażeniem 606214

- first-aid cabinet with kit
- kit compliant with DIN 13157:2009 standards
- made from ABS
- special hook to hang on the wall
- for an office or workplace
- dimensions: 280 x 210 x 115 mm



Fist-aid cabinet ASAP with kit 606185

- first-aid car cabinet
- kit compliant with DIN 13164 standards
- made from polyester
- dimensions: 260 x 170 x 80 mm

Frist-aid cabinet AZR with kit 606171

- first-aid cabinet for offices
- kit compliant with DIN 13164 standards
- comfortable handle to carry
- possibility to hang on the wall
- made from polyester
- dimensions: 220 x 220 x 80 mm

First-aid cabinet AZP110 with kit 606155

- first-aid cabinet
- kit compliant with DIN 13164 standards
- special hook permits to hang it on the wall
- made from polypropylene
- dimensions: 270 x 270 x 95 mm



Basic first-aid kit AWP



Basic first-aid kit AW

We recommend full kits for first-aid cabinets, compliant with DIN 13157 or DIN 13164 standards

Basic first-aid kit AW

- compliant with DIN 13157:2009 standards
- wound adhesive plaster 6 x 10 cm (8 pcs)
- adhesive plaster on reel 5 m x 2.5 cm (1 pcs)
- adhesive plaster sets - 4 types
- bandage with compress 6 x 8 cm (1 pc)
- elastic bandage: 4 m x 6 cm (2 pcs), 4 m x 8 cm (2 pcs)
- vinyl gloves (2 pairs)
- dressing cloth 60 x 80 cm (1 pc)
- non-woven sheet 20 x 30 cm (5 pcs)
- bandage with compress (field dressing): 8 x 10 cm (3 pcs), 10 x 12 cm (1 pcs)
- wound compress 10 x 10 cm (6 pcs)
- eye compress 5x7.5 cm (2 pcs)
- cold compress (1 pc)
- triangular bandage 96 x 96 x 136 cm (2 pcs)
- thermal blanket 160 x 210 cm (1 pc)
- scissors 19.5 cm (1 pc)
- foil bag (2 pcs)
- resuscitator
- first-aid instructions and the list of kit's content

Basic first-aid kit AWP

- compliant with DIN 13164 standards
- 14-pieces sticking plaster set: 6 x 10 cm (4 pcs), 4.3 x 7.2 cm (2 pcs), 12 x 2 cm (2 pcs), 1.9 x 7.2 cm (2 pcs), 2.5 x 7.2 cm (4 pcs)
- sticking plaster on roll 5 m x 2.5 cm (1 pc)
- elastic bandage: 4 m x 6 cm (2 pcs), 4 m x 8 cm (3 pcs)
- vinyl gloves (2 pairs)
- wet wipes (2 pcs)
- dressing cloth: 60 x 40 cm (1 pc), 60 x 80 cm (1 pc)
- bandage with compress (individual dressing): 6 x 8 cm (1 pc), 8 x 10 cm (2 pcs), 10 x 12 cm (1 pc)
- gauze compress 10 x 10 cm (6 pcs)
- triangular bandage 96 x 96 x 136 cm (2 pcs)
- knitted bandage: 4 m x 5 cm (3 pcs), 4 m x 10 cm (2 pcs), 4 m x 15 cm (1 pc)
- thermal blanket 160 x 210 cm (1 pc)
- scissors (1 pair)
- eye compress 5 x 7.5 cm (1 pc)
- first-aid instruction
- mouthpiece for artificial respiration

Model	Code
AW	606190
AWP	606200



■ Key cabinet HF200C-22K 606039

- metal key cabinet
- grey colour
- space for 22 keys
- key locking
- delivered along with 20 key-rings
- dimensions: 200 x 150 x 78 mm



■ Key cabinet HF250N-32K 606049

- metal key cabinet
- grey colour
- space for 32 keys
- key locking
- delivered along with 40 key-rings
- dimensions: 250 x 200 x 78 mm



■ Key cabinet HF300C-52K 606059

- metal key cabinet
- grey colour
- space for 52 keys
- key locking
- delivered along with 60 key-rings
- dimensions: 300 x 230 x 78 mm



■ Emergency key cabinet HF150T-3K 606084

- metal key cabinet to store 3 emergency keys
- key locked door with glass
- red colour
- dimensions: 150 x 120 x 80 mm



■ Key cabinet HF300C-100K 606069

- metal key cabinet
- grey colour
- space for 100 keys
- key locking
- delivered along with 100 key-rings
- dimensions: 300 x 230 x 78 mm



■ Key cabinet HF550T-50K 606079

- metal key cabinet
- door with a transparent plexi plate
- light grey colour
- space for 50 keys
- cylindrical lock
- delivered along with 60 key-rings
- dimensions: 550 x 380 x 80 mm



■ Cash box HF-M300A

- metal cash box with rounded edges
- key locking
- functional compartments for coins and banknotes
- comfortable handle enables easy transportation
- available colours: red and blue
- dimensions: 300 x 240 x 90 mm

Colour	Code
blue	606093
red	606104



■ Key-rings

- plastic key-rings
- secured with a plastic foil screen to write room number on
- available colours: black, green, blue, yellow, red or mix colours
- 100 pieces per box

Colour	Code
black	607112
blue	607123
red	607134
green	607145
yellow	607156
mix colour	607160

One package – one colour or mix

PROTECTIVE CLOTHING AND SAFETY PRODUCTS

We offer thousands of products, which ensure the safety and hygiene of work for many industries.

Among them you will find products which will protect hands, legs, heads, hearing, sight, faces as well as fire-fighting items, first-aid cabinets with kits, cleaning materials, building tagging articles and many more. All products meet required standards and posses adequate certificates and test results.



*Let your workers
feel safe
- invest in quality
and high
standards.*

*Reduce
health
hazards.*

ARE YOU LOOKING FOR
PROTECTIVE CLOTHING AND
SAFETY PRODUCTS?
CONTACT US!

CLOCKS

precise and silent



■ Wall clock 851A 654540

- best for open-space offices
- **silent quartz mechanism**
- large and clear dial
- sweeping second hand
- battery-operated: 1 x AA
- silver framing
- diameter: 400 mm



*silent
quartz
mechanism*



■ Wall clock MSP30 608592

- best for open-space offices
- **silent quartz mechanism**
- built-in thermometer
- sweeping second hand
- battery-operated: 1 x AA
- metal housing
- black framing
- diameter: 300 mm



*silent
quartz
mechanism*



■ Wall clock PSP30 608600

- best for offices and bureaus
- **silent quartz mechanism**
- built-in thermometer and hydrometer
- sweeping second hand
- battery-operated: 1 x AA
- plastic housing
- silver framing
- diameter: 300 mm



*silent
quartz
mechanism*



W99158

W99157



■ Wall clock W99157 674741

■ Wall clock W99158 656560

- precise quartz mechanism
- clear dial
- big digits
- battery-operated: 1 x AA
- white and silver framing
- diameter: 225 mm

*precise
quartz
mechanism*

NEW



PL PW 1912 W

NEW



PL PW 1912 TS



PL PW 1912 TS

■ **Wall clock PL PW 1912 TS** 608720
Wall clock PL PW 1912 W 608731

- best for offices, schools and bureaus
- large and clear dial
- big thick hand and big numbers make the time easy to read from long distance
- battery-operated: 1 x AA
- available colours of framing: white (PL PW 1912 W) and silver (PL PW 1912 TS)
- diameter: 300 mm



CB12CH



CB12GO

■ **Wall clock CB12CH** 608690
Wall clock CB12GO 608703

- best for both offices and homes
- large and clear dial
- battery-operated: 1 x AA
- available colours of framing: silver and gold
- hands in the colour of the framing
- metal framing
- diameter: 300 mm

Scandinavian
quality,
trendy colours,
minimalistic
stylistics.

MONEY DETECTORS



All testers allow to check the authenticity of EURO banknotes.



■ Money detector Wallner DL-01 605131

- 4W UV fluorescent lamp permits to check the elements visible in ultraviolet combined with a traditional flashlight
- convenient and practical in use
- comfortable switch to set the flashlight or money detector mode
- battery-operated: 4 x AA
- dimensions: 162 x 54 x 25 mm



■ Money detector Wallner DL-105 605051

- checks the authenticity of banknotes
- 4W UV fluorescent lamp permits to check the elements visible in ultraviolet
- dimensions: 180 x 120 x 76 mm



■ Money detector Wallner DL-102 605061

- checks the authenticity of banknotes
- 6W UV fluorescent lamp permits to check the elements visible in ultraviolet
- security shield
- dimensions: 240 x 125 x 70 mm



■ Money detector Wallner DL-1011 605031

- professional money detector with three functions integrated in one machine
- 9W UV fluorescent lamp permits to check the elements visible in ultraviolet
- 4W white fluorescent lamp permits to check watermarks
- magnifying glass allows to read micro-prints
- dimensions: 200 x 120 x 160 mm



■ Fluorescent lamps for money testers

Money detector	Lamp	Code
DL-1011	lamp 4 W white	605072
DL-109	lamp 6 W white	605082
DL-105	UV lamp 4 W UV	605102
DL-102	UV lamp 6 W UV	605092
DL-1011	UV lamp 9 W UV	605112
DL-109	UV lamp 11 W UV	605122



■ UV security marker pen 605011

- special marker that writes in a way visible only under UV fluorescent lamps, like for example in money detector Wallner DL-07

UV security marker pens are often used to secure valuables in case of robbery: bicycles, mobile phones, laptops, tablets. Items marked this way are easily identified by the Police. They are also perfect for writing index records on office equipment or marking sold goods.

IDENTIFICATION

for fairs, conferences, symposiums, meetings



Using the slot puncher, a clip, belt for holders, laminating pouch and laminating machine you can prepare the identifier of every size.

Slot puncher 602011

- enables to punch longitudinal slots
- slot's shape suits CT 210, CT 211, CT 710, CT 905 clips for identity cards
- functional shred tray
- slot's dimensions: 13 x 4 mm



Belt for holders with clip

- belt's width 8 mm
- metal clip catch
- may be used with all types of holders and badges
- available colours: blue and black
- 50 pieces per box



Colour	Code
blue	601223
black	601212

Belt for holders with integrated buckle

- belt's width 10 mm
- white, plastic, 'click' type integrated buckle
- may be used with all types of holders and badges
- available colours: navy blue, blue, red and green
- 50 pieces per box

Colour	Code
red	601254
navy blue	601241
blue	601233
green	601265

Clip CT 210 601141

- metal clip with strip
- strip made from a strong, transparent material
- metal snap fastener
- 100 pieces per box



Clip CT 211 601151


- metal clip with strip
- strip made from a strong, matt material
- plastic snap fastener
- 100 pieces per box



NEW

Clip CT 212 with a safety pin 601271

- metal clip with a strip and safety pin
- a strip made of strong transparent material
- metal clip
- 100 pieces per box



Clip CT 218 601161

- metal springing clip with safety pin
- fixed to a self-adhesive plastic plate
- 100 pieces per box



Clip CT 710 P


- plastic clip with strip
- strip made from a matt material
- plastic snap fastener
- 100 pieces per box




Colour	Code
white	601181
blue	601193
red	601204

Clip CT 905 601171


- metal clip of „braces“ type
- strip made from a matt material
- plastic snap fastener
- 100 pieces per box





Holder 601015

- stiff cover for plastic cards and business cards
- ideal anti-damage protection
- purpose: comfortable cover for plastic cards, magnetic cards or access controls
- dimensions:
 - internal 90 x 56 mm
 - external 92 x 59 mm
- 50 pieces per box





Holder with a clip 601025

- stiff cover for plastic cards and business cards
- plastic strip with CT 210 metal clip
- dimensions:
 - internal 90 x 56 mm
 - external 92 x 59 mm
- 50 pieces per box




Holder with a belt

- stiff cover for plastic cards and business cards
- 8 mm wide belt in green, blue or black colour
- holder's dimensions:
 - internal 90 x 56 mm
 - external 92 x 59 mm
- 50 pieces per box




Holder type K - card 601045

- stiff cover for identity cards, plastic cards and business cards
- holder's dimensions:
 - internal 88 x 54 mm
 - external 90 x 57 mm
- 50 pieces per box




Holder type L - student's card 601055

- stiff cover for documents like student's card
- holder's dimensions:
 - internal 103 x 75 mm
 - external 105 x 78 mm
- 50 pieces per box




Holder type P - pass 601065

- stiff cover for documents like military passes or informational cards
- holder's dimensions:
 - internal 110 x 70 mm
 - external 113 x 74 mm
- 50 pieces per box




Holder 2K-V blue 601295

- vertical holder for two cards
- two transparent card pockets
- soft, transparent PVC material in a blue shade
- purpose: comfortable holder for business cards, plastic and magnetic cards
- holder's dimensions:
 - internal 54 x 86 mm
 - external 55 x 90 mm
- 50 pieces per box



Holder 2K-H blue 601305


- horizontal holder for two cards
- two transparent card pockets
- soft, transparent PVC material in a blue shade
- purpose: comfortable holder for business cards, plastic and magnetic cards
- holder's dimensions:
 - internal 86 x 54 mm
 - external 90 x 55 mm
- 50 pieces per box



Holder 2K clear 601315

- holder for two cards
- two transparent card pockets
- stiff, clear PS material
- may be used both horizontally and vertically
- purpose: comfortable holder for business cards, plastic and magnetic cards
- holder's dimensions:
 - internal 86 x 54 mm
 - external 90 x 55 mm
- 50 pieces per box

Holders and name badges may be either hung round the neck or attached to the cloths, depending on the requirements. The full offer of clips and belts is available on page 83.




■ PLM - name badge 601095

- name badge made from an elastic transparent foil
- opening on the side
- cut to fit e.g. CT 210 belt with clip
- badge's dimensions:
internal 86 x 50 mm
external 92 x 60 mm
- 50 pieces per box


The fair badge holder looks great with a belt for holders.

most frequently used format on fairs



■ PLD - name badge 601085

- name badge made from an elastic transparent foil
- opening from the top
- cut to fit e.g. CT 210 belt with clip
- badge's dimensions:
internal 106 x 63 mm
external 108 x 77 mm
- 50 pieces per box



■ Fair badge holder 601325

- name badge made from an elastic transparent foil
- opening from the top
- cut to fit e.g. CT 210 belt with clip
- two additional holes for optional string attachment
- badge's dimensions:
internal 110 x 147 mm
external 115 x 165 mm
- 50 pieces per box

CT 123
the most popular name badge



■ Luggage tags 601130

- tags with printed forms for independent lamination
- do not require the use of laminating machine
- an easy way to mark your luggage
- tag's external dimensions: 66 x 105 mm
- 10 tags with fastening loops per set



■ CT 123 - name badge 601075

- name badge made from a transparent, stiff material
- metal springing clip and safety pin
- cardboard card with imprinted frame included
- badge's dimensions: 90 x 57 mm
- 50 pieces per box

NEW

Magnetic pocket for documents, instructions and notes. The magnetic material on the back of the pocket ensures good adhesion to metal surfaces. The transparent foil in front prevents from dirt and damage and allows fast replacement.

A4 and A5 magnetic pocket

- A4 and A5 magnetic pockets
- a possibility of multiple use on metal surface like fridge, dishwasher, boards.
- easy and quick replacement
- layers building:
 - **bottom** - magnetic layer which covers the whole pocket, does not peel off the surface and leave the prints
 - **top** - transparent foil with a lap in the pocket's corner
- 2 pcs in pack (A4); 3 pcs in pack (A5)



Type	Dimensions (mm)	Code
A4 pockets	220x305	601330
A5 pockets	157x217	601340



Magnetic layer covers the whole pocket's surface which helps to keep it in the same place and does not peel off.



A lap in the pocket's corner helps to place the document inside and secure against the falling out.



You can easily and quickly replace the document from the pocket.

Wall mounted literature holder 601281

- best for A4 leaflets and brochures
- wall mounted
- made from a stiff transparent PS material
- tapered downwards
- dimensions:
 - 255 x 250 top /
 - 240 bottom x 9.8 mm
- 2 pieces per box



Advertising board
V-06-A4 vertical



Advertising board
H-06-A4 horizontal



Advertising board
H-06-A5 horizontal

Magnetic memo holders

- colourful magnets
- a simple and practical way to pin a document or note to a metal surface
- available in 5 sizes
- blister-type packaging
- the amount of magnets per package depends on their size
- available colours: all-white, all-black, all-green, all-blue, all-red, all-yellow and mix-colours



Diameter (mm)	Qty per pack	Code							
		white	black	green	blue	red	yellow	mix colour	
15	10	607371	607061	607275	607173	607224	607326	607010	
20	6	607381	607071	607285	607183	607234	607336	607020	
30	5	607391	607081	607295	607193	607244	607346	607030	
40	4	607401	607091	607305	607203	607254	607356	607040	
50	3	607411	607101	607315	607213	607264	607366	607050	



Stand for business
SRD 527



Stand for business
SRD 517



Stand for business
SRD 516

Advertising boards

- vertical or horizontal advertising board
- 6 transparent rotating tabs - stiff pockets, where sheets may be inserted
- allow to present A4 or A5 sheets, such as leaflets, informations, price lists, menu, commercial and advertising materials
- purpose: school, office, customer service center, hotel reception, shops, conference room, fair booth etc.
- 2 pieces per box

Model	Dimensions (mm)	Code
V-06-A4 vertical	222 x 65 x 325	601274
H-06-A4 horizontal	309 x 65 x 237	601270
H-06-A5 horizontal	222 x 65 x 174	601275

SRD stands for business cards

- functional stands for business cards
- transparent, stiff material (plexi)
- purpose: conferences, parties, trainings, expositions, placing information signs, prices, labels etc.
- comfortable folding base
- available in three sizes

Symbol	Dimensions (mm)	Amount per box	Code
SRD 516	80 x 57	36	601106
SRD 517	100 x 67	24	601114
SRD 527	200 x 80	12	601122

MINTRA®

CLASSIC ORGANIZER

Classic Desk Organiser Set

Practical Desk organiser set from 10 pieces:

- pen stand
- photo frame
- 8 casters for a mug
- mail organiser - dimension: 24,5x13,5 cm, height: 12 cm
- desk pad, dimension: 63x38 cm
- napkin holder
- mouse pad
- magazine file holder
- documents holder
- notes holder
- available colours: brown and black

Colour	Code
brown	601358
black	601362

Elegant desk organiser set not only becomes a perfect decoration for the office but also makes documents and office accessories organisation easier. Perfect for a bureau, office or your boss's desk.



NEW

Classic documents holder

Document holder which helps to organise the work on your desk. Available in two colours (brown and black) made of eco-leather. Thanks to this holder your documents will be well-organised and always close at hand. Perfect for organising magazines, catalogues, leaflets. Dimension: 100x320x260 mm

Colour	Code
brown	601378
black	601382

Rescue for the wrists

comfortable work without fatigue



Mouse friendly



Mouse friendly



■ Mouse pad with gel wrist support TEA

- mouse pad with gel wrist support (dimensions 250 x 210 mm)
- holds the wrist in the proper position while working on the computer
- non-slip coating prevents the sliding of the pad helps to prevent occupational diseases such as carpal tunnel syndrome

■ Mouse pad with gel wrist support TEA 053 608662

- mouse pad with gel wrist support (dimensions 230 x 190 mm)
- holds the wrist in the proper position while working on the computer
- non-slip coating prevents the sliding of the pad helps to prevent occupational diseases such as carpal tunnel syndrome
- soft material in black colour

■ Gel wrist pad

- ergonomically cambered wrist pad
- holds the wrist in the proper position while working on the computer
- made from transparent material filled with a special gel, which additionally cools the wrist
- non-slip coating prevents the sliding of the pad
- dimensions: 118 x 80 x 25 mm

Name	Colour	Code
TEA 081	blue	608673
TEA 077	navy blue	608677
TEA 078	violet	608678
TEA 079	red	608674
TEA 080	black	608672

Colour	Code
red	608644
blue	608643
black	608642

Ergonomic products for working on the computer



Mouse friendly



■ 3 in 1 mouse pad 608650

- ergonomic arm, elbow and wrist supporting mouse pad
- even relief for the whole hand while working on the computer
- helps to prevent occupational diseases such as carpal tunnel syndrome
- perfect to aid injuries such as external epicondylalgia
- non-slip coating prevents the sliding of the pad
- soft material in black colour
- dimensions: 490 x 200 x 15 mm



The elbow support eases discomfort connected with external epicondylalgia.



The wrist support helps to prevent carpal tunnel syndromes associated with working on computers.

Excellent way to organise your workplace around the computer. Get extra space.

*Best way
to keep the space
on your desk tidy
and to control
casual notes.*


HELP AT HAND

nothing will slip your mind

■ Self-adhesive monitor Memo board 608630




- board recommended for computer monitors
- permits to stick self-adhesive notes and memos
- made from transparent PVC
- safe self-adhesive strip allows to attach the board to the monitor (doesn't leave traces of glue)
- best help to keep notes and memos neatly organized around your monitor
- dimensions 80 x 300 x 1.5 mm



■ Self-adhesive monitor Memo board with business card holder 608631



- board recommended for computer monitors
- permits to stick self-adhesive notes and memos
- made from transparent PVC
- safe self-adhesive strip allows to attach the board to the monitor (doesn't leave traces of glue)
- two overlaps on the top and bottom of the board enable to insert business cards or a sheet of paper with notes, even in A4 format
- useful while copying a text onto the computer
- best help to keep notes and memos neatly organized around your monitor
- dimensions 80 x 300 x 1.5 mm





LAMINATING MACHINES AND FILMS FOR THE PRINTING INDUSTRY

- highest quality roll laminating films for hot and cold lamination
- for offset and digital printouts
- **film refinement** with gloss or matt finishing **brings out the details or enforces the colours**
- secures from mechanical, chemical and humidity factors

DIGITAL PRINTOUT'S METALIZATION



■ Laminating machine Excelam Eco 355

- laminating machine intended for the metalization of digital printouts with the Digital Stamping Film
- equipped with a rewinder, which collects the digital film from the sheet
- modern liquid-crystal (LCD) steering panel
- maximum lamination width: 355 mm
- maximum laminating speed: 0.5 m/min
- heating time: 7 minutes
- microprocessor temperature control

■ Digital Stamping Film

- film dedicated for selective metalization of digital printouts
- available in 4 colours: gold, rose gold, silver, copper
- film width 320 mm, lengths 100, 300 and 500 m

More information at hanami.com.pl

HOT LAMINATION



Our offer consists of a wide variety of films for roll laminating machines in different thicknesses and widths from 250 mm to 1010 mm!

- Roll laminating films - polypropylene
- Roll laminating films - polyester

- Laminating machines Excelam Hot II 355 Q / 655 Q



Catalogue of appliances and materials for sublimation and UV printing

Grawerton is a part of ARGO S.A. specializing in distribution of materials and devices used for sublimation technology and UV printing.

Both sublimation and UV printing are very effective methods of making low-cost, personalized prints of photographic quality on a very wide range of products. See our full offer on the site

www.grawerton.pl




Grawerton technologies
AMBER

The Amber UV 4060 printer was created to take full advantage of the opportunities offered by UV printing technology. It allows direct printing on any flat products up to 40x60 cm (height up to 17 cm), and oval products up to 13.5 cm in diameter. Prints are characterized by vivid, saturated colors and excellent details.

PRINTERS AND SUBLIMATION INKS
HEAT PRESSES
ACCESORIES
BLANK PRODUCTS FOR SUBLIMATION

A WIDE CHOICE OF PRINT-READY MATERIALS: CERAMICS, TEXTILES, METAL AND MANY MORE!



INDEX

#

3-in-1 puncher 75

A

Accessories for lamination 44,45

Advertising boards 86

Archive clips 55

Archive punchers 74

B

Belt for holders 83

Binding

-for plastic combs 46-51

-for wire combs 51-51, 57-58

-channel 61

Binding covers 52-53

Binding guide 56

Binding - technical data table 49

C

Cash boxes 78

Calendar hangers 59

Channel binding 60-61

Channel covers 60-61

Clips for name badges 83

Clocks 80-81

Computer accessories 88-89

Corner rounders 75

Covers for binding 52-53

E

Eco guide 12

F

Film for copy machines and printers 53

First-aid cabinets 76-77

Fluorescent lamps for money testers 82

G

Greenbinders 55

Guillotines 54-71

Guillotines - technical data table 71

H

Hand binding 55

Holders for plastic cards 84

I

ID-holders 85

K

Key Cabinets 78

Key-rings 78

Kobra Compactor C-500 23

Kobra Cyclone 23

Kobra guillotines 69

Konra shredders 7-24

Kobra shredders technical data table 25-29

Kobra trimmers 72

L

Lamination guide 43

Laminating machines for offices 38-42

Laminating pouches 44-45

Lamination - technical data table 42

Luggage tags 85

M

Magnetic memo holders 86

Materials for binding 52-55

Materials for lamination 44-45

Materials for thermobinding 63

Metallized stamping foil 45

Money detectors 82

Monitor Memo Boards 89

Mouse pads 88

O

Oil for shredders 6,37

P

Paper carrier 42

Plastic combs binding 54

Pockets for CDs 55

Prestige covers for binding 52

Protective clothing 79

R

RoCo wire combs on spools 59

S

Self-adhesive film for laser and ink jet printers 53

Self-adhesive pockets 55

Shredders 7-37

Shredders guide 4-5

Shredder lubricant sheets 6,37

Slide binders 55

Slot punchers 75,83

Spines for files 55

Stands for business cards 87

Staples 74

T

Thermobinding machines 63

Thermocovers 63

Trimmers 72

Trimmer and guillotine guide 73

U

UV security marker pen 82

W

Wallner binding machines 47

Wallner laminating machines 40,42

Wallner shredders - technical data table 36-37

Wire combs binding 59

All electric devices presented in the catalogue are adapted to 230 V power supply. All parameters and dimensions are given in approximation. The producer reserves the right to modify both technical solutions and design.

This catalogue is a commercial information.

This catalogue contains own photos and from service stock.adobe.com and under CC0 license.



Argo S.A. catalogue available
in the electronic version at argo.pl



ART OF CREATION
**GALERIA
PAPIERU**

Galeria Papieru is the brand of a wide variety of creative products. Decorative papers and card papers, certificates, invitations, envelopes, photo papers, folders, covers, tools and decorative accessories which permit to create any work on one's own.



*The richness
of structures and colours
will permit to produce any work
that comes to mind. The ready patterns
will help to create incredible works
only with the help of a printer or a pen.*

**GALERIA PAPIERU
PRODUCTS
IN THE CATALOGUE
NICE THINGS**

galeriapapieru.pl





GDAŃSK 80-393, Poland
ul. Krynicka 1,
tel.: +48 58 55 43 555
fax: +48 58 55 43 500
export@argo.pl

www.argo.pl

ARGO S.A. is certified with
PN-ISO 9001:2015

KOBRA®

wallner
FOR YOUR OFFICE

HANAMI

MINTRA

**GALERIA
PAPIERU**

Grawerton®

Heykka