



shredders **directory**



Modern design
with advanced technological system

WARRANTY

2 YEARS ★★
ALL DEVICES



PERSONAL

OFFICE



SPECIFICATION	XD 805 CD	XD 1012 CD	HD 208 C2	HD 120 C4	HD 120 C2	HD 220 C4	HD 220 C2	HD 300 C4	HD 300 C2
Entry width (mm)	220		225	235		235		240	
Cutting width (mm)	4x45	4x35	2x12	4x30	2x10	4x20	2x10	4x25	2x10
Efficiency -amount of sheets (A4 70-80g)	8 (80g)	10 (80g)	10 (80g)	10 (80g)	8 (80g)	14 (80g)	12 (80g)	19 (80g)	14 (80g)
Waste basket's capacity (l)	13	21	16	20		30		38	
Shredd's segregation									
Security level DIN 66399									
Paper P (1-7)	P-3	P-4	P-5	P-4	P-5	P-4	P-5	P-4	P-5
CDs/DVD/BlueRay O(1-7)	●*	●*		O-1	O-1	O-1	O-1	O-1	O-1
Plastic cards T (1-7)	T-2	T-2	T-5	T-4	T-5	T-4	T-5	T-4	T-5
Floppy disks T (1-7)									
memory cards E (1-7)	E-2	E-3	E-4	E-3	E-4	E-3	E-4	E-3	E-4
Pen Drive E(1-7)									
Microfilms and foil F (1-7)			F-2	F-1	F-2	F-1	F-2	F-1	F-2
Main features									
Shredding of small paper clips/staples									
Automatic START/STOP									
Autoreverse function									
Mounted on casters									
Window in casing									
Continuous work function (10 min - 8 hours)			<10 min	<10 min		<12 min		<20 min	
Motor overheating protection									
A bottle of oil in a set									
Technical parameters									
Noise level (dba)	<72		<60	< 55		< 55		< 55	
Power (W)	280	350	320	310	320	320	450	600	500
Dimensions and Weight									
width x depth x height (mm)	322 x 163 x 310	396 x 220 x 360	465 x 271 x 355	518 x 268 x 291		600 x 322 x 372		667 x 350 x 404	
Weight (kg)	4,0	5,5	7,6	9,8	11,3	12,3	12,5	19,7	21,3

* shredder cuts the CDs but the shreds volume is not classified according to DIN 66399
 AF AF Auto-Feeder's capacity

OFFICE

PROFESSIONAL



HC1601	JP 6215CD	JP 820S	JP 826C	JP 830C	AF 160 C4	AF 160 C2	JP 520C	JP 526C	JP 510C	JP 516C
220	230	230	240	230	220		270		310	
4x39	4x50	3,9	3,8x40	1,9x10	4x12	2x12	4x40	2x10	4x30	2x15
16 (80g)	15 (70g)	25 (70g)	18 (70g)	17 (70g)	10/160 ^{AF}	10/160 ^{AF}	25 (70g)	20 (70g)	32 (70g)	22 (70g)
29	21	35			32		53		80	
P-4	P-3	P-2	P-4	P-5	P-4	P-5	P-4	P-5	P-4	P-5
O-3	O-2	O-2	O-1	O-4			O-3	O-4	O-3	O-4
T-4	T-3	T-3	T-2	T-5	T-4	T-5	T-4	T-5	T-4	T-5
			T-2				T-4	T-5	T-4	T-5
	E-2	E-2	E-2	E-4			E-3	E-4	E-3	E-4
			F-1	F-2			F-1	F-2	F-1	F-2
<8 h		<15 min	<10 min	<15 min	<30 min / 60 min ^{AF}		<25 min	<30 min		
<57	<56	<55			<55		<58			
529	330	470	420	540	260		610	630	1250	1350
517 x 300 x 400	555 x 265 x 365	645 x 305 x 395			580 x 466 x 356		795 x 335 x 460		895 x 385 x 520	
12,3	13,7	18,3	21	18,7	15,7	17,4	44		70	

ALL THE WALLNER SHREDDERS MEET THE **GDPR REGULATIONS**

WARRANTY **2** YEARS ★★ ALL DEVICES

Get more information concerning technical characteristics and accessories of concrete Wallner shredders



Separate containers for documents and media shredding makes the waste segregation easier.



100% Jam Proof system—in case of paper jams the reverse function starts automatically and pulls back the documents.



Shredder equipped with a motor that shreds documents silently at the noise level 52-58 dB.



Motor designed for continuous work. Selected models of shredders may work continuously from 10 minutes up to 8 hours.



The concrete shredders from JP or HD series are equipped with an oil bottle for a start.

ATTENTION:

Regular oiling of the cutting knives extends the lifespan of a shredder. We do recommend running a simple of ten procedure: put a few drops of oil on a sheet of paper and then shred it in a shredder.



Shredder lubricant sheets

A5 lubricant sheets spread the oil on the cutting knives in a simple and easy way to extend the lifespan of a shredder. Each sheet contains 6ml of oil.

10 pcs per pack



Wallner oil for shredders

Special formula of the oil designed to grease the cutting blades.

1 bottle contains 450 ml of oil

shredders **directory**



nischzarki.com.pl

This directory is a commercial information, designed especially for distributors and institutional clients. All technical data and dimensions are approximate. The producer reserves the right to introduce modifications in technical solutions and designs



www.argo.pl
tel.: 58 55 43 555



Twój dystrybutor: